

EGT3
ENGINEERING TRIPOS PART IIB

Tuesday 27 April 2021 1.30 to 3.10

Module 4A3

TURBOMACHINERY I

*Answer not more than **two** questions.*

All questions carry the same number of marks.

*The **approximate** percentage of marks allocated to each part of a question is indicated in the right margin.*

*Write your candidate number **not** your name on the cover sheet and at the top of each answer sheet.*

STATIONERY REQUIREMENTS

Write on single-sided paper.

SPECIAL REQUIREMENTS TO BE SUPPLIED FOR THIS EXAM

CUED approved calculator allowed.

Attachment: excerpt from Compressible Flow Data Book (page 1-20 of 38 pages).

You are allowed access to the electronic version of the Engineering Data Books.

10 minutes reading time is allowed for this paper at the start of the exam.

The time taken for scanning/uploading answers is 15 minutes.

Your script is to be uploaded as a single consolidated pdf containing all answers.

1 The following relationship applies to a repeating stage of an axial turbomachine

$$\psi = 2(1 - \Lambda - \phi \tan \alpha_1)$$

where α_1 is the absolute flow angle at entry to the stage, $\phi = V_x/U$, $\psi = \Delta h_0/U^2$ and $\Lambda = \Delta h_{rotor}/\Delta h_{stage}$.

(a) A repeating stage axial turbine is to be designed with 50% reaction and stage loading coefficient $\psi = 1.7$, to achieve a stage total-to-total efficiency $\eta_{tt} = 90\%$.

(i) Considering the Smith chart shown in Fig. 1, determine the flow coefficient ϕ . Hence derive all the flow angles for the stage. [30%]

(ii) Sketch the blade shapes and velocity triangles. Take care to label absolute and relative frame velocities and angles. [10%]

(iii) The multi-stage machine specific work requirement is 148 kJ kg^{-1} and the axial velocity is $V_x = 125 \text{ m s}^{-1}$. Determine the required number of stages. [10%]

(iv) Would the isentropic efficiency for the multi-stage machine be greater or less than the stage isentropic efficiency? Explain your reasoning. [10%]

(b) The Zweifel loading coefficient for a turbine blade in a cascade is defined as

$$Z = \frac{\dot{m}(V_{\theta 2} - V_{\theta 1})}{c_x H (p_{01} - p_2)}$$

where \dot{m} is the mass flow, $V_{\theta 1}$ and $V_{\theta 2}$ are the swirl velocities up- and down-stream of the blade row, c_x the blade axial chord, H the blade height and p_{01} and p_2 the blade upstream total and downstream static pressures. Zweifel's rule says that the blade loading giving minimum loss occurs when $Z = 0.8$. Using Zweifel's rule, and assuming incompressible loss-free flow, suggest a suitable mid-span pitch to axial chord ratio s/c_x for the stator and rotor blades of the stage described in (a). [20%]

(c) The turbine stage in (a) is being considered for a multi-stage turbine in an aero-engine. Suggest an alternative choice of flow coefficient ϕ and stage loading coefficient ψ for this application, keeping the same 50% reaction and efficiency $\eta_{tt} = 90\%$. Explain your reasoning. [20%]




Fig. 1

2 A high bypass ratio turbofan engine has a low pressure turbine (LPT) to drive the fan through a low speed spool. The bypass ratio (BPR) is defined as the ratio of bypass mass flow rate to that passing through the core: $BPR = \dot{m}_b/\dot{m}_c$. The annotation of the station numbers is shown in Fig. 2.

(a) At the nominal design point the fan pressure ratio is $\pi_f = p_{02}/p_{01} = 1.30$ and the specific LPT work is 264.3 kJ kg^{-1} when the engine bypass ratio $BPR = 10.0$, the inlet stagnation temperature $T_{01} = 288 \text{ K}$ and inlet stagnation pressure $P_{01} = 101 \text{ kPa}$. Use as air properties $c_p = 1.005 \text{ kJ kg}^{-1} \text{ K}^{-1}$ and $\gamma = 1.4$.

(i) Calculate the fan polytropic efficiency η_p . [20%]

(ii) The bypass nozzle is choked and has an area $A_{19} = 0.7 \text{ m}^2$, determine the total mass flow through the fan and hence the fan power. [20%]

(iii) The area ratio $A_1/A_{19} = 1.43$. Find the Mach number at inlet to the fan. [20%]

(b) At the cruise condition the inlet guide vane of the high pressure turbine (HPT), the first stage stator guide vane of the LPT and the core exhaust nozzle are all choked. Show that the specific work balance for the low speed spool can be expressed as

$$w_f = C_1 T_{045}$$

where T_{045} is the LPT inlet stagnation temperature. Find coefficient C_1 expressed in terms of the exhaust gas properties c_{pe} , γ_e , area ratio A_9/A_{45} , BPR and LPT polytropic efficiency η_{tp} . State any necessary assumptions. [30%]

(c) At the cruise condition, the engine is given an impulse of additional fuel injection. What effect might this have on the engine stability and how? [10%]




Fig. 2

- 3 (a) A correlation for slip factor σ for centrifugal compressors is

$$\sigma = 1 - \frac{\sqrt{\cos \chi_2}}{N^{0.7}}$$

where χ_2 is the impeller exit metal angle. Describe with appropriate sketches the phenomenon of “slip” and explain why it depends on the number of blades N . [10%]

- (b) A low speed centrifugal compressor, operating with incompressible flow, has a design stage loading coefficient based on the impeller tip speed $\Delta h_0/U^2 = 0.85$, radial blading ($\chi_2 = 0$) and axial flow at compressor inlet.

(i) Determine the slip factor σ and hence determine the required number of impeller blades using the equation in part (a). At impeller exit the design radial velocity is 0.3 times the blade speed. Determine the absolute flow angle of the flow leaving the impeller. Sketch the velocity triangle at this location. [20%]

(ii) The impeller has a design total-to-total efficiency $\eta_{tt} = 90\%$. Compute the impeller pressure rise coefficient $(p_{02} - p_{01})/(\rho U^2)$. [10%]

(iii) The compressor has a vaned diffuser in order to recover the kinetic energy of the impeller exit flow. The static pressure rise across the vaneless space and diffuser combined is 70% of the impeller exit dynamic pressure $(p_{02} - p_2)$. Calculate the total-to-static efficiency η_{ts} of the compressor. [30%]

(iv) A third of the pressure recovery occurs across the vaneless space. Assuming loss-free flow in the vaneless space, determine the radial length of the vaneless space in terms of the impeller tip diameter D . [30%]

END OF PAPER

Compressible Flow Data Book

for Part II of the
Engineering Tripos

2009 Edition



Cambridge University Engineering Department

PERFECT GAS RELATIONS FOR COMPRESSIBLE FLOW

Ratios of stagnation to static quantities

$$\frac{T}{T_0} = \left(1 + \frac{\gamma-1}{2} M^2\right)^{-1}$$

$$\frac{p}{p_0} = \left(1 + \frac{\gamma-1}{2} M^2\right)^{-\frac{\gamma}{\gamma-1}}$$

$$\frac{\rho}{\rho_0} = \left(1 + \frac{\gamma-1}{2} M^2\right)^{-\frac{1}{\gamma-1}}$$

Notes:

(1) $T_0 = \text{const.}$ in adiabatic flow with no shaft work

(2) If flow is isentropic, $p_0 = \text{const.}$ and $\rho_0 = \text{const.}$ when $T_0 = \text{const.}$

Mach number relations (see tables)

$$\frac{V}{\sqrt{c_p T_0}} = \sqrt{\gamma-1} M \left(1 + \frac{\gamma-1}{2} M^2\right)^{-\frac{1}{2}}$$

$$\frac{\dot{m} \sqrt{c_p T_0}}{A p_0} = \frac{\gamma}{\sqrt{\gamma-1}} M \left(1 + \frac{\gamma-1}{2} M^2\right)^{-\frac{1}{2} \left(\frac{\gamma+1}{\gamma-1}\right)}$$

$$\frac{\dot{m} \sqrt{c_p T_0}}{A p} = \frac{\gamma}{\sqrt{\gamma-1}} M \left(1 + \frac{\gamma-1}{2} M^2\right)^{\frac{1}{2}}$$

$$\frac{F}{\dot{m} \sqrt{c_p T_0}} = \frac{\sqrt{\gamma-1}}{\gamma} \frac{1 + \gamma M^2}{M} \left(1 + \frac{\gamma-1}{2} M^2\right)^{-\frac{1}{2}} \quad \text{where } F = (p + \rho V^2) A$$

$$\frac{\frac{1}{2} \rho V^2}{p_0} = \frac{1}{2} \gamma M^2 \left(1 + \frac{\gamma-1}{2} M^2\right)^{-\frac{\gamma}{\gamma-1}}$$

ONE-DIMENSIONAL FLOW OF A PERFECT GAS

Isentropic flow

$$\frac{A}{A^*} = \frac{1}{M} \left\{ \frac{2}{\gamma+1} \left(1 + \frac{\gamma-1}{2} M^2 \right) \right\}^{\frac{1}{2} \left(\frac{\gamma+1}{\gamma-1} \right)}$$

Adiabatic constant area flow

$$\frac{4c_f L_{\max}}{D} = \frac{1-M^2}{\gamma M^2} + \frac{\gamma+1}{2\gamma} \ln \left(\frac{(\gamma+1)M^2}{2 \left(1 + \frac{\gamma-1}{2} M^2 \right)} \right)$$

Normal shock waves in perfect gases

$$V V_s = a^{*2}$$

$$M_s = \left(\frac{1 + \frac{\gamma-1}{2} M^2}{\gamma M^2 - \frac{\gamma-1}{2}} \right)^{\frac{1}{2}}$$

$$\frac{p_{0s}}{p_0} = \left(\frac{\frac{\gamma+1}{2} M^2}{1 + \frac{\gamma-1}{2} M^2} \right)^{\frac{\gamma}{\gamma-1}} \left(\frac{2\gamma}{\gamma+1} M^2 - \frac{\gamma-1}{\gamma+1} \right)^{\frac{1}{1-\gamma}}$$

$$\frac{p_s}{p} = 1 + \frac{2\gamma}{\gamma+1} (M^2 - 1)$$

$$\frac{p_{0s}}{p} = \left(\frac{\gamma+1}{2} M^2 \right)^{\frac{\gamma}{\gamma-1}} \left(\frac{2\gamma}{\gamma+1} M^2 - \frac{\gamma-1}{\gamma+1} \right)^{\frac{1}{1-\gamma}}$$


$$\frac{T_s}{T} = \frac{\gamma-1}{(\gamma+1)^2} \frac{2}{M^2} \left(1 + \frac{\gamma-1}{2} M^2 \right) \left(\frac{2\gamma}{\gamma-1} M^2 - 1 \right)$$

$$\frac{\rho_s}{\rho} = \frac{(\gamma+1)M^2}{2 \left(1 + \frac{\gamma-1}{2} M^2 \right)}$$

TWO DIMENSIONAL SUPERSONIC FLOW

Method of Characteristics for 2-D supersonic flow

Applicable to adiabatic ($h_0 = \text{constant}$), isentropic flow



Mach Number $M = u/c$


Mach angle $\mu = \sin^{-1}\left(\frac{1}{M}\right)$

Prandtl-Meyer function $v = \int_1^M \sqrt{M^2 - 1} \frac{du}{u}$

$$v = \sqrt{\frac{\gamma+1}{\gamma-1}} \tan^{-1} \sqrt{\frac{\gamma-1}{\gamma+1} (M^2 - 1)} - \tan^{-1} \sqrt{M^2 - 1} \quad \text{for a perfect gas}$$


Calculations

Lattice Method




$$\begin{aligned} v_3 - \theta_3 &= v_2 - \theta_2 & \text{along } +\mu \\ v_3 + \theta_3 &= v_1 + \theta_1 & \text{along } -\mu \end{aligned}$$

Field (or wave) method



$$\begin{aligned} v_3 + \theta_3 &= v_1 + \theta_1 & \text{across } +\mu \\ v_3 - \theta_3 &= v_2 - \theta_2 & \text{across } -\mu \end{aligned}$$

Linearised Method of Characteristics (thin film theory)




$$\mu \approx \sin^{-1}(1/M_\infty)$$

$$\Delta p \approx \pm \frac{\rho_\infty u_\infty^2 \Delta\theta}{\sqrt{M_\infty^2 - 1}} \quad \text{across } \pm\mu \text{ waves}$$

Pressure coefficient $c_p = \frac{p - p_\infty}{\frac{1}{2} \rho_\infty u_\infty^2} = \pm \frac{2\theta}{\sqrt{M_\infty^2 - 1}}$ on upper/lower surface

Prandtl-Glauert rule for linearised potential flow past geometrically similar bodies



Pressure coefficient $c_p = \frac{p - p_\infty}{\frac{1}{2} \rho_\infty u_\infty^2}$

For geometrically similar bodies with $\frac{\eta}{L} = f\left(\frac{x}{L}\right)$ and $c_p(M_\infty = 0) = c_{p0}$,

$$c_p = \frac{c_{p0}}{\sqrt{1 - M_\infty^2}} \quad \text{in subsonic flow}$$

$$c_p \propto \frac{1}{\sqrt{M_\infty^2 - 1}} \quad \text{in supersonic flow}$$

Oblique Shock Relations (see tables)

$$\frac{p_2}{p_1} = 1 + \frac{2\gamma}{\gamma+1} (M_1^2 \sin^2 \beta - 1)$$


$$\frac{T_2}{T_1} = \frac{\gamma-1}{(\gamma+1)^2} \frac{2}{M_1^2 \sin^2 \beta} \left(1 + \frac{\gamma-1}{2} M_1^2 \sin^2 \beta \right) \left(\frac{2\gamma}{\gamma-1} M_1^2 \sin^2 \beta - 1 \right)$$

$$\frac{\rho_2}{\rho_1} = \frac{(\gamma+1)M_1^2 \sin^2 \beta}{2 \left[1 + \frac{\gamma-1}{2} M_1^2 \sin^2 \beta \right]}$$

$$M_2 \sin(\beta - \theta) = \left[\frac{1 + \frac{\gamma-1}{2} M_1^2 \sin^2 \beta}{\gamma M_1^2 \sin^2 \beta - \frac{\gamma-1}{2}} \right]^{\frac{1}{2}}$$

$$\frac{p_{02}}{p_{01}} = \left(\frac{\frac{\gamma+1}{2} M_1^2 \sin^2 \beta}{1 + \frac{\gamma-1}{2} M_1^2 \sin^2 \beta} \right)^{\frac{\gamma}{\gamma-1}} \left(\frac{2\gamma}{\gamma+1} M_1^2 \sin^2 \beta - \frac{\gamma-1}{\gamma+1} \right)^{\frac{1}{1-\gamma}}$$

$$\tan \theta = \frac{2 \cot \beta (M_1^2 \sin^2 \beta - 1)}{(\gamma+1)M_1^2 - 2(M_1^2 \sin^2 \beta - 1)}$$



GAS FLOW TABLES ($\gamma=1.400$): SUBSONIC FLOW

M	$\frac{T}{T_0}$	$\frac{p}{p_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap_0}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap}$	$\frac{F}{\dot{m}\sqrt{c_p T_0}}$	$\frac{4c_f L_{\max}}{D}$	$\frac{1}{2}\rho V^2$ p_0
0.010	1.0000	0.9999	1.0000	0.0063	0.0221	0.0221	45.1813	7134.405	0.0001
0.020	0.9999	0.9997	0.9998	0.0126	0.0443	0.0443	22.5994	1778.450	0.0003
0.030	0.9998	0.9994	0.9996	0.0190	0.0664	0.0664	15.0761	787.0814	0.0006
0.040	0.9997	0.9989	0.9992	0.0253	0.0885	0.0886	11.3173	440.3522	0.0011
0.050	0.9995	0.9983	0.9988	0.0316	0.1105	0.1107	9.0644	280.0203	0.0017
0.060	0.9993	0.9975	0.9982	0.0379	0.1325	0.1329	7.5645	193.0311	0.0025
0.070	0.9990	0.9966	0.9976	0.0443	0.1545	0.1550	6.4947	140.6550	0.0034
0.080	0.9987	0.9955	0.9968	0.0506	0.1764	0.1772	5.6939	106.7182	0.0045
0.090	0.9984	0.9944	0.9960	0.0569	0.1983	0.1994	5.0723	83.4961	0.0056
0.100	0.9980	0.9930	0.9950	0.0632	0.2200	0.2216	4.5762	66.9216	0.0070
0.110	0.9976	0.9916	0.9940	0.0695	0.2417	0.2438	4.1714	54.6879	0.0084
0.120	0.9971	0.9900	0.9928	0.0758	0.2633	0.2660	3.8350	45.4080	0.0100
0.130	0.9966	0.9883	0.9916	0.0821	0.2849	0.2883	3.5513	38.2070	0.0117
0.140	0.9961	0.9864	0.9903	0.0884	0.3063	0.3105	3.3089	32.5113	0.0135
0.150	0.9955	0.9844	0.9888	0.0947	0.3276	0.3328	3.0996	27.9320	0.0155
0.160	0.9949	0.9823	0.9873	0.1009	0.3488	0.3551	2.9172	24.1978	0.0176
0.170	0.9943	0.9800	0.9857	0.1072	0.3699	0.3774	2.7569	21.1152	0.0198
0.180	0.9936	0.9776	0.9840	0.1135	0.3908	0.3997	2.6151	18.5427	0.0222
0.190	0.9928	0.9751	0.9822	0.1197	0.4116	0.4221	2.4889	16.3752	0.0246
0.200	0.9921	0.9725	0.9803	0.1260	0.4323	0.4445	2.3758	14.5333	0.0272
0.210	0.9913	0.9697	0.9783	0.1322	0.4528	0.4669	2.2740	12.9560	0.0299
0.220	0.9904	0.9668	0.9762	0.1385	0.4731	0.4893	2.1820	11.5961	0.0328
0.230	0.9895	0.9638	0.9740	0.1447	0.4933	0.5118	2.0985	10.4161	0.0357
0.240	0.9886	0.9607	0.9718	0.1509	0.5133	0.5343	2.0225	9.3865	0.0387
0.250	0.9877	0.9575	0.9694	0.1571	0.5332	0.5568	1.9530	8.4834	0.0419
0.260	0.9867	0.9541	0.9670	0.1633	0.5528	0.5794	1.8892	7.6876	0.0451
0.270	0.9856	0.9506	0.9645	0.1695	0.5723	0.6020	1.8306	6.9832	0.0485
0.280	0.9846	0.9470	0.9619	0.1757	0.5915	0.6246	1.7766	6.3572	0.0520
0.290	0.9835	0.9433	0.9592	0.1819	0.6106	0.6473	1.7267	5.7989	0.0555
0.300	0.9823	0.9395	0.9564	0.1881	0.6295	0.6700	1.6805	5.2993	0.0592
0.310	0.9811	0.9355	0.9535	0.1942	0.6481	0.6928	1.6377	4.8507	0.0629
0.320	0.9799	0.9315	0.9506	0.2003	0.6666	0.7156	1.5978	4.4467	0.0668
0.330	0.9787	0.9274	0.9476	0.2065	0.6848	0.7384	1.5608	4.0821	0.0707
0.340	0.9774	0.9231	0.9445	0.2126	0.7027	0.7613	1.5262	3.7520	0.0747
0.350	0.9761	0.9188	0.9413	0.2187	0.7205	0.7842	1.4939	3.4525	0.0788
0.360	0.9747	0.9143	0.9380	0.2248	0.7380	0.8072	1.4637	3.1801	0.0829
0.370	0.9733	0.9098	0.9347	0.2309	0.7553	0.8302	1.4354	2.9320	0.0872
0.380	0.9719	0.9052	0.9313	0.2369	0.7723	0.8532	1.4090	2.7054	0.0915
0.390	0.9705	0.9004	0.9278	0.2430	0.7891	0.8763	1.3841	2.4983	0.0959
0.400	0.9690	0.8956	0.9243	0.2490	0.8056	0.8995	1.3608	2.3085	0.1003
0.410	0.9675	0.8907	0.9207	0.2551	0.8219	0.9227	1.3388	2.1344	0.1048
0.420	0.9659	0.8857	0.9170	0.2611	0.8379	0.9460	1.3182	1.9744	0.1094
0.430	0.9643	0.8807	0.9132	0.2671	0.8536	0.9693	1.2988	1.8272	0.1140
0.440	0.9627	0.8755	0.9094	0.2730	0.8691	0.9927	1.2804	1.6915	0.1186
0.450	0.9611	0.8703	0.9055	0.2790	0.8843	1.0161	1.2632	1.5664	0.1234
0.460	0.9594	0.8650	0.9016	0.2850	0.8992	1.0396	1.2469	1.4509	0.1281
0.470	0.9577	0.8596	0.8976	0.2909	0.9138	1.0631	1.2315	1.3441	0.1329
0.480	0.9559	0.8541	0.8935	0.2968	0.9282	1.0867	1.2170	1.2453	0.1378
0.490	0.9542	0.8486	0.8894	0.3027	0.9423	1.1104	1.2033	1.1539	0.1426
0.500	0.9524	0.8430	0.8852	0.3086	0.9561	1.1341	1.1903	1.0691	0.1475

$$\gamma=1.400$$

M	$\frac{T}{T_0}$	$\frac{p}{p_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap_0}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap}$	$\frac{F}{\dot{m}\sqrt{c_p T_0}}$	$\frac{4c_f L_{\max}}{D}$	$\frac{1}{2}\rho V^2$ p_0
0.510	0.9506	0.8374	0.8809	0.3145	0.9696	1.1579	1.1781	0.9904	0.1525
0.520	0.9487	0.8317	0.8766	0.3203	0.9828	1.1818	1.1665	0.9174	0.1574
0.530	0.9468	0.8259	0.8723	0.3262	0.9958	1.2057	1.1556	0.8496	0.1624
0.540	0.9449	0.8201	0.8679	0.3320	1.0084	1.2297	1.1452	0.7866	0.1674
0.550	0.9430	0.8142	0.8634	0.3378	1.0208	1.2538	1.1354	0.7281	0.1724
0.560	0.9410	0.8082	0.8589	0.3436	1.0328	1.2779	1.1261	0.6736	0.1774
0.570	0.9390	0.8022	0.8544	0.3493	1.0446	1.3021	1.1173	0.6229	0.1825
0.580	0.9370	0.7962	0.8498	0.3551	1.0561	1.3264	1.1090	0.5757	0.1875
0.590	0.9349	0.7901	0.8451	0.3608	1.0672	1.3507	1.1011	0.5317	0.1925
0.600	0.9328	0.7840	0.8405	0.3665	1.0781	1.3751	1.0937	0.4908	0.1976
0.610	0.9307	0.7778	0.8357	0.3722	1.0887	1.3996	1.0867	0.4527	0.2026
0.620	0.9286	0.7716	0.8310	0.3779	1.0990	1.4242	1.0800	0.4172	0.2076
0.630	0.9265	0.7654	0.8262	0.3835	1.1090	1.4489	1.0737	0.3841	0.2127
0.640	0.9243	0.7591	0.8213	0.3891	1.1186	1.4736	1.0678	0.3533	0.2177
0.650	0.9221	0.7528	0.8164	0.3948	1.1280	1.4984	1.0621	0.3246	0.2226
0.660	0.9199	0.7465	0.8115	0.4003	1.1371	1.5233	1.0568	0.2979	0.2276
0.670	0.9176	0.7401	0.8066	0.4059	1.1459	1.5483	1.0518	0.2730	0.2326
0.680	0.9153	0.7338	0.8016	0.4115	1.1544	1.5733	1.0471	0.2498	0.2375
0.690	0.9131	0.7274	0.7966	0.4170	1.1626	1.5984	1.0426	0.2282	0.2424
0.700	0.9107	0.7209	0.7916	0.4225	1.1705	1.6237	1.0384	0.2081	0.2473
0.710	0.9084	0.7145	0.7865	0.4280	1.1782	1.6490	1.0344	0.1895	0.2521
0.720	0.9061	0.7080	0.7814	0.4335	1.1855	1.6744	1.0307	0.1721	0.2569
0.730	0.9037	0.7016	0.7763	0.4389	1.1925	1.6999	1.0272	0.1561	0.2617
0.740	0.9013	0.6951	0.7712	0.4443	1.1993	1.7254	1.0239	0.1411	0.2664
0.750	0.8989	0.6886	0.7660	0.4497	1.2058	1.7511	1.0208	0.1273	0.2711
0.760	0.8964	0.6821	0.7609	0.4551	1.2119	1.7768	1.0179	0.1145	0.2758
0.770	0.8940	0.6756	0.7557	0.4605	1.2178	1.8027	1.0152	0.1026	0.2804
0.780	0.8915	0.6691	0.7505	0.4658	1.2234	1.8286	1.0126	0.0917	0.2849
0.790	0.8890	0.6625	0.7452	0.4711	1.2288	1.8547	1.0103	0.0816	0.2894
0.800	0.8865	0.6560	0.7400	0.4764	1.2338	1.8808	1.0081	0.0723	0.2939
0.810	0.8840	0.6495	0.7347	0.4817	1.2386	1.9070	1.0060	0.0638	0.2983
0.820	0.8815	0.6430	0.7295	0.4869	1.2431	1.9333	1.0041	0.0559	0.3026
0.830	0.8789	0.6365	0.7242	0.4921	1.2474	1.9598	1.0024	0.0488	0.3069
0.840	0.8763	0.6300	0.7189	0.4973	1.2514	1.9863	1.0008	0.0423	0.3112
0.850	0.8737	0.6235	0.7136	0.5025	1.2551	2.0129	0.9993	0.0363	0.3153
0.860	0.8711	0.6170	0.7083	0.5077	1.2585	2.0396	0.9979	0.0310	0.3195
0.870	0.8685	0.6106	0.7030	0.5128	1.2617	2.0665	0.9967	0.0261	0.3235
0.880	0.8659	0.6041	0.6977	0.5179	1.2646	2.0934	0.9956	0.0218	0.3275
0.890	0.8632	0.5977	0.6924	0.5230	1.2673	2.1204	0.9946	0.0179	0.3314
0.900	0.8606	0.5913	0.6870	0.5280	1.2698	2.1476	0.9937	0.0145	0.3352
0.910	0.8579	0.5849	0.6817	0.5331	1.2719	2.1748	0.9929	0.0115	0.3390
0.920	0.8552	0.5785	0.6764	0.5381	1.2739	2.2021	0.9922	0.0089	0.3427
0.930	0.8525	0.5721	0.6711	0.5431	1.2756	2.2296	0.9916	0.0067	0.3464
0.940	0.8498	0.5658	0.6658	0.5481	1.2770	2.2572	0.9911	0.0048	0.3499
0.950	0.8471	0.5595	0.6604	0.5530	1.2783	2.2848	0.9907	0.0033	0.3534
0.960	0.8444	0.5532	0.6551	0.5579	1.2793	2.3126	0.9903	0.0021	0.3569
0.970	0.8416	0.5469	0.6498	0.5628	1.2800	2.3405	0.9901	0.0011	0.3602
0.980	0.8389	0.5407	0.6445	0.5677	1.2806	2.3685	0.9899	0.0005	0.3635
0.990	0.8361	0.5345	0.6392	0.5725	1.2809	2.3966	0.9898	0.0001	0.3667
1.000	0.8333	0.5283	0.6339	0.5774	1.2810	2.4249	0.9897	0.0000	0.3698

GAS FLOW TABLES ($\gamma=1.400$): SUPERSONIC FLOW

M	$\frac{T}{T_0}$	$\frac{p}{p_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{m\sqrt{c_p T_0}}{Ap_0}$	$\frac{m\sqrt{c_p T_0}}{Ap}$	F	$\frac{4c_f L_{max}}{D}$	$\frac{1}{2}\rho V^2$	M_s	$\frac{P_{0s}}{P_0}$	$\frac{P_s}{P}$	$\frac{P_{0s}}{P}$	$\frac{T_s}{T}$	V	M
1.010	0.8306	0.5221	0.6287	0.5821	1.2809	2.4532	0.9898	0.0001	0.3728	0.9901	1.0000	1.0235	1.9152	1.0066	0.04	1.010
1.020	0.8278	0.5160	0.6234	0.5869	1.2806	2.4817	0.9899	0.0005	0.3758	0.9805	1.0000	1.0471	1.9379	1.0132	0.13	1.020
1.030	0.8250	0.5099	0.6181	0.5917	1.2801	2.5103	0.9900	0.0010	0.3787	0.9712	1.0000	1.0711	1.9610	1.0198	0.23	1.030
1.040	0.8222	0.5039	0.6129	0.5964	1.2793	2.5390	0.9903	0.0018	0.3815	0.9620	0.9999	1.0952	1.9844	1.0263	0.35	1.040
1.050	0.8193	0.4979	0.6077	0.6011	1.2784	2.5678	0.9905	0.0027	0.3842	0.9531	0.9999	1.1196	2.0083	1.0328	0.49	1.050
1.060	0.8165	0.4919	0.6024	0.6058	1.2773	2.5967	0.9909	0.0038	0.3869	0.9444	0.9998	1.1442	2.0325	1.0393	0.64	1.060
1.070	0.8137	0.4860	0.5972	0.6104	1.2760	2.6258	0.9913	0.0051	0.3895	0.9360	0.9996	1.1691	2.0570	1.0458	0.80	1.070
1.080	0.8108	0.4800	0.5920	0.6151	1.2745	2.6549	0.9917	0.0066	0.3919	0.9277	0.9994	1.1941	2.0819	1.0522	0.97	1.080
1.090	0.8080	0.4742	0.5869	0.6197	1.2728	2.6842	0.9922	0.0082	0.3944	0.9196	0.9992	1.2195	2.1072	1.0586	1.15	1.090
1.100	0.8052	0.4684	0.5817	0.6243	1.2709	2.7136	0.9928	0.0099	0.3967	0.9118	0.9989	1.2450	2.1328	1.0649	1.34	1.100
1.110	0.8023	0.4626	0.5766	0.6288	1.2689	2.7432	0.9934	0.0118	0.3990	0.9041	0.9986	1.2708	2.1588	1.0713	1.53	1.110
1.120	0.7994	0.4568	0.5714	0.6333	1.2667	2.7728	0.9940	0.0138	0.4011	0.8966	0.9982	1.2968	2.1851	1.0776	1.74	1.120
1.130	0.7966	0.4511	0.5663	0.6379	1.2643	2.8026	0.9947	0.0159	0.4032	0.8892	0.9978	1.3231	2.2118	1.0840	1.94	1.130
1.140	0.7937	0.4455	0.5612	0.6423	1.2618	2.8325	0.9954	0.0182	0.4052	0.8820	0.9973	1.3495	2.2388	1.0903	2.16	1.140
1.150	0.7908	0.4398	0.5562	0.6468	1.2590	2.8626	0.9961	0.0205	0.4072	0.8750	0.9967	1.3763	2.2661	1.0966	2.38	1.150
1.160	0.7879	0.4343	0.5511	0.6512	1.2562	2.8927	0.9969	0.0230	0.4090	0.8682	0.9961	1.4032	2.2937	1.1029	2.61	1.160
1.170	0.7851	0.4287	0.5461	0.6556	1.2531	2.9230	0.9978	0.0255	0.4108	0.8615	0.9953	1.4304	2.3217	1.1092	2.84	1.170
1.180	0.7822	0.4232	0.5411	0.6600	1.2500	2.9534	0.9986	0.0281	0.4125	0.8549	0.9946	1.4578	2.3500	1.1154	3.07	1.180
1.190	0.7793	0.4178	0.5361	0.6644	1.2466	2.9840	0.9995	0.0309	0.4141	0.8485	0.9937	1.4855	2.3786	1.1217	3.31	1.190
1.200	0.7764	0.4124	0.5311	0.6687	1.2432	3.0147	1.0004	0.0336	0.4157	0.8422	0.9928	1.5133	2.4075	1.1280	3.56	1.200
1.210	0.7735	0.4070	0.5262	0.6730	1.2396	3.0455	1.0014	0.0365	0.4171	0.8360	0.9918	1.5415	2.4367	1.1343	3.81	1.210
1.220	0.7706	0.4017	0.5213	0.6773	1.2358	3.0764	1.0024	0.0394	0.4185	0.8300	0.9907	1.5698	2.4663	1.1405	4.06	1.220
1.230	0.7677	0.3964	0.5164	0.6816	1.2319	3.1075	1.0034	0.0424	0.4198	0.8241	0.9896	1.5984	2.4961	1.1468	4.31	1.230
1.240	0.7648	0.3912	0.5115	0.6858	1.2279	3.1387	1.0045	0.0455	0.4211	0.8183	0.9884	1.6272	2.5263	1.1531	4.57	1.240
1.250	0.7619	0.3861	0.5067	0.6901	1.2238	3.1700	1.0055	0.0486	0.4223	0.8126	0.9871	1.6563	2.5568	1.1594	4.83	1.250

$\gamma=1.400$

M	$\frac{T}{T_0}$	$\frac{P}{P_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{m\sqrt{c_p T_0}}{A p_0}$	$\frac{F}{m\sqrt{c_p T_0}}$	$\frac{4c_f L_{max}}{D}$	$\frac{1}{2}\rho V^2$	M_s	$\frac{P_{0s}}{P_0}$	$\frac{P_s}{P}$	$\frac{P_{0s}}{P}$	$\frac{T_s}{T}$	V	M
1.260	0.7590	0.3809	0.5019	0.6943	1.2195	3.2015	1.0066	0.0517	0.4233	0.8071	1.6855	0.9857	1.1657	5.09	1.260
1.270	0.7561	0.3759	0.4971	0.6984	1.2152	3.2331	1.0077	0.0549	0.4244	0.8016	1.7151	0.9842	1.1720	5.36	1.270
1.280	0.7532	0.3708	0.4923	0.7026	1.2107	3.2648	1.0089	0.0582	0.4253	0.7963	1.7448	0.9827	1.1783	5.63	1.280
1.290	0.7503	0.3658	0.4876	0.7067	1.2061	3.2967	1.0100	0.0615	0.4262	0.7911	1.7748	0.9811	1.1846	5.90	1.290
1.300	0.7474	0.3609	0.4829	0.7108	1.2014	3.3287	1.0112	0.0648	0.4270	0.7860	1.8050	0.9794	1.1909	6.17	1.300
1.310	0.7445	0.3560	0.4782	0.7149	1.1965	3.3608	1.0124	0.0682	0.4277	0.7809	1.8355	0.9776	1.1972	6.44	1.310
1.320	0.7416	0.3512	0.4736	0.7189	1.1916	3.3931	1.0136	0.0716	0.4283	0.7760	1.8661	0.9758	1.2035	6.72	1.320
1.330	0.7387	0.3464	0.4690	0.7229	1.1866	3.4255	1.0149	0.0750	0.4289	0.7712	1.8971	0.9738	1.2099	7.00	1.330
1.340	0.7358	0.3417	0.4644	0.7270	1.1815	3.4581	1.0161	0.0785	0.4294	0.7664	1.9282	0.9718	1.2162	7.28	1.340
1.350	0.7329	0.3370	0.4598	0.7309	1.1763	3.4907	1.0174	0.0820	0.4299	0.7618	1.9596	0.9697	1.2226	7.56	1.350
1.360	0.7300	0.3323	0.4553	0.7349	1.1710	3.5236	1.0187	0.0855	0.4303	0.7572	1.9912	0.9676	1.2290	7.84	1.360
1.370	0.7271	0.3277	0.4508	0.7388	1.1656	3.5566	1.0200	0.0890	0.4306	0.7527	2.0231	0.9653	1.2354	8.13	1.370
1.380	0.7242	0.3232	0.4463	0.7427	1.1601	3.5897	1.0213	0.0926	0.4308	0.7483	2.0551	0.9630	1.2418	8.41	1.380
1.390	0.7213	0.3187	0.4418	0.7466	1.1546	3.6229	1.0226	0.0962	0.4310	0.7440	2.0875	0.9607	1.2482	8.70	1.390
1.400	0.7184	0.3142	0.4374	0.7505	1.1490	3.6563	1.0240	0.0997	0.4311	0.7397	2.1200	0.9582	1.2547	8.99	1.400
1.410	0.7155	0.3098	0.4330	0.7543	1.1433	3.6899	1.0253	0.1033	0.4312	0.7355	2.1528	0.9557	1.2612	9.28	1.410
1.420	0.7126	0.3055	0.4287	0.7581	1.1375	3.7236	1.0267	0.1069	0.4312	0.7314	2.1858	0.9531	1.2676	9.57	1.420
1.430	0.7097	0.3012	0.4244	0.7619	1.1317	3.7574	1.0281	0.1106	0.4311	0.7274	2.2191	0.9504	1.2741	9.86	1.430
1.440	0.7069	0.2969	0.4201	0.7657	1.1258	3.7914	1.0295	0.1142	0.4310	0.7235	2.2525	0.9476	1.2807	10.15	1.440
1.450	0.7040	0.2927	0.4158	0.7694	1.1198	3.8255	1.0308	0.1178	0.4308	0.7196	2.2863	0.9448	1.2872	10.44	1.450
1.460	0.7011	0.2886	0.4116	0.7732	1.1138	3.8598	1.0323	0.1215	0.4306	0.7157	2.3202	0.9420	1.2938	10.73	1.460
1.470	0.6982	0.2845	0.4074	0.7769	1.1077	3.8942	1.0337	0.1251	0.4303	0.7120	2.3544	0.9390	1.3003	11.02	1.470
1.480	0.6954	0.2804	0.4032	0.7805	1.1016	3.9287	1.0351	0.1288	0.4299	0.7083	2.3888	0.9360	1.3069	11.32	1.480
1.490	0.6925	0.2764	0.3991	0.7842	1.0954	3.9634	1.0365	0.1324	0.4295	0.7047	2.4235	0.9329	1.3136	11.61	1.490
1.500	0.6897	0.2724	0.3950	0.7878	1.0891	3.9983	1.0379	0.1361	0.4290	0.7011	2.4583	0.9298	1.3202	11.91	1.500

$$\gamma=1.400$$

M	$\frac{T}{T_0}$	$\frac{P}{P_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{m\sqrt{c_p T_0}}{Ap_0}$	$\frac{m\sqrt{c_p T_0}}{Ap}$	F	$\frac{4c_f L_{\max}}{D}$	$\frac{1}{2}\rho V^2$	M_s	$\frac{P_{0s}}{P_0}$	$\frac{P_s}{P}$	$\frac{P_{0s}}{P}$	$\frac{T_s}{T}$	V	M
1.510	0.6868	0.2685	0.3909	0.7914	1.0829	4.0333	1.0394	0.1397	0.4285	0.6976	0.9266	2.4935	3.4512	1.3269	12.20	1.510
1.520	0.6840	0.2646	0.3869	0.7950	1.0765	4.0684	1.0408	0.1433	0.4279	0.6941	0.9233	2.5288	3.4894	1.3336	12.49	1.520
1.530	0.6811	0.2608	0.3829	0.7986	1.0702	4.1037	1.0423	0.1470	0.4273	0.6907	0.9200	2.5644	3.5279	1.3403	12.79	1.530
1.540	0.6783	0.2570	0.3789	0.8021	1.0638	4.1392	1.0437	0.1506	0.4266	0.6874	0.9166	2.6002	3.5667	1.3470	13.09	1.540
1.550	0.6754	0.2533	0.3750	0.8057	1.0573	4.1748	1.0452	0.1543	0.4259	0.6841	0.9132	2.6363	3.6057	1.3538	13.38	1.550
1.560	0.6726	0.2496	0.3710	0.8092	1.0508	4.2105	1.0467	0.1579	0.4252	0.6809	0.9097	2.6725	3.6450	1.3606	13.68	1.560
1.570	0.6698	0.2459	0.3672	0.8126	1.0443	4.2464	1.0481	0.1615	0.4243	0.6777	0.9062	2.7091	3.6846	1.3674	13.97	1.570
1.580	0.6670	0.2423	0.3633	0.8161	1.0378	4.2825	1.0496	0.1651	0.4235	0.6746	0.9026	2.7458	3.7244	1.3742	14.27	1.580
1.590	0.6642	0.2388	0.3595	0.8195	1.0312	4.3187	1.0511	0.1688	0.4226	0.6715	0.8989	2.7828	3.7646	1.3811	14.56	1.590
1.600	0.6614	0.2353	0.3557	0.8230	1.0246	4.3551	1.0526	0.1724	0.4216	0.6684	0.8952	2.8200	3.8050	1.3880	14.86	1.600
1.610	0.6586	0.2318	0.3520	0.8263	1.0180	4.3916	1.0541	0.1760	0.4206	0.6655	0.8915	2.8575	3.8456	1.3949	15.16	1.610
1.620	0.6558	0.2284	0.3483	0.8297	1.0114	4.4282	1.0555	0.1795	0.4196	0.6625	0.8877	2.8951	3.8866	1.4018	15.45	1.620
1.630	0.6530	0.2250	0.3446	0.8331	1.0047	4.4651	1.0570	0.1831	0.4185	0.6596	0.8838	2.9331	3.9278	1.4088	15.75	1.630
1.640	0.6502	0.2217	0.3409	0.8364	0.9980	4.5020	1.0585	0.1867	0.4174	0.6568	0.8799	2.9712	3.9693	1.4158	16.04	1.640
1.650	0.6475	0.2184	0.3373	0.8397	0.9913	4.5392	1.0600	0.1902	0.4162	0.6540	0.8760	3.0096	4.0110	1.4228	16.34	1.650
1.660	0.6447	0.2151	0.3337	0.8430	0.9846	4.5765	1.0615	0.1938	0.4150	0.6512	0.8720	3.0482	4.0531	1.4299	16.63	1.660
1.670	0.6419	0.2119	0.3302	0.8462	0.9779	4.6139	1.0630	0.1973	0.4138	0.6485	0.8680	3.0871	4.0953	1.4369	16.93	1.670
1.680	0.6392	0.2088	0.3266	0.8495	0.9712	4.6515	1.0645	0.2008	0.4125	0.6458	0.8639	3.1261	4.1379	1.4440	17.22	1.680
1.690	0.6364	0.2057	0.3232	0.8527	0.9644	4.6892	1.0660	0.2043	0.4112	0.6431	0.8599	3.1655	4.1807	1.4512	17.52	1.690
1.700	0.6337	0.2026	0.3197	0.8559	0.9577	4.7272	1.0674	0.2078	0.4098	0.6405	0.8557	3.2050	4.2238	1.4583	17.81	1.700
1.710	0.6310	0.1996	0.3163	0.8591	0.9509	4.7652	1.0689	0.2113	0.4085	0.6380	0.8516	3.2448	4.2672	1.4655	18.10	1.710
1.720	0.6283	0.1966	0.3129	0.8622	0.9442	4.8035	1.0704	0.2147	0.4071	0.6355	0.8474	3.2848	4.3108	1.4727	18.40	1.720
1.730	0.6256	0.1936	0.3095	0.8654	0.9374	4.8418	1.0719	0.2182	0.4056	0.6330	0.8431	3.3251	4.3547	1.4800	18.69	1.730
1.740	0.6229	0.1907	0.3062	0.8685	0.9307	4.8804	1.0734	0.2216	0.4041	0.6305	0.8389	3.3655	4.3989	1.4873	18.98	1.740
1.750	0.6202	0.1878	0.3029	0.8716	0.9239	4.9191	1.0749	0.2250	0.4026	0.6281	0.8346	3.4063	4.4433	1.4946	19.27	1.750

$\gamma=1.400$

M	$\frac{T}{T_0}$	$\frac{p}{P_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{m\sqrt{c_p T_0}}{A p_0}$	$\frac{m\sqrt{c_p T_0}}{A p}$	$\frac{F}{m\sqrt{c_p T_0}}$	$\frac{4c_f L_{\max}}{D}$	$\frac{1}{2}\rho V^2$	M_s	$\frac{P_{0s}}{P_0}$	$\frac{P_s}{P}$	$\frac{P_{0s}}{P}$	$\frac{T_s}{T}$	V	M
1.760	0.6175	0.1850	0.2996	0.8747	0.9172	4.9580	1.0764	0.2284	0.4011	0.6257	0.8302	3.4472	4.4880	1.5019	19.56	1.760
1.770	0.6148	0.1822	0.2964	0.8777	0.9104	4.9970	1.0779	0.2318	0.3996	0.6234	0.8259	3.4884	4.5330	1.5093	19.86	1.770
1.780	0.6121	0.1794	0.2931	0.8808	0.9037	5.0362	1.0793	0.2352	0.3980	0.6210	0.8215	3.5298	4.5782	1.5167	20.15	1.780
1.790	0.6095	0.1767	0.2900	0.8838	0.8970	5.0755	1.0808	0.2385	0.3964	0.6188	0.8171	3.5715	4.6237	1.5241	20.44	1.790
1.800	0.6068	0.1740	0.2868	0.8868	0.8902	5.1150	1.0823	0.2419	0.3947	0.6165	0.8127	3.6133	4.6695	1.5316	20.73	1.800
1.810	0.6041	0.1714	0.2837	0.8898	0.8835	5.1547	1.0838	0.2452	0.3931	0.6143	0.8082	3.6555	4.7155	1.5391	21.01	1.810
1.820	0.6015	0.1688	0.2806	0.8927	0.8768	5.1945	1.0852	0.2485	0.3914	0.6121	0.8038	3.6978	4.7618	1.5466	21.30	1.820
1.830	0.5989	0.1662	0.2776	0.8957	0.8701	5.2345	1.0867	0.2518	0.3897	0.6099	0.7993	3.7404	4.8084	1.5541	21.59	1.830
1.840	0.5963	0.1637	0.2745	0.8986	0.8634	5.2747	1.0882	0.2551	0.3879	0.6078	0.7948	3.7832	4.8552	1.5617	21.88	1.840
1.850	0.5936	0.1612	0.2715	0.9015	0.8568	5.3150	1.0896	0.2583	0.3862	0.6057	0.7902	3.8263	4.9023	1.5693	22.16	1.850
1.860	0.5910	0.1587	0.2686	0.9044	0.8501	5.3555	1.0911	0.2616	0.3844	0.6036	0.7857	3.8695	4.9497	1.5770	22.45	1.860
1.870	0.5884	0.1563	0.2656	0.9072	0.8435	5.3962	1.0926	0.2648	0.3826	0.6016	0.7811	3.9131	4.9973	1.5847	22.73	1.870
1.880	0.5859	0.1539	0.2627	0.9101	0.8368	5.4370	1.0940	0.2680	0.3808	0.5996	0.7765	3.9568	5.0452	1.5924	23.02	1.880
1.890	0.5833	0.1516	0.2598	0.9129	0.8302	5.4780	1.0955	0.2712	0.3790	0.5976	0.7720	4.0008	5.0934	1.6001	23.30	1.890
1.900	0.5807	0.1492	0.2570	0.9157	0.8237	5.5191	1.0969	0.2743	0.3771	0.5956	0.7674	4.0450	5.1418	1.6079	23.59	1.900
1.910	0.5782	0.1470	0.2542	0.9185	0.8171	5.5604	1.0984	0.2775	0.3753	0.5937	0.7627	4.0895	5.1905	1.6157	23.87	1.910
1.920	0.5756	0.1447	0.2514	0.9213	0.8106	5.6019	1.0998	0.2806	0.3734	0.5918	0.7581	4.1341	5.2394	1.6236	24.15	1.920
1.930	0.5731	0.1425	0.2486	0.9240	0.8041	5.6435	1.1012	0.2837	0.3715	0.5899	0.7535	4.1791	5.2886	1.6314	24.43	1.930
1.940	0.5705	0.1403	0.2459	0.9268	0.7976	5.6853	1.1027	0.2868	0.3696	0.5880	0.7488	4.2242	5.3381	1.6394	24.71	1.940
1.950	0.5680	0.1381	0.2432	0.9295	0.7911	5.7273	1.1041	0.2899	0.3677	0.5862	0.7442	4.2696	5.3878	1.6473	24.99	1.950
1.960	0.5655	0.1360	0.2405	0.9322	0.7846	5.7695	1.1055	0.2929	0.3657	0.5844	0.7395	4.3152	5.4378	1.6553	25.27	1.960
1.970	0.5630	0.1339	0.2378	0.9349	0.7782	5.8118	1.1069	0.2960	0.3638	0.5826	0.7349	4.3611	5.4881	1.6633	25.55	1.970
1.980	0.5605	0.1318	0.2352	0.9375	0.7718	5.8542	1.1084	0.2990	0.3618	0.5808	0.7302	4.4071	5.5386	1.6713	25.83	1.980
1.990	0.5580	0.1298	0.2326	0.9402	0.7655	5.8969	1.1098	0.3020	0.3598	0.5791	0.7255	4.4535	5.5894	1.6794	26.10	1.990
2.000	0.5556	0.1278	0.2300	0.9428	0.7591	5.9397	1.1112	0.3050	0.3579	0.5774	0.7209	4.5000	5.6404	1.6875	26.38	2.000

$$\gamma=1.400$$

M	$\frac{T}{T_0}$	$\frac{p}{p_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{m\sqrt{c_p T_0}}{Ap_0}$	$\frac{m\sqrt{c_p T_0}}{Ap}$	$\frac{F}{m\sqrt{c_p T_0}}$	$\frac{4c_f L_{\max}}{D}$	$\frac{1}{2}\rho V^2$	M_s	$\frac{P_{0s}}{P_0}$	$\frac{P_s}{P}$	$\frac{P_{0s}}{P}$	$\frac{T_s}{T}$	V	M
2.010	0.5531	0.1258	0.2275	0.9454	0.7528	5.9827	1.1126	0.3080	0.3559	0.5757	0.7162	4.5468	5.6918	1.6956	26.66	2.010
2.020	0.5506	0.1239	0.2250	0.9480	0.7465	6.0258	1.1140	0.3109	0.3539	0.5740	0.7115	4.5938	5.7433	1.7038	26.93	2.020
2.030	0.5482	0.1220	0.2225	0.9506	0.7403	6.0692	1.1154	0.3138	0.3518	0.5723	0.7069	4.6411	5.7952	1.7120	27.20	2.030
2.040	0.5458	0.1201	0.2200	0.9531	0.7340	6.1126	1.1167	0.3168	0.3498	0.5707	0.7022	4.6885	5.8473	1.7203	27.48	2.040
2.050	0.5433	0.1182	0.2176	0.9557	0.7279	6.1563	1.1181	0.3197	0.3478	0.5691	0.6975	4.7363	5.8996	1.7285	27.75	2.050
2.060	0.5409	0.1164	0.2152	0.9582	0.7217	6.2001	1.1195	0.3225	0.3458	0.5675	0.6928	4.7842	5.9523	1.7369	28.02	2.060
2.070	0.5385	0.1146	0.2128	0.9607	0.7156	6.2441	1.1209	0.3254	0.3437	0.5659	0.6882	4.8324	6.0051	1.7452	28.29	2.070
2.080	0.5361	0.1128	0.2104	0.9632	0.7095	6.2883	1.1222	0.3282	0.3417	0.5643	0.6835	4.8808	6.0583	1.7536	28.56	2.080
2.090	0.5337	0.1111	0.2081	0.9657	0.7034	6.3326	1.1236	0.3310	0.3396	0.5628	0.6789	4.9295	6.1117	1.7620	28.83	2.090
2.100	0.5313	0.1094	0.2058	0.9681	0.6974	6.3772	1.1250	0.3339	0.3376	0.5613	0.6742	4.9783	6.1654	1.7705	29.10	2.100
2.110	0.5290	0.1077	0.2035	0.9706	0.6914	6.4218	1.1263	0.3366	0.3355	0.5598	0.6696	5.0275	6.2193	1.7789	29.36	2.110
2.120	0.5266	0.1060	0.2013	0.9730	0.6854	6.4667	1.1276	0.3394	0.3334	0.5583	0.6649	5.0768	6.2735	1.7875	29.63	2.120
2.130	0.5243	0.1043	0.1990	0.9754	0.6795	6.5117	1.1290	0.3422	0.3314	0.5568	0.6603	5.1264	6.3280	1.7960	29.90	2.130
2.140	0.5219	0.1027	0.1968	0.9778	0.6736	6.5569	1.1303	0.3449	0.3293	0.5554	0.6557	5.1762	6.3827	1.8046	30.16	2.140
2.150	0.5196	0.1011	0.1946	0.9802	0.6677	6.6023	1.1317	0.3476	0.3272	0.5540	0.6511	5.2263	6.4377	1.8132	30.43	2.150
2.160	0.5173	0.0996	0.1925	0.9825	0.6619	6.6478	1.1330	0.3503	0.3252	0.5525	0.6464	5.2765	6.4929	1.8219	30.69	2.160
2.170	0.5150	0.0980	0.1903	0.9849	0.6561	6.6936	1.1343	0.3530	0.3231	0.5511	0.6419	5.3271	6.5484	1.8306	30.95	2.170
2.180	0.5127	0.0965	0.1882	0.9872	0.6503	6.7395	1.1356	0.3556	0.3210	0.5498	0.6373	5.3778	6.6042	1.8393	31.21	2.180
2.190	0.5104	0.0950	0.1861	0.9895	0.6446	6.7855	1.1369	0.3583	0.3189	0.5484	0.6327	5.4288	6.6602	1.8481	31.47	2.190
2.200	0.5081	0.0935	0.1841	0.9918	0.6389	6.8318	1.1382	0.3609	0.3169	0.5471	0.6281	5.4800	6.7165	1.8569	31.73	2.200
2.210	0.5059	0.0921	0.1820	0.9941	0.6333	6.8782	1.1395	0.3635	0.3148	0.5457	0.6236	5.5315	6.7730	1.8657	31.99	2.210
2.220	0.5036	0.0906	0.1800	0.9964	0.6277	6.9248	1.1408	0.3661	0.3127	0.5444	0.6191	5.5831	6.8298	1.8746	32.25	2.220
2.230	0.5014	0.0892	0.1780	0.9986	0.6221	6.9715	1.1421	0.3687	0.3106	0.5431	0.6145	5.6351	6.8869	1.8835	32.51	2.230
2.240	0.4991	0.0878	0.1760	1.0009	0.6165	7.0185	1.1434	0.3712	0.3085	0.5418	0.6100	5.6872	6.9442	1.8924	32.76	2.240
2.250	0.4969	0.0865	0.1740	1.0031	0.6110	7.0656	1.1446	0.3738	0.3065	0.5406	0.6055	5.7396	7.0018	1.9014	33.02	2.250

$$\gamma=1.400$$

M	$\frac{T}{T_0}$	$\frac{p}{p_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{m\sqrt{c_p T_0}}{A p_0}$	$\frac{m\sqrt{c_p T_0}}{A p}$	$\frac{F}{m\sqrt{c_p T_0}}$	$\frac{4c_f L_{\max}}{D}$	$\frac{1}{2}\frac{\rho V^2}{p_0}$	M_s	$\frac{P_{0s}}{P_0}$	$\frac{P_s}{P}$	$\frac{P_{0s}}{P}$	$\frac{T_s}{T}$	V	M
2.260	0.4947	0.0851	0.1721	1.0053	0.6056	7.1129	1.1459	0.3763	0.3044	0.5393	0.6011	5.7922	7.0597	1.9104	33.27	2.260
2.270	0.4925	0.0838	0.1702	1.0075	0.6002	7.1603	1.1472	0.3788	0.3023	0.5381	0.5966	5.8451	7.1178	1.9194	33.53	2.270
2.280	0.4903	0.0825	0.1683	1.0097	0.5948	7.2080	1.1484	0.3813	0.3003	0.5368	0.5921	5.8981	7.1762	1.9285	33.78	2.280
2.290	0.4881	0.0812	0.1664	1.0118	0.5894	7.2558	1.1497	0.3838	0.2982	0.5356	0.5877	5.9515	7.2348	1.9376	34.03	2.290
2.300	0.4859	0.0800	0.1646	1.0140	0.5841	7.3038	1.1509	0.3862	0.2961	0.5344	0.5833	6.0050	7.2937	1.9468	34.28	2.300
2.310	0.4837	0.0787	0.1628	1.0161	0.5788	7.3520	1.1521	0.3887	0.2941	0.5332	0.5789	6.0588	7.3528	1.9560	34.53	2.310
2.320	0.4816	0.0775	0.1609	1.0182	0.5736	7.4003	1.1534	0.3911	0.2920	0.5321	0.5745	6.1128	7.4122	1.9652	34.78	2.320
2.330	0.4794	0.0763	0.1592	1.0204	0.5684	7.4488	1.1546	0.3935	0.2900	0.5309	0.5702	6.1671	7.4719	1.9745	35.03	2.330
2.340	0.4773	0.0751	0.1574	1.0224	0.5632	7.4975	1.1558	0.3959	0.2879	0.5297	0.5658	6.2215	7.5319	1.9838	35.28	2.340
2.350	0.4752	0.0740	0.1556	1.0245	0.5581	7.5464	1.1570	0.3983	0.2859	0.5286	0.5615	6.2763	7.5920	1.9931	35.53	2.350
2.360	0.4731	0.0728	0.1539	1.0266	0.5530	7.5955	1.1582	0.4006	0.2839	0.5275	0.5572	6.3312	7.6525	2.0025	35.77	2.360
2.370	0.4709	0.0717	0.1522	1.0286	0.5480	7.6447	1.1595	0.4030	0.2818	0.5264	0.5529	6.3864	7.7132	2.0119	36.02	2.370
2.380	0.4688	0.0706	0.1505	1.0307	0.5430	7.6941	1.1606	0.4053	0.2798	0.5253	0.5486	6.4418	7.7742	2.0213	36.26	2.380
2.390	0.4668	0.0695	0.1488	1.0327	0.5380	7.7437	1.1618	0.4076	0.2778	0.5242	0.5444	6.4975	7.8354	2.0308	36.50	2.390
2.400	0.4647	0.0684	0.1472	1.0347	0.5331	7.7935	1.1630	0.4099	0.2758	0.5231	0.5401	6.5533	7.8969	2.0403	36.75	2.400
2.410	0.4626	0.0673	0.1456	1.0367	0.5282	7.8434	1.1642	0.4122	0.2738	0.5221	0.5359	6.6095	7.9587	2.0499	36.99	2.410
2.420	0.4606	0.0663	0.1439	1.0387	0.5233	7.8935	1.1654	0.4144	0.2718	0.5210	0.5317	6.6658	8.0207	2.0595	37.23	2.420
2.430	0.4585	0.0653	0.1424	1.0407	0.5185	7.9438	1.1665	0.4167	0.2698	0.5200	0.5276	6.7224	8.0830	2.0691	37.47	2.430
2.440	0.4565	0.0643	0.1408	1.0426	0.5137	7.9943	1.1677	0.4189	0.2678	0.5189	0.5234	6.7792	8.1455	2.0788	37.71	2.440
2.450	0.4544	0.0633	0.1392	1.0446	0.5090	8.0450	1.1689	0.4211	0.2658	0.5179	0.5193	6.8363	8.2083	2.0885	37.95	2.450
2.460	0.4524	0.0623	0.1377	1.0465	0.5043	8.0958	1.1700	0.4233	0.2639	0.5169	0.5152	6.8935	8.2713	2.0982	38.18	2.460
2.470	0.4504	0.0613	0.1362	1.0484	0.4996	8.1468	1.1712	0.4255	0.2619	0.5159	0.5111	6.9511	8.3346	2.1080	38.42	2.470
2.480	0.4484	0.0604	0.1346	1.0503	0.4950	8.1980	1.1723	0.4277	0.2599	0.5149	0.5071	7.0088	8.3982	2.1178	38.66	2.480
2.490	0.4464	0.0594	0.1332	1.0522	0.4904	8.2494	1.1734	0.4298	0.2580	0.5140	0.5030	7.0668	8.4620	2.1276	38.89	2.490
2.500	0.4444	0.0585	0.1317	1.0541	0.4858	8.3010	1.1746	0.4320	0.2561	0.5130	0.4990	7.1250	8.5261	2.1375	39.12	2.500

$$\gamma=1.400$$

M	$\frac{T}{T_0}$	$\frac{p}{P_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{m\sqrt{c_p T_0}}{Ap_0}$	$\frac{m\sqrt{c_p T_0}}{Ap}$	F	$\frac{4c_f L_{\max}}{D}$	$\frac{1}{2}\rho V^2$	M_s	$\frac{P_{0s}}{P_0}$	$\frac{P_s}{P}$	$\frac{P_{0s}}{P}$	$\frac{T_s}{T}$	V	M
2.510	0.4425	0.0576	0.1302	1.0560	0.4813	8.3527	1.1757	0.4341	0.2541	0.5120	0.4950	7.1835	8.5905	2.1474	39.36	2.510
2.520	0.4405	0.0567	0.1288	1.0578	0.4768	8.4046	1.1768	0.4362	0.2522	0.5111	0.4911	7.2421	8.6551	2.1574	39.59	2.520
2.530	0.4386	0.0559	0.1274	1.0597	0.4724	8.4567	1.1779	0.4383	0.2503	0.5102	0.4871	7.3011	8.7200	2.1674	39.82	2.530
2.540	0.4366	0.0550	0.1260	1.0615	0.4680	8.5090	1.1790	0.4404	0.2484	0.5092	0.4832	7.3602	8.7851	2.1774	40.05	2.540
2.550	0.4347	0.0542	0.1246	1.0633	0.4636	8.5615	1.1801	0.4425	0.2465	0.5083	0.4793	7.4196	8.8505	2.1875	40.28	2.550
2.560	0.4328	0.0533	0.1232	1.0651	0.4593	8.6141	1.1812	0.4445	0.2446	0.5074	0.4754	7.4792	8.9161	2.1976	40.51	2.560
2.570	0.4309	0.0525	0.1218	1.0669	0.4550	8.6670	1.1823	0.4466	0.2427	0.5065	0.4715	7.5391	8.9820	2.2077	40.74	2.570
2.580	0.4289	0.0517	0.1205	1.0687	0.4507	8.7200	1.1834	0.4486	0.2409	0.5056	0.4677	7.5991	9.0482	2.2179	40.96	2.580
2.590	0.4271	0.0509	0.1192	1.0705	0.4465	8.7732	1.1844	0.4506	0.2390	0.5047	0.4639	7.6595	9.1146	2.2281	41.19	2.590
2.600	0.4252	0.0501	0.1179	1.0722	0.4423	8.8265	1.1855	0.4526	0.2371	0.5039	0.4601	7.7200	9.1813	2.2383	41.41	2.600
2.610	0.4233	0.0493	0.1166	1.0740	0.4382	8.8801	1.1866	0.4546	0.2353	0.5030	0.4564	7.7808	9.2483	2.2486	41.64	2.610
2.620	0.4214	0.0486	0.1153	1.0757	0.4341	8.9338	1.1876	0.4565	0.2335	0.5022	0.4526	7.8418	9.3155	2.2590	41.86	2.620
2.630	0.4196	0.0478	0.1140	1.0774	0.4300	8.9877	1.1887	0.4585	0.2317	0.5013	0.4489	7.9031	9.3829	2.2693	42.09	2.630
2.640	0.4177	0.0471	0.1128	1.0791	0.4260	9.0418	1.1897	0.4604	0.2298	0.5005	0.4452	7.9645	9.4506	2.2797	42.31	2.640
2.650	0.4159	0.0464	0.1115	1.0808	0.4220	9.0961	1.1908	0.4624	0.2280	0.4996	0.4416	8.0263	9.5186	2.2902	42.53	2.650
2.660	0.4141	0.0457	0.1103	1.0825	0.4180	9.1506	1.1918	0.4643	0.2262	0.4988	0.4379	8.0882	9.5869	2.3006	42.75	2.660
2.670	0.4122	0.0450	0.1091	1.0842	0.4141	9.2052	1.1928	0.4662	0.2245	0.4980	0.4343	8.1504	9.6554	2.3111	42.97	2.670
2.680	0.4104	0.0443	0.1079	1.0859	0.4102	9.2601	1.1939	0.4681	0.2227	0.4972	0.4307	8.2128	9.7241	2.3217	43.19	2.680
2.690	0.4086	0.0436	0.1067	1.0875	0.4063	9.3151	1.1949	0.4700	0.2209	0.4964	0.4271	8.2755	9.7931	2.3323	43.40	2.690
2.700	0.4068	0.0430	0.1056	1.0892	0.4025	9.3703	1.1959	0.4718	0.2192	0.4956	0.4236	8.3383	9.8624	2.3429	43.62	2.700
2.710	0.4051	0.0423	0.1044	1.0908	0.3987	9.4257	1.1969	0.4737	0.2174	0.4949	0.4201	8.4015	9.9319	2.3536	43.84	2.710
2.720	0.4033	0.0417	0.1033	1.0924	0.3949	9.4812	1.1979	0.4755	0.2157	0.4941	0.4166	8.4648	10.0017	2.3642	44.05	2.720
2.730	0.4015	0.0410	0.1022	1.0941	0.3912	9.5370	1.1989	0.4773	0.2140	0.4933	0.4131	8.5284	10.0718	2.3750	44.27	2.730
2.740	0.3998	0.0404	0.1010	1.0957	0.3875	9.5929	1.1999	0.4791	0.2123	0.4926	0.4097	8.5922	10.1421	2.3858	44.48	2.740
2.750	0.3980	0.0398	0.0999	1.0973	0.3838	9.6490	1.2009	0.4809	0.2106	0.4918	0.4062	8.6563	10.2127	2.3966	44.69	2.750

$\gamma=1.400$

M	$\frac{T}{T_0}$	$\frac{p}{p_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{m\sqrt{c_p T_0}}{Ap_0}$	$\frac{m\sqrt{c_p T_0}}{Ap}$	$\frac{F}{m\sqrt{c_p T_0}}$	$\frac{4cfL_{max}}{D}$	$\frac{1}{2}\rho V^2$	M_s	$\frac{P_{0s}}{P_0}$	$\frac{P_s}{P}$	$\frac{P_{0s}}{P}$	$\frac{T_s}{T}$	V	M
2.760	0.3963	0.0392	0.0989	1.0988	0.3802	9.7053	1.2019	0.4827	0.2089	0.4911	0.4028	8.7205	10.2835	2.4074	44.91	2.760
2.770	0.3945	0.0386	0.0978	1.1004	0.3766	9.7618	1.2029	0.4845	0.2072	0.4903	0.3994	8.7851	10.3546	2.4183	45.12	2.770
2.780	0.3928	0.0380	0.0967	1.1020	0.3730	9.8185	1.2038	0.4863	0.2055	0.4896	0.3961	8.8498	10.4259	2.4292	45.33	2.780
2.790	0.3911	0.0374	0.0957	1.1035	0.3695	9.8753	1.2048	0.4880	0.2039	0.4889	0.3928	8.9148	10.4975	2.4402	45.54	2.790
2.800	0.3894	0.0368	0.0946	1.1051	0.3660	9.9324	1.2058	0.4898	0.2022	0.4882	0.3895	8.9800	10.5694	2.4512	45.75	2.800
2.810	0.3877	0.0363	0.0936	1.1066	0.3625	9.9896	1.2067	0.4915	0.2006	0.4875	0.3862	9.0455	10.6415	2.4622	45.95	2.810
2.820	0.3860	0.0357	0.0926	1.1081	0.3591	10.0470	1.2077	0.4932	0.1990	0.4868	0.3829	9.1111	10.7139	2.4733	46.16	2.820
2.830	0.3844	0.0352	0.0916	1.1096	0.3557	10.1046	1.2086	0.4949	0.1973	0.4861	0.3797	9.1771	10.7865	2.4844	46.37	2.830
2.840	0.3827	0.0347	0.0906	1.1111	0.3523	10.1624	1.2095	0.4966	0.1957	0.4854	0.3765	9.2432	10.8594	2.4955	46.57	2.840
2.850	0.3810	0.0341	0.0896	1.1126	0.3490	10.2204	1.2105	0.4983	0.1941	0.4847	0.3733	9.3096	10.9326	2.5067	46.78	2.850
2.860	0.3794	0.0336	0.0886	1.1141	0.3457	10.2785	1.2114	0.5000	0.1926	0.4840	0.3701	9.3762	11.0060	2.5179	46.98	2.860
2.870	0.3777	0.0331	0.0877	1.1156	0.3424	10.3368	1.2123	0.5016	0.1910	0.4833	0.3670	9.4431	11.0797	2.5292	47.19	2.870
2.880	0.3761	0.0326	0.0867	1.1171	0.3392	10.3954	1.2132	0.5033	0.1894	0.4827	0.3639	9.5101	11.1536	2.5405	47.39	2.880
2.890	0.3745	0.0321	0.0858	1.1185	0.3359	10.4541	1.2142	0.5049	0.1879	0.4820	0.3608	9.5775	11.2278	2.5518	47.59	2.890
2.900	0.3729	0.0317	0.0849	1.1199	0.3328	10.5130	1.2151	0.5065	0.1863	0.4814	0.3577	9.6450	11.3022	2.5632	47.79	2.900
2.910	0.3712	0.0312	0.0840	1.1214	0.3296	10.5720	1.2160	0.5081	0.1848	0.4807	0.3547	9.7128	11.3770	2.5746	47.99	2.910
2.920	0.3696	0.0307	0.0831	1.1228	0.3265	10.6313	1.2169	0.5097	0.1833	0.4801	0.3517	9.7808	11.4519	2.5861	48.19	2.920
2.930	0.3681	0.0302	0.0822	1.1242	0.3234	10.6908	1.2178	0.5113	0.1818	0.4795	0.3487	9.8491	11.5271	2.5976	48.39	2.930
2.940	0.3665	0.0298	0.0813	1.1256	0.3203	10.7504	1.2187	0.5129	0.1803	0.4788	0.3457	9.9175	11.6026	2.6091	48.59	2.940
2.950	0.3649	0.0293	0.0804	1.1270	0.3173	10.8102	1.2195	0.5145	0.1788	0.4782	0.3428	9.9863	11.6784	2.6206	48.78	2.950
2.960	0.3633	0.0289	0.0796	1.1284	0.3143	10.8702	1.2204	0.5160	0.1773	0.4776	0.3398	10.0552	11.7544	2.6322	48.98	2.960
2.970	0.3618	0.0285	0.0787	1.1298	0.3113	10.9304	1.2213	0.5176	0.1758	0.4770	0.3369	10.1244	11.8306	2.6439	49.18	2.970
2.980	0.3602	0.0281	0.0779	1.1312	0.3083	10.9908	1.2222	0.5191	0.1744	0.4764	0.3340	10.1938	11.9072	2.6555	49.37	2.980
2.990	0.3587	0.0276	0.0770	1.1325	0.3054	11.0514	1.2230	0.5206	0.1729	0.4758	0.3312	10.2635	11.9839	2.6673	49.56	2.990
3.000	0.3571	0.0272	0.0762	1.1339	0.3025	11.1122	1.2239	0.5222	0.1715	0.4752	0.3283	10.3333	12.0610	2.6790	49.76	3.000

GAS FLOW TABLES ($\gamma=1.333$): SUBSONIC FLOW

M	$\frac{T}{T_0}$	$\frac{p}{p_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap_0}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap}$	$\frac{F}{\dot{m}\sqrt{c_p T_0}}$	$\frac{4c_f L_{max}}{D}$	$\frac{1}{2}\frac{\rho V^2}{\rho_0}$
0.010	1.0000	0.9999	1.0000	0.0058	0.0231	0.0231	43.2958	7493.200	0.0001
0.020	0.9999	0.9997	0.9998	0.0115	0.0462	0.0462	21.6560	1868.007	0.0003
0.030	0.9999	0.9994	0.9996	0.0173	0.0693	0.0693	14.4464	826.7890	0.0006
0.040	0.9997	0.9989	0.9992	0.0231	0.0923	0.0924	10.8442	462.6179	0.0011
0.050	0.9996	0.9983	0.9988	0.0288	0.1153	0.1155	8.6851	294.2161	0.0017
0.060	0.9994	0.9976	0.9982	0.0346	0.1383	0.1386	7.2475	202.8455	0.0024
0.070	0.9992	0.9967	0.9976	0.0404	0.1612	0.1618	6.2222	147.8292	0.0033
0.080	0.9989	0.9957	0.9968	0.0461	0.1841	0.1849	5.4546	112.1800	0.0042
0.090	0.9987	0.9946	0.9960	0.0519	0.2069	0.2080	4.8587	87.7848	0.0054
0.100	0.9983	0.9934	0.9950	0.0577	0.2297	0.2312	4.3831	70.3719	0.0066
0.110	0.9980	0.9920	0.9940	0.0634	0.2523	0.2544	3.9949	57.5186	0.0080
0.120	0.9976	0.9905	0.9928	0.0692	0.2749	0.2775	3.6724	47.7680	0.0095
0.130	0.9972	0.9888	0.9916	0.0749	0.2974	0.3007	3.4003	40.2012	0.0111
0.140	0.9967	0.9870	0.9903	0.0807	0.3197	0.3239	3.1678	34.2155	0.0129
0.150	0.9963	0.9851	0.9888	0.0864	0.3420	0.3471	2.9670	29.4027	0.0148
0.160	0.9958	0.9831	0.9873	0.0921	0.3641	0.3704	2.7920	25.4777	0.0168
0.170	0.9952	0.9810	0.9857	0.0979	0.3861	0.3936	2.6383	22.2372	0.0189
0.180	0.9946	0.9787	0.9840	0.1036	0.4080	0.4169	2.5022	19.5326	0.0211
0.190	0.9940	0.9763	0.9822	0.1093	0.4298	0.4402	2.3809	17.2536	0.0235
0.200	0.9934	0.9738	0.9803	0.1150	0.4514	0.4635	2.2724	15.3166	0.0260
0.210	0.9927	0.9711	0.9783	0.1207	0.4728	0.4869	2.1747	13.6578	0.0285
0.220	0.9920	0.9684	0.9762	0.1264	0.4941	0.5102	2.0863	12.2273	0.0312
0.230	0.9913	0.9655	0.9740	0.1321	0.5152	0.5336	2.0061	10.9859	0.0340
0.240	0.9905	0.9625	0.9717	0.1378	0.5362	0.5570	1.9330	9.9026	0.0370
0.250	0.9897	0.9594	0.9694	0.1435	0.5569	0.5805	1.8662	8.9522	0.0400
0.260	0.9889	0.9562	0.9669	0.1492	0.5775	0.6040	1.8049	8.1146	0.0431
0.270	0.9880	0.9529	0.9644	0.1549	0.5979	0.6275	1.7486	7.3731	0.0463
0.280	0.9871	0.9494	0.9618	0.1605	0.6181	0.6510	1.6966	6.7140	0.0496
0.290	0.9862	0.9459	0.9591	0.1662	0.6380	0.6746	1.6486	6.1261	0.0530
0.300	0.9852	0.9422	0.9563	0.1718	0.6578	0.6982	1.6042	5.5998	0.0565
0.310	0.9843	0.9384	0.9534	0.1775	0.6774	0.7218	1.5629	5.1272	0.0601
0.320	0.9832	0.9346	0.9505	0.1831	0.6967	0.7455	1.5245	4.7016	0.0638
0.330	0.9822	0.9306	0.9475	0.1887	0.7158	0.7692	1.4888	4.3173	0.0675
0.340	0.9811	0.9265	0.9444	0.1943	0.7347	0.7929	1.4555	3.9693	0.0714
0.350	0.9800	0.9224	0.9412	0.1999	0.7533	0.8167	1.4244	3.6535	0.0753
0.360	0.9789	0.9181	0.9379	0.2055	0.7717	0.8405	1.3953	3.3663	0.0793
0.370	0.9777	0.9137	0.9346	0.2111	0.7898	0.8644	1.3680	3.1046	0.0834
0.380	0.9765	0.9093	0.9311	0.2167	0.8077	0.8883	1.3425	2.8655	0.0875
0.390	0.9753	0.9047	0.9276	0.2223	0.8253	0.9122	1.3185	2.6469	0.0917
0.400	0.9741	0.9001	0.9241	0.2278	0.8427	0.9362	1.2959	2.4466	0.0960
0.410	0.9728	0.8954	0.9204	0.2334	0.8598	0.9603	1.2747	2.2627	0.1003
0.420	0.9715	0.8906	0.9167	0.2389	0.8766	0.9843	1.2548	2.0937	0.1047
0.430	0.9701	0.8857	0.9130	0.2444	0.8932	1.0085	1.2360	1.9382	0.1091
0.440	0.9688	0.8807	0.9091	0.2499	0.9095	1.0326	1.2183	1.7949	0.1136
0.450	0.9674	0.8757	0.9052	0.2554	0.9255	1.0569	1.2016	1.6627	0.1182
0.460	0.9660	0.8706	0.9012	0.2609	0.9412	1.0811	1.1858	1.5405	0.1228
0.470	0.9645	0.8654	0.8972	0.2664	0.9567	1.1055	1.1710	1.4276	0.1274
0.480	0.9631	0.8601	0.8931	0.2718	0.9718	1.1299	1.1569	1.3231	0.1321
0.490	0.9616	0.8548	0.8890	0.2773	0.9867	1.1543	1.1436	1.2263	0.1368
0.500	0.9600	0.8494	0.8847	0.2827	1.0012	1.1788	1.1310	1.1365	0.1415

$$\gamma=1.333$$

M	$\frac{T}{T_0}$	$\frac{p}{p_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap_0}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap}$	$\frac{F}{\dot{m}\sqrt{c_p T_0}}$	$\frac{4c_f L_{\max}}{D}$	$\frac{1}{2}\rho V^2$ p_0
0.510	0.9585	0.8439	0.8805	0.2881	1.0155	1.2033	1.1192	1.0532	0.1463
0.520	0.9569	0.8384	0.8761	0.2935	1.0295	1.2279	1.1079	0.9759	0.1511
0.530	0.9553	0.8328	0.8717	0.2989	1.0431	1.2526	1.0973	0.9041	0.1559
0.540	0.9537	0.8271	0.8673	0.3043	1.0565	1.2773	1.0872	0.8373	0.1608
0.550	0.9520	0.8214	0.8628	0.3097	1.0696	1.3021	1.0777	0.7752	0.1656
0.560	0.9504	0.8157	0.8583	0.3150	1.0823	1.3269	1.0687	0.7174	0.1705
0.570	0.9487	0.8099	0.8537	0.3204	1.0948	1.3518	1.0601	0.6636	0.1754
0.580	0.9470	0.8040	0.8490	0.3257	1.1069	1.3768	1.0520	0.6136	0.1803
0.590	0.9452	0.7981	0.8443	0.3310	1.1188	1.4018	1.0444	0.5669	0.1852
0.600	0.9434	0.7921	0.8396	0.3363	1.1303	1.4269	1.0371	0.5235	0.1901
0.610	0.9417	0.7861	0.8348	0.3416	1.1415	1.4521	1.0303	0.4830	0.1950
0.620	0.9398	0.7801	0.8300	0.3469	1.1524	1.4773	1.0238	0.4452	0.1999
0.630	0.9380	0.7740	0.8252	0.3521	1.1630	1.5026	1.0176	0.4101	0.2048
0.640	0.9362	0.7679	0.8203	0.3573	1.1733	1.5280	1.0118	0.3773	0.2096
0.650	0.9343	0.7618	0.8153	0.3626	1.1833	1.5534	1.0063	0.3467	0.2145
0.660	0.9324	0.7556	0.8104	0.3678	1.1930	1.5789	1.0011	0.3183	0.2194
0.670	0.9305	0.7494	0.8054	0.3729	1.2023	1.6045	0.9962	0.2918	0.2242
0.680	0.9285	0.7431	0.8003	0.3781	1.2114	1.6301	0.9916	0.2671	0.2290
0.690	0.9266	0.7368	0.7953	0.3833	1.2201	1.6559	0.9872	0.2441	0.2338
0.700	0.9246	0.7306	0.7902	0.3884	1.2285	1.6817	0.9831	0.2227	0.2386
0.710	0.9226	0.7242	0.7850	0.3935	1.2367	1.7075	0.9792	0.2028	0.2433
0.720	0.9205	0.7179	0.7799	0.3986	1.2445	1.7335	0.9755	0.1843	0.2480
0.730	0.9185	0.7116	0.7747	0.4037	1.2520	1.7595	0.9721	0.1671	0.2527
0.740	0.9164	0.7052	0.7695	0.4088	1.2592	1.7856	0.9688	0.1512	0.2574
0.750	0.9144	0.6988	0.7643	0.4139	1.2661	1.8118	0.9658	0.1364	0.2620
0.760	0.9123	0.6924	0.7590	0.4189	1.2727	1.8381	0.9629	0.1227	0.2666
0.770	0.9102	0.6860	0.7537	0.4239	1.2790	1.8644	0.9603	0.1100	0.2711
0.780	0.9080	0.6796	0.7484	0.4289	1.2850	1.8908	0.9578	0.0983	0.2756
0.790	0.9059	0.6732	0.7431	0.4339	1.2907	1.9174	0.9554	0.0875	0.2800
0.800	0.9037	0.6668	0.7378	0.4389	1.2961	1.9440	0.9533	0.0776	0.2844
0.810	0.9015	0.6603	0.7325	0.4438	1.3013	1.9706	0.9513	0.0685	0.2888
0.820	0.8993	0.6539	0.7271	0.4487	1.3061	1.9974	0.9494	0.0601	0.2930
0.830	0.8971	0.6475	0.7217	0.4536	1.3107	2.0243	0.9477	0.0524	0.2973
0.840	0.8949	0.6411	0.7164	0.4585	1.3149	2.0512	0.9461	0.0454	0.3015
0.850	0.8926	0.6346	0.7110	0.4634	1.3189	2.0782	0.9446	0.0391	0.3056
0.860	0.8904	0.6282	0.7056	0.4683	1.3226	2.1053	0.9433	0.0333	0.3097
0.870	0.8881	0.6218	0.7002	0.4731	1.3260	2.1326	0.9420	0.0281	0.3137
0.880	0.8858	0.6154	0.6948	0.4779	1.3292	2.1599	0.9409	0.0235	0.3176
0.890	0.8835	0.6090	0.6893	0.4827	1.3321	2.1873	0.9399	0.0193	0.3215
0.900	0.8812	0.6026	0.6839	0.4875	1.3347	2.2147	0.9390	0.0156	0.3253
0.910	0.8788	0.5963	0.6785	0.4923	1.3370	2.2423	0.9383	0.0124	0.3291
0.920	0.8765	0.5899	0.6731	0.4970	1.3391	2.2700	0.9376	0.0096	0.3328
0.930	0.8741	0.5836	0.6676	0.5018	1.3410	2.2978	0.9370	0.0072	0.3364
0.940	0.8717	0.5773	0.6622	0.5065	1.3425	2.3256	0.9365	0.0052	0.3400
0.950	0.8694	0.5710	0.6568	0.5111	1.3439	2.3536	0.9360	0.0035	0.3435
0.960	0.8670	0.5647	0.6514	0.5158	1.3449	2.3817	0.9357	0.0022	0.3469
0.970	0.8646	0.5585	0.6459	0.5205	1.3458	2.4098	0.9354	0.0012	0.3502
0.980	0.8621	0.5522	0.6405	0.5251	1.3464	2.4381	0.9353	0.0005	0.3535
0.990	0.8597	0.5460	0.6351	0.5297	1.3467	2.4664	0.9351	0.0001	0.3567
1.000	0.8573	0.5398	0.6297	0.5343	1.3468	2.4949	0.9351	0.0000	0.3598

GAS FLOW TABLES ($\gamma=1.333$): SUPERSONIC FLOW

M	$\frac{T}{T_0}$	$\frac{p}{p_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap_0}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap}$	$\frac{F}{\dot{m}\sqrt{c_p T_0}}$	$\frac{4c_f L_{\max}}{D}$	$\frac{1}{2}\rho V^2$ p_0
1.010	0.8548	0.5337	0.6243	0.5389	1.3467	2.5234	0.9351	0.0001	0.3628
1.020	0.8524	0.5276	0.6189	0.5434	1.3464	2.5521	0.9352	0.0005	0.3658
1.030	0.8499	0.5215	0.6136	0.5479	1.3458	2.5809	0.9354	0.0011	0.3687
1.040	0.8474	0.5154	0.6082	0.5525	1.3450	2.6097	0.9356	0.0019	0.3715
1.050	0.8449	0.5093	0.6028	0.5569	1.3440	2.6387	0.9359	0.0029	0.3743
1.060	0.8424	0.5033	0.5975	0.5614	1.3428	2.6678	0.9363	0.0042	0.3769
1.070	0.8399	0.4974	0.5922	0.5659	1.3414	2.6970	0.9367	0.0056	0.3795
1.080	0.8374	0.4914	0.5869	0.5703	1.3397	2.7263	0.9371	0.0071	0.3820
1.090	0.8349	0.4855	0.5816	0.5747	1.3379	2.7557	0.9376	0.0089	0.3845
1.100	0.8323	0.4796	0.5763	0.5791	1.3359	2.7852	0.9381	0.0108	0.3868
1.110	0.8298	0.4738	0.5710	0.5835	1.3337	2.8148	0.9387	0.0128	0.3891
1.120	0.8272	0.4680	0.5658	0.5878	1.3313	2.8446	0.9394	0.0150	0.3913
1.130	0.8247	0.4622	0.5605	0.5922	1.3287	2.8744	0.9401	0.0173	0.3934
1.140	0.8221	0.4565	0.5553	0.5965	1.3259	2.9043	0.9408	0.0197	0.3954
1.150	0.8195	0.4508	0.5501	0.6008	1.3229	2.9344	0.9415	0.0223	0.3974
1.160	0.8170	0.4452	0.5449	0.6050	1.3198	2.9646	0.9424	0.0250	0.3993
1.170	0.8144	0.4396	0.5398	0.6093	1.3165	2.9949	0.9432	0.0277	0.4011
1.180	0.8118	0.4340	0.5347	0.6135	1.3131	3.0253	0.9441	0.0306	0.4028
1.190	0.8092	0.4285	0.5295	0.6177	1.3094	3.0558	0.9450	0.0335	0.4044
1.200	0.8066	0.4230	0.5245	0.6219	1.3057	3.0864	0.9459	0.0366	0.4060
1.210	0.8040	0.4176	0.5194	0.6261	1.3017	3.1172	0.9469	0.0397	0.4075
1.220	0.8014	0.4122	0.5143	0.6302	1.2976	3.1481	0.9479	0.0429	0.4089
1.230	0.7988	0.4068	0.5093	0.6344	1.2934	3.1791	0.9489	0.0462	0.4102
1.240	0.7962	0.4015	0.5043	0.6385	1.2890	3.2102	0.9500	0.0495	0.4115
1.250	0.7936	0.3963	0.4994	0.6426	1.2845	3.2414	0.9511	0.0529	0.4127
1.260	0.7909	0.3911	0.4944	0.6466	1.2798	3.2727	0.9522	0.0564	0.4138
1.270	0.7883	0.3859	0.4895	0.6507	1.2751	3.3042	0.9533	0.0599	0.4148
1.280	0.7857	0.3808	0.4846	0.6547	1.2701	3.3358	0.9545	0.0634	0.4158
1.290	0.7830	0.3757	0.4798	0.6587	1.2651	3.3675	0.9557	0.0670	0.4167
1.300	0.7804	0.3706	0.4749	0.6627	1.2599	3.3993	0.9569	0.0707	0.4175
1.310	0.7778	0.3657	0.4701	0.6667	1.2547	3.4313	0.9581	0.0744	0.4182
1.320	0.7751	0.3607	0.4654	0.6706	1.2493	3.4633	0.9594	0.0781	0.4189
1.330	0.7725	0.3558	0.4606	0.6746	1.2438	3.4955	0.9606	0.0819	0.4195
1.340	0.7698	0.3510	0.4559	0.6785	1.2382	3.5279	0.9619	0.0857	0.4200
1.350	0.7672	0.3462	0.4512	0.6824	1.2325	3.5603	0.9632	0.0895	0.4205
1.360	0.7646	0.3414	0.4465	0.6862	1.2266	3.5929	0.9645	0.0934	0.4209
1.370	0.7619	0.3367	0.4419	0.6901	1.2207	3.6256	0.9659	0.0973	0.4212
1.380	0.7593	0.3320	0.4373	0.6939	1.2147	3.6584	0.9672	0.1012	0.4215
1.390	0.7566	0.3274	0.4328	0.6977	1.2086	3.6914	0.9686	0.1051	0.4216
1.400	0.7540	0.3229	0.4282	0.7015	1.2025	3.7245	0.9700	0.1091	0.4218
1.410	0.7513	0.3183	0.4237	0.7053	1.1962	3.7577	0.9714	0.1130	0.4218
1.420	0.7487	0.3139	0.4192	0.7090	1.1899	3.7910	0.9728	0.1170	0.4218
1.430	0.7460	0.3094	0.4148	0.7127	1.1835	3.8245	0.9742	0.1210	0.4217
1.440	0.7434	0.3051	0.4104	0.7164	1.1770	3.8581	0.9756	0.1250	0.4216
1.450	0.7407	0.3007	0.4060	0.7201	1.1704	3.8918	0.9771	0.1290	0.4214
1.460	0.7381	0.2965	0.4017	0.7238	1.1638	3.9257	0.9785	0.1331	0.4212
1.470	0.7354	0.2922	0.3974	0.7275	1.1571	3.9597	0.9800	0.1371	0.4209
1.480	0.7328	0.2880	0.3931	0.7311	1.1504	3.9938	0.9815	0.1411	0.4205
1.490	0.7301	0.2839	0.3888	0.7347	1.1435	4.0281	0.9829	0.1452	0.4201
1.500	0.7275	0.2798	0.3846	0.7383	1.1367	4.0625	0.9844	0.1492	0.4196

$$\gamma=1.333$$

M	$\frac{T}{T_0}$	$\frac{p}{p_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap_0}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap}$	$\frac{F}{\dot{m}\sqrt{c_p T_0}}$	$\frac{4c_f L_{\max}}{D}$	$\frac{1}{2}\rho V^2$ p_0
1.510	0.7248	0.2758	0.3804	0.7419	1.1298	4.0970	0.9859	0.1532	0.4191
1.520	0.7222	0.2718	0.3763	0.7454	1.1228	4.1317	0.9874	0.1573	0.4185
1.530	0.7195	0.2678	0.3722	0.7489	1.1158	4.1665	0.9889	0.1613	0.4178
1.540	0.7169	0.2639	0.3681	0.7524	1.1087	4.2014	0.9905	0.1654	0.4171
1.550	0.7143	0.2600	0.3641	0.7559	1.1016	4.2365	0.9920	0.1694	0.4164
1.560	0.7116	0.2562	0.3600	0.7594	1.0945	4.2717	0.9935	0.1734	0.4156
1.570	0.7090	0.2524	0.3561	0.7629	1.0873	4.3070	0.9950	0.1775	0.4147
1.580	0.7064	0.2487	0.3521	0.7663	1.0801	4.3425	0.9966	0.1815	0.4138
1.590	0.7038	0.2450	0.3482	0.7697	1.0729	4.3782	0.9981	0.1855	0.4129
1.600	0.7011	0.2414	0.3443	0.7731	1.0656	4.4139	0.9997	0.1895	0.4119
1.610	0.6985	0.2378	0.3405	0.7765	1.0583	4.4498	1.0012	0.1935	0.4109
1.620	0.6959	0.2343	0.3367	0.7799	1.0510	4.4859	1.0028	0.1975	0.4098
1.630	0.6933	0.2308	0.3329	0.7832	1.0436	4.5220	1.0043	0.2015	0.4087
1.640	0.6907	0.2273	0.3291	0.7865	1.0363	4.5584	1.0059	0.2055	0.4075
1.650	0.6881	0.2239	0.3254	0.7898	1.0289	4.5948	1.0075	0.2094	0.4063
1.660	0.6855	0.2206	0.3217	0.7931	1.0215	4.6314	1.0090	0.2134	0.4051
1.670	0.6829	0.2172	0.3181	0.7964	1.0141	4.6682	1.0106	0.2173	0.4038
1.680	0.6803	0.2139	0.3145	0.7996	1.0066	4.7051	1.0122	0.2213	0.4025
1.690	0.6777	0.2107	0.3109	0.8028	0.9992	4.7421	1.0137	0.2252	0.4011
1.700	0.6751	0.2075	0.3074	0.8061	0.9918	4.7793	1.0153	0.2291	0.3997
1.710	0.6726	0.2044	0.3039	0.8093	0.9843	4.8166	1.0169	0.2330	0.3983
1.720	0.6700	0.2012	0.3004	0.8124	0.9769	4.8541	1.0184	0.2369	0.3968
1.730	0.6674	0.1982	0.2969	0.8156	0.9694	4.8917	1.0200	0.2407	0.3953
1.740	0.6649	0.1951	0.2935	0.8187	0.9620	4.9294	1.0216	0.2446	0.3938
1.750	0.6623	0.1922	0.2901	0.8218	0.9545	4.9673	1.0232	0.2484	0.3922
1.760	0.6597	0.1892	0.2868	0.8249	0.9471	5.0054	1.0247	0.2522	0.3906
1.770	0.6572	0.1863	0.2835	0.8280	0.9396	5.0435	1.0263	0.2560	0.3890
1.780	0.6546	0.1834	0.2802	0.8311	0.9322	5.0819	1.0279	0.2598	0.3874
1.790	0.6521	0.1806	0.2770	0.8341	0.9248	5.1204	1.0294	0.2636	0.3857
1.800	0.6496	0.1778	0.2737	0.8372	0.9173	5.1590	1.0310	0.2673	0.3840
1.810	0.6471	0.1751	0.2706	0.8402	0.9099	5.1978	1.0326	0.2711	0.3822
1.820	0.6445	0.1723	0.2674	0.8432	0.9025	5.2367	1.0341	0.2748	0.3805
1.830	0.6420	0.1697	0.2643	0.8461	0.8951	5.2758	1.0357	0.2785	0.3787
1.840	0.6395	0.1670	0.2612	0.8491	0.8878	5.3150	1.0373	0.2822	0.3769
1.850	0.6370	0.1644	0.2581	0.8521	0.8804	5.3544	1.0388	0.2858	0.3751
1.860	0.6345	0.1619	0.2551	0.8550	0.8731	5.3939	1.0404	0.2895	0.3732
1.870	0.6320	0.1593	0.2521	0.8579	0.8658	5.4336	1.0419	0.2931	0.3714
1.880	0.6295	0.1568	0.2491	0.8608	0.8585	5.4734	1.0435	0.2967	0.3695
1.890	0.6271	0.1544	0.2462	0.8636	0.8512	5.5134	1.0450	0.3003	0.3676
1.900	0.6246	0.1520	0.2433	0.8665	0.8439	5.5535	1.0466	0.3039	0.3656
1.910	0.6221	0.1496	0.2404	0.8693	0.8367	5.5938	1.0481	0.3074	0.3637
1.920	0.6197	0.1472	0.2376	0.8722	0.8295	5.6342	1.0497	0.3110	0.3617
1.930	0.6172	0.1449	0.2348	0.8750	0.8223	5.6748	1.0512	0.3145	0.3598
1.940	0.6148	0.1426	0.2320	0.8778	0.8152	5.7155	1.0527	0.3180	0.3578
1.950	0.6123	0.1404	0.2292	0.8805	0.8081	5.7564	1.0543	0.3215	0.3558
1.960	0.6099	0.1382	0.2265	0.8833	0.8010	5.7974	1.0558	0.3249	0.3537
1.970	0.6075	0.1360	0.2238	0.8860	0.7939	5.8386	1.0573	0.3284	0.3517
1.980	0.6051	0.1338	0.2212	0.8888	0.7869	5.8800	1.0588	0.3318	0.3497
1.990	0.6026	0.1317	0.2185	0.8915	0.7799	5.9215	1.0603	0.3352	0.3476
2.000	0.6002	0.1296	0.2159	0.8942	0.7729	5.9631	1.0619	0.3386	0.3455

Q1.

a)

(i) For $\phi=1.12$, $\alpha_1 = -17.35^\circ$, $\alpha_2 = 50.3^\circ$, $\alpha_3 = -17.35^\circ$, $\beta_2 = 17.35^\circ$, $\beta_3 = -50.3^\circ$. For $\phi=0.53$, $\alpha_1 = -33.4^\circ$, $\alpha_2 = 68.6^\circ$, $\alpha_3 = -33.4^\circ$, $\beta_2 = 33.4^\circ$, $\beta_3 = -68.6^\circ$

ii) For $\phi=1.12$, $N=7$ stages. For $\phi=0.53$, $N=2$ stages

(b) s/C_x (stator) = s/C_x (rotor) = 0.646 ($\phi=1.12$) 0.934 ($\phi=0.53$)

Q2.

a) i) 94%, ii) 231.3kg/s, 5.56MW iii) 0.8

Q3.

b) i) $\sigma=0.85$, $N=15$, $\alpha = 70.56^\circ$ ii) 0.765 iii) 75.7% iv) 0.071D