

ENGINEERING TRIPOS PART IIA

Friday 24 April 2009 9:00 to 12:00

Module 3A3

FLUID MECHANICS II

*Answer not more than **five** questions.*

All questions carry the same number of marks.

*The **approximate** percentage of marks allocated to each part of a question is indicated in the right margin.*

Attachment: Compressible Flow Data Book (38 pages).

STATIONERY REQUIREMENTS

Single-sided script paper.

SPECIAL REQUIREMENTS

Engineering Data Book.

CUED approved calculator allowed.

**You may not start to read the questions
printed on the subsequent pages of this
question paper until instructed that you
may do so by the Invigilator**

1 (a) Show that the density ratio across a strong shock wave has a maximum value given by:

$$\frac{\rho_s}{\rho} = \frac{\gamma+1}{\gamma-1}$$

where ρ is the density upstream of the shock, ρ_s is the density downstream of the shock and γ is the ratio of the specific heat capacities.

[20%]

(b) Air at a temperature of 400 K is flowing at a constant velocity of 300 m s⁻¹ in a pipe of constant diameter. There is no friction or heat transfer. The downstream end of the pipe is initially open to the atmosphere at a pressure of 101 kPa. Suddenly the end of the pipe becomes completely blocked, causing a shock wave to propagate back upstream.

(i) Derive an expression for the Mach number of the upstream flow relative to the shock wave in terms of the absolute Mach number of the upstream flow.

[50%]

(ii) Calculate the pressure acting on the closed end of the blocked pipe.

[30%]

2 A convergent-divergent nozzle has a circular cross-section. Downstream of the throat, the increase in the diameter is proportional to the square-root of the distance from the throat. The nozzle is supplied with air from a large reservoir upstream and exhausts into a large receiving vessel downstream. The nozzle exit diameter is 25% larger than the diameter of the throat. The flow is unaffected by friction or heat transfer. Initially there is no flow and the pressure is uniform throughout.

(a) Draw a carefully-labelled sketch of the pressure distribution in the nozzle as the downstream pressure is gradually reduced below the reservoir pressure.

[25%]

(b) Calculate the ratio of the downstream pressure to the reservoir pressure when the nozzle is choked, the velocity at the nozzle exit is supersonic and:

(i) there are no shock waves;

[20%]

(ii) there is a shock wave just ahead of the nozzle exit.

[10%]

(c) The stagnation pressure at the nozzle exit is measured and is found to be 15% below the reservoir stagnation pressure. Calculate the location of the shock wave in the nozzle.

[30%]

(d) Sketch the flow patterns observed when the nozzle exit flow is:

(i) over-expanded;

(ii) perfectly expanded;

(iii) under-expanded.

[15%]

(TURN OVER

3 An industrial air heater consists of a tube of constant cross-sectional area surrounded by an electrical heating element. Air enters the tube at a temperature of 120°C with a velocity of 150 m s^{-1} . Heat is supplied at a rate of 400 kJ per kg of air flowing. The effects of friction are negligible.

(a) Calculate the Mach number of the air at each end of the tube.

[40%]

(b) Draw and label a T - s diagram to illustrate the process. Include the Rayleigh line on your diagram.

[20%]

(c) The rate of heat addition is increased. Why is there a maximum rate of heat addition that can be accepted before the inlet conditions to the tube are found to change? Determine this maximum rate of heat addition and comment on your result.

[40%]

4 A small, lightly-loaded aircraft travels at a high subsonic speed in level, trimmed flight. The flow around its main wing may be considered to be two-dimensional, irrotational and isentropic, and is described by velocity components u and v in a Cartesian coordinate system (x,y) .

(a) Write down equations, in differential form, for the conservation of:

(i) mass,

(ii) energy,

(iii) momentum.

[15%]

(b) If a is the local speed of sound, derive the expression:

$$(a^2 - u^2) \frac{\partial u}{\partial x} - 2uv \frac{\partial u}{\partial y} + (a^2 - v^2) \frac{\partial v}{\partial y} = 0$$

[45%]

(c) By considering a small perturbation to the flow, described by a suitable potential ϕ , show that the following expression can be derived for small disturbances:

$$(1 - M_\infty^2) \frac{\partial^2 \phi}{\partial x^2} + \frac{\partial^2 \phi}{\partial y^2} = 0$$

where M_∞ is the free stream Mach number relative to the wing. Carefully record any assumptions or substitutions that you make in your workings.

[30%]

(d) When the aircraft and also the wing are in a nose-up attitude with incidence α at low speed, the wing generates a positive pitching moment equal to 5 kN m. For structural reasons, the tail plane travel is restricted to limit the nose-down pitching moment generated by the tail to 6 kN m at all flight speeds. What is the approximate flight Mach number beyond which, at this incidence, control authority cannot be maintained?

[10%]

(TURN OVER

5 An aircraft is optimised for supersonic flight. Due to the associated risk of bird strike, the pilot's cockpit is equipped with a flat, armoured windscreen. The pilot sits beneath a glazed canopy that is faired into the spine of the aircraft. The top of the canopy and both the spine and underside of the aircraft are flat and parallel to the aircraft's datum as shown (at zero incidence to the oncoming flow) in the sketch of the forward fuselage profile in Fig. 1.

(a) Considering the forward fuselage as a combination of wedges and flat surfaces, and the flow around it to be two-dimensional, sketch the flowfield for $M_\infty = 2.0$ with the aircraft at a datum incidence of $+2^\circ$ to the free stream direction, carefully labelling its key features.

[20%]

(b) A requirement for operation at high altitude is that the pilot's cockpit is pressurised. If, for the conditions in part (a), the cockpit is pressurised to twice the ambient static air pressure, calculate the pressure ratio across the glazed canopy.

[40%]

(c) The aircraft slows to $M_\infty = 1.8$ while maintaining its attitude. Carefully describe the qualitative changes to the flow field around the forward fuselage.

[30%]

(d) In reality, the nose is not a flat wedge but a cone. All other things being equal, would you expect the actual wave drag directly attributed to the nose to be greater or less than that suggested by a two-dimensional analysis? Briefly explain your reasoning.

[10%]




Fig. 1 (not to scale)

6 The differential equation:

$$\frac{\partial \phi}{\partial t} + F(x,t) = 0$$

is to be solved numerically using an explicit time-marching scheme defined as:

$$\phi^{n+1} = \phi^n - \Delta t (aF^n + bF^{n-1})$$

where Δt is the time step, a and b are constants, and the superscript indicates the discrete time level at which each variable is evaluated.

(a) Expand ϕ^{n+1} and F^{n-1} to order Δt^2 about the time level denoted by n . [20%]

(b) Hence, or otherwise, show that the time-marching scheme described above will give second order accuracy for certain values of the constants a and b . Determine these values. [40%]

(c) It is proposed to solve the scalar convection equation:

$$\frac{\partial \phi}{\partial t} + A \frac{\partial \phi}{\partial x} = 0$$

where A is a constant, using the above time-marching scheme with $a = 2$ and $b = -1$. Comment on this choice of constants. Show that this will lead to a scheme that is subject to false diffusion. Explain why this may be beneficial. [40%]

(TURN OVER

7 (a) Starting from Euler's work equation, show that for flow through an axial compressor at a fixed radius with constant axial velocity, the change in stagnation enthalpy across the rotor Δh_0 is given by:

$$\frac{\Delta h_0}{U^2} = 1 - \phi (\tan \alpha_1 - \tan \alpha_{2,rel})$$

where U is the blade speed, ϕ is the flow coefficient ($\phi = V_x/U$), α_1 is the absolute flow angle upstream of the rotor and $\alpha_{2,rel}$ is the relative flow angle downstream of the rotor.

[15%]

A single stage axial compressor operates with no inlet swirl and the flow is at a constant radius. At the design operating condition, the axial velocity is constant throughout the stage.

(b) Assuming that the relative flow angle out of the rotor is constant, sketch the likely variation of $\Delta h_0/U^2$ with the flow coefficient. On the same diagram indicate how the rise in stagnation pressure is expected to vary with the flow coefficient.

[15%]

(c) At the design operating condition, $\Delta h_0/U^2$ is 0.4 and the flow coefficient is 0.6. Determine the relative flow angle upstream of the rotor and the relative flow angle downstream of the rotor.

[10%]

(cont.)

(d) The flow through the compressor consists of a perfect gas with an adiabatic index of 1.4 and a specific heat capacity at constant pressure c_p . At the design operating condition, the absolute Mach number of the flow upstream of the rotor is 0.4. Show that:

$$\frac{V_{1,rel}}{\sqrt{c_p T_{01,rel}}} = 0.4645$$

where $V_{1,rel}$ and $T_{01,rel}$ are the relative velocity and the relative stagnation temperature upstream of the rotor.

[15%]

(e) At the design operating conditions, determine the value of:

$$\frac{V_{2,rel}}{\sqrt{c_p T_{02,rel}}}$$

where subscript 2 refers to conditions downstream of the rotor.

[10%]

(f) At the design operating condition, the (relative) stagnation pressure loss coefficient for the rotor blades is 0.05. Determine the ratio of the annulus area upstream of the rotor to the annulus area downstream of the rotor.

[20%]

(g) Calculate the static pressure ratio across the compressor rotor at the design operating condition.

[15%]

(TURN OVER)

8 Note that parts (a) and (b) of this question are not related to each other.

- (a) (i) Using a finite volume approximation on a uniform two-dimensional Cartesian mesh, show that Laplace's equation can be discretised as:

$$\frac{\phi_{i+1,j} - 2\phi_{i,j} + \phi_{i-1,j}}{\Delta x^2} + \frac{\phi_{i,j+1} - 2\phi_{i,j} + \phi_{i,j-1}}{\Delta y^2} = 0$$

[35%]

- (ii) Show that this approximation is second-order accurate in space.

[15%]

- (b) (i) The flow through an annular duct has an axial velocity $V_x(r)$, a tangential velocity $V_\theta(r)$ and a stagnation enthalpy $h_0(r)$ where r is the radius. Stating all assumptions made, show that the Simple Radial Equilibrium equation is:

$$\frac{dh_0}{dr} = V_x \frac{dV_x}{dr} + \frac{V_\theta}{r} \frac{d}{dr}(rV_\theta)$$

[30%]

- (ii) At the inlet to an axial flow water turbine the flow is uniform with no swirl. The hub and tip walls are at a constant radius with a hub-to-tip ratio of 0.8. For ease of manufacturing, the stator blade has a uniform exit angle of 45° across the entire blade span. Assuming that the flow is inviscid, show that the ratio of the axial velocity at the tip to that at the hub at the exit of the stator is:

$$\frac{V_{x,tip}}{V_{x,hub}} = 0.894$$

Give a physically based explanation as to why this ratio is less than unity.


[20%]

END OF PAPER

Compressible Flow Data Book

for Part II of the
Engineering Tripos

2006 Edition



Cambridge University Engineering Department

PERFECT GAS RELATIONS FOR COMPRESSIBLE FLOW

Ratios of stagnation to static quantities

$$\frac{T}{T_0} = \left(1 + \frac{\gamma-1}{2} M^2\right)^{-1}$$

$$\frac{p}{p_0} = \left(1 + \frac{\gamma-1}{2} M^2\right)^{-\frac{\gamma}{\gamma-1}}$$

$$\frac{\rho}{\rho_0} = \left(1 + \frac{\gamma-1}{2} M^2\right)^{-\frac{1}{\gamma-1}}$$

Notes:

(1) $T_0 = \text{const.}$ in adiabatic flow with no shaft work

(2) If flow is isentropic, $p_0 = \text{const.}$ and $\rho_0 = \text{const.}$ when $T_0 = \text{const.}$

Mach number relations (see tables)

$$\frac{V}{\sqrt{c_p T_0}} = \sqrt{\gamma-1} M \left(1 + \frac{\gamma-1}{2} M^2\right)^{-\frac{1}{2}}$$

$$\frac{\dot{m} \sqrt{c_p T_0}}{A p_0} = \frac{\gamma}{\sqrt{\gamma-1}} M \left(1 + \frac{\gamma-1}{2} M^2\right)^{-\frac{1}{2} \left(\frac{\gamma+1}{\gamma-1}\right)}$$

$$\frac{\dot{m} \sqrt{c_p T_0}}{A p} = \frac{\gamma}{\sqrt{\gamma-1}} M \left(1 + \frac{\gamma-1}{2} M^2\right)^{\frac{1}{2}}$$

$$\frac{F}{\dot{m} \sqrt{c_p T_0}} = \frac{\sqrt{\gamma-1}}{\gamma} \frac{1 + \gamma M^2}{M} \left(1 + \frac{\gamma-1}{2} M^2\right)^{-\frac{1}{2}} \quad \text{where } F = (p + \rho V^2) A$$

$$\frac{\frac{1}{2} \rho V^2}{p_0} = \frac{1}{2} \gamma M^2 \left(1 + \frac{\gamma-1}{2} M^2\right)^{-\frac{\gamma}{\gamma-1}}$$

ONE-DIMENSIONAL FLOW OF A PERFECT GAS

Isentropic flow

$$\frac{A}{A^*} = \frac{1}{M} \left\{ \frac{2}{\gamma+1} \left(1 + \frac{\gamma-1}{2} M^2 \right) \right\}^{\frac{1}{2} \left(\frac{\gamma+1}{\gamma-1} \right)}$$

Adiabatic constant area flow

$$\frac{4c_f L_{\max}}{D} = \frac{1-M^2}{\gamma M^2} + \frac{\gamma+1}{2\gamma} \ln \left(\frac{(\gamma+1)M^2}{2 \left(1 + \frac{\gamma-1}{2} M^2 \right)} \right)$$

Normal shock waves in perfect gases

$$VV_s = a^{*2}$$

$$M_s = \left(\frac{1 + \frac{\gamma-1}{2} M^2}{\gamma M^2 - \frac{\gamma-1}{2}} \right)^{\frac{1}{2}}$$

$$\frac{p_{0s}}{p_0} = \left(\frac{\frac{\gamma+1}{2} M^2}{1 + \frac{\gamma-1}{2} M^2} \right)^{\frac{\gamma}{\gamma-1}} \left(\frac{2\gamma}{\gamma+1} M^2 - \frac{\gamma-1}{\gamma+1} \right)^{\frac{1}{1-\gamma}}$$

$$\frac{p_s}{p} = 1 + \frac{2\gamma}{\gamma+1} (M^2 - 1)$$

$$\frac{p_{0s}}{p} = \left(\frac{\gamma+1}{2} M^2 \right)^{\frac{\gamma}{\gamma-1}} \left(\frac{2\gamma}{\gamma+1} M^2 - \frac{\gamma-1}{\gamma+1} \right)^{\frac{1}{1-\gamma}}$$


$$\frac{T_s}{T} = \frac{\gamma-1}{(\gamma+1)^2} \frac{2}{M^2} \left(1 + \frac{\gamma-1}{2} M^2 \right) \left(\frac{2\gamma}{\gamma-1} M^2 - 1 \right)$$

$$\frac{\rho_s}{\rho} = \frac{(\gamma+1)M^2}{2 \left(1 + \frac{\gamma-1}{2} M^2 \right)}$$

TWO DIMENSIONAL SUPERSONIC FLOW

Method of Characteristics for 2-D supersonic flow

Applicable to adiabatic ($h_0 = \text{constant}$), isentropic flow



Mach Number

$$M = u/c$$

Mach angle

$$\mu = \sin^{-1}\left(\frac{1}{M}\right)$$


Prandtl-Meyer function

$$v = \int_1^M \sqrt{M^2 - 1} \frac{du}{u}$$

$$v = \sqrt{\frac{\gamma+1}{\gamma-1}} \tan^{-1} \sqrt{\frac{\gamma-1}{\gamma+1} (M^2 - 1)} - \tan^{-1} \sqrt{M^2 - 1} \quad \text{for a perfect gas}$$

Calculations


Lattice Method



$$v_3 - \theta_3 = v_2 - \theta_2 \quad \text{along } +\mu$$

$$v_3 + \theta_3 = v_1 + \theta_1 \quad \text{along } -\mu$$


Field (or wave) method



$$v_3 + \theta_3 = v_1 + \theta_1 \quad \text{across } +\mu$$

$$v_3 - \theta_3 = v_2 - \theta_2 \quad \text{across } -\mu$$

Linearised Method of Characteristics (thin film theory)




$$\mu \approx \sin^{-1}(1/M_\infty)$$

$$\Delta p \approx \pm \frac{\rho_\infty u_\infty^2 \Delta \theta}{\sqrt{M_\infty^2 - 1}} \quad \text{across } \pm \mu \text{ waves}$$

Pressure coefficient $c_p = \frac{p - p_\infty}{\frac{1}{2} \rho_\infty u_\infty^2} = \pm \frac{2\theta}{\sqrt{M_\infty^2 - 1}}$ on upper/lower surface

Prandtl-Glauert rule for linearised potential flow past geometrically similar bodies



Pressure coefficient $c_p = \frac{p - p_\infty}{\frac{1}{2} \rho_\infty u_\infty^2}$

For geometrically similar bodies with $\frac{\eta}{L} = f\left(\frac{x}{L}\right)$ and $c_p(M_\infty = 0) = c_{p0}$,

$$c_p = \frac{c_{p0}}{\sqrt{1 - M_\infty^2}} \quad \text{in subsonic flow}$$

$$c_p \propto \frac{1}{\sqrt{M_\infty^2 - 1}} \quad \text{in supersonic flow}$$

Oblique Shock Relations (see tables)

$$\frac{p_2}{p_1} = 1 + \frac{2\gamma}{\gamma+1} (M_1^2 \sin^2 \beta - 1)$$


$$\frac{T_2}{T_1} = \frac{\gamma-1}{(\gamma+1)^2} \frac{2}{M_1^2 \sin^2 \beta} \left(1 + \frac{\gamma-1}{2} M_1^2 \sin^2 \beta \right) \left(\frac{2\gamma}{\gamma-1} M_1^2 \sin^2 \beta - 1 \right)$$

$$\frac{\rho_2}{\rho_1} = \frac{(\gamma+1)M_1^2 \sin^2 \beta}{2 \left[1 + \frac{\gamma-1}{2} M_1^2 \sin^2 \beta \right]}$$

$$M_2 \sin(\beta - \theta) = \frac{\left[1 + \frac{\gamma-1}{2} M_1^2 \sin^2 \beta \right]^{\frac{1}{2}}}{\gamma M_1^2 \sin^2 \beta - \frac{\gamma-1}{2}}$$

$$\frac{p_{02}}{p_{01}} = \left(\frac{\frac{\gamma+1}{2} M_1^2 \sin^2 \beta}{1 + \frac{\gamma-1}{2} M_1^2 \sin^2 \beta} \right)^{\frac{\gamma}{\gamma-1}} \left(\frac{2\gamma}{\gamma+1} M_1^2 \sin^2 \beta - \frac{\gamma-1}{\gamma+1} \right)^{\frac{1}{1-\gamma}}$$

$$\tan \theta = \frac{2 \cot \beta (M_1^2 \sin^2 \beta - 1)}{(\gamma+1)M_1^2 - 2(M_1^2 \sin^2 \beta - 1)}$$



GAS FLOW TABLES ($\gamma=1.400$): SUBSONIC FLOW

M	$\frac{T}{T_0}$	$\frac{p}{p_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap_0}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap}$	$\frac{F}{\dot{m}\sqrt{c_p T_0}}$	$\frac{4c_f L_{\max}}{D}$	$\frac{1}{2}\frac{\rho V^2}{p_0}$
0.010	1.0000	0.9999	1.0000	0.0063	0.0221	0.0221	45.1813	7134.405	0.0001
0.020	0.9999	0.9997	0.9998	0.0126	0.0443	0.0443	22.5994	1778.450	0.0003
0.030	0.9998	0.9994	0.9996	0.0190	0.0664	0.0664	15.0761	787.0814	0.0006
0.040	0.9997	0.9989	0.9992	0.0253	0.0885	0.0886	11.3173	440.3522	0.0011
0.050	0.9995	0.9983	0.9988	0.0316	0.1105	0.1107	9.0644	280.0203	0.0017
0.060	0.9993	0.9975	0.9982	0.0379	0.1325	0.1329	7.5645	193.0311	0.0025
0.070	0.9990	0.9966	0.9976	0.0443	0.1545	0.1550	6.4947	140.6550	0.0034
0.080	0.9987	0.9955	0.9968	0.0506	0.1764	0.1772	5.6939	106.7182	0.0045
0.090	0.9984	0.9944	0.9960	0.0569	0.1983	0.1994	5.0723	83.4961	0.0056
0.100	0.9980	0.9930	0.9950	0.0632	0.2200	0.2216	4.5762	66.9216	0.0070
0.110	0.9976	0.9916	0.9940	0.0695	0.2417	0.2438	4.1714	54.6879	0.0084
0.120	0.9971	0.9900	0.9928	0.0758	0.2633	0.2660	3.8350	45.4080	0.0100
0.130	0.9966	0.9883	0.9916	0.0821	0.2849	0.2883	3.5513	38.2070	0.0117
0.140	0.9961	0.9864	0.9903	0.0884	0.3063	0.3105	3.3089	32.5113	0.0135
0.150	0.9955	0.9844	0.9888	0.0947	0.3276	0.3328	3.0996	27.9320	0.0155
0.160	0.9949	0.9823	0.9873	0.1009	0.3488	0.3551	2.9172	24.1978	0.0176
0.170	0.9943	0.9800	0.9857	0.1072	0.3699	0.3774	2.7569	21.1152	0.0198
0.180	0.9936	0.9776	0.9840	0.1135	0.3908	0.3997	2.6151	18.5427	0.0222
0.190	0.9928	0.9751	0.9822	0.1197	0.4116	0.4221	2.4889	16.3752	0.0246
0.200	0.9921	0.9725	0.9803	0.1260	0.4323	0.4445	2.3758	14.5333	0.0272
0.210	0.9913	0.9697	0.9783	0.1322	0.4528	0.4669	2.2740	12.9560	0.0299
0.220	0.9904	0.9668	0.9762	0.1385	0.4731	0.4893	2.1820	11.5961	0.0328
0.230	0.9895	0.9638	0.9740	0.1447	0.4933	0.5118	2.0985	10.4161	0.0357
0.240	0.9886	0.9607	0.9718	0.1509	0.5133	0.5343	2.0225	9.3865	0.0387
0.250	0.9877	0.9575	0.9694	0.1571	0.5332	0.5568	1.9530	8.4834	0.0419
0.260	0.9867	0.9541	0.9670	0.1633	0.5528	0.5794	1.8892	7.6876	0.0451
0.270	0.9856	0.9506	0.9645	0.1695	0.5723	0.6020	1.8306	6.9832	0.0485
0.280	0.9846	0.9470	0.9619	0.1757	0.5915	0.6246	1.7766	6.3572	0.0520
0.290	0.9835	0.9433	0.9592	0.1819	0.6106	0.6473	1.7267	5.7989	0.0555
0.300	0.9823	0.9395	0.9564	0.1881	0.6295	0.6700	1.6805	5.2993	0.0592
0.310	0.9811	0.9355	0.9535	0.1942	0.6481	0.6928	1.6377	4.8507	0.0629
0.320	0.9799	0.9315	0.9506	0.2003	0.6666	0.7156	1.5978	4.4467	0.0668
0.330	0.9787	0.9274	0.9476	0.2065	0.6848	0.7384	1.5608	4.0821	0.0707
0.340	0.9774	0.9231	0.9445	0.2126	0.7027	0.7613	1.5262	3.7520	0.0747
0.350	0.9761	0.9188	0.9413	0.2187	0.7205	0.7842	1.4939	3.4525	0.0788
0.360	0.9747	0.9143	0.9380	0.2248	0.7380	0.8072	1.4637	3.1801	0.0829
0.370	0.9733	0.9098	0.9347	0.2309	0.7553	0.8302	1.4354	2.9320	0.0872
0.380	0.9719	0.9052	0.9313	0.2369	0.7723	0.8532	1.4090	2.7054	0.0915
0.390	0.9705	0.9004	0.9278	0.2430	0.7891	0.8763	1.3841	2.4983	0.0959
0.400	0.9690	0.8956	0.9243	0.2490	0.8056	0.8995	1.3608	2.3085	0.1003
0.410	0.9675	0.8907	0.9207	0.2551	0.8219	0.9227	1.3388	2.1344	0.1048
0.420	0.9659	0.8857	0.9170	0.2611	0.8379	0.9460	1.3182	1.9744	0.1094
0.430	0.9643	0.8807	0.9132	0.2671	0.8536	0.9693	1.2988	1.8272	0.1140
0.440	0.9627	0.8755	0.9094	0.2730	0.8691	0.9927	1.2804	1.6915	0.1186
0.450	0.9611	0.8703	0.9055	0.2790	0.8843	1.0161	1.2632	1.5664	0.1234
0.460	0.9594	0.8650	0.9016	0.2850	0.8992	1.0396	1.2469	1.4509	0.1281
0.470	0.9577	0.8596	0.8976	0.2909	0.9138	1.0631	1.2315	1.3441	0.1329
0.480	0.9559	0.8541	0.8935	0.2968	0.9282	1.0867	1.2170	1.2453	0.1378
0.490	0.9542	0.8486	0.8894	0.3027	0.9423	1.1104	1.2033	1.1539	0.1426
0.500	0.9524	0.8430	0.8852	0.3086	0.9561	1.1341	1.1903	1.0691	0.1475

$$\gamma=1.400$$

M	$\frac{T}{T_0}$	$\frac{p}{p_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{\dot{m}\sqrt{c_p T_0}}{A p_0}$	$\frac{\dot{m}\sqrt{c_p T_0}}{A p}$	$\frac{F}{\dot{m}\sqrt{c_p T_0}}$	$\frac{4c_f L_{\max}}{D}$	$\frac{1}{2}\rho V^2$ p_0
0.510	0.9506	0.8374	0.8809	0.3145	0.9696	1.1579	1.1781	0.9904	0.1525
0.520	0.9487	0.8317	0.8766	0.3203	0.9828	1.1818	1.1665	0.9174	0.1574
0.530	0.9468	0.8259	0.8723	0.3262	0.9958	1.2057	1.1556	0.8496	0.1624
0.540	0.9449	0.8201	0.8679	0.3320	1.0084	1.2297	1.1452	0.7866	0.1674
0.550	0.9430	0.8142	0.8634	0.3378	1.0208	1.2538	1.1354	0.7281	0.1724
0.560	0.9410	0.8082	0.8589	0.3436	1.0328	1.2779	1.1261	0.6736	0.1774
0.570	0.9390	0.8022	0.8544	0.3493	1.0446	1.3021	1.1173	0.6229	0.1825
0.580	0.9370	0.7962	0.8498	0.3551	1.0561	1.3264	1.1090	0.5757	0.1875
0.590	0.9349	0.7901	0.8451	0.3608	1.0672	1.3507	1.1011	0.5317	0.1925
0.600	0.9328	0.7840	0.8405	0.3665	1.0781	1.3751	1.0937	0.4908	0.1976
0.610	0.9307	0.7778	0.8357	0.3722	1.0887	1.3996	1.0867	0.4527	0.2026
0.620	0.9286	0.7716	0.8310	0.3779	1.0990	1.4242	1.0800	0.4172	0.2076
0.630	0.9265	0.7654	0.8262	0.3835	1.1090	1.4489	1.0737	0.3841	0.2127
0.640	0.9243	0.7591	0.8213	0.3891	1.1186	1.4736	1.0678	0.3533	0.2177
0.650	0.9221	0.7528	0.8164	0.3948	1.1280	1.4984	1.0621	0.3246	0.2226
0.660	0.9199	0.7465	0.8115	0.4003	1.1371	1.5233	1.0568	0.2979	0.2276
0.670	0.9176	0.7401	0.8066	0.4059	1.1459	1.5483	1.0518	0.2730	0.2326
0.680	0.9153	0.7338	0.8016	0.4115	1.1544	1.5733	1.0471	0.2498	0.2375
0.690	0.9131	0.7274	0.7966	0.4170	1.1626	1.5984	1.0426	0.2282	0.2424
0.700	0.9107	0.7209	0.7916	0.4225	1.1705	1.6237	1.0384	0.2081	0.2473
0.710	0.9084	0.7145	0.7865	0.4280	1.1782	1.6490	1.0344	0.1895	0.2521
0.720	0.9061	0.7080	0.7814	0.4335	1.1855	1.6744	1.0307	0.1721	0.2569
0.730	0.9037	0.7016	0.7763	0.4389	1.1925	1.6999	1.0272	0.1561	0.2617
0.740	0.9013	0.6951	0.7712	0.4443	1.1993	1.7254	1.0239	0.1411	0.2664
0.750	0.8989	0.6886	0.7660	0.4497	1.2058	1.7511	1.0208	0.1273	0.2711
0.760	0.8964	0.6821	0.7609	0.4551	1.2119	1.7768	1.0179	0.1145	0.2758
0.770	0.8940	0.6756	0.7557	0.4605	1.2178	1.8027	1.0152	0.1026	0.2804
0.780	0.8915	0.6691	0.7505	0.4658	1.2234	1.8286	1.0126	0.0917	0.2849
0.790	0.8890	0.6625	0.7452	0.4711	1.2288	1.8547	1.0103	0.0816	0.2894
0.800	0.8865	0.6560	0.7400	0.4764	1.2338	1.8808	1.0081	0.0723	0.2939
0.810	0.8840	0.6495	0.7347	0.4817	1.2386	1.9070	1.0060	0.0638	0.2983
0.820	0.8815	0.6430	0.7295	0.4869	1.2431	1.9333	1.0041	0.0559	0.3026
0.830	0.8789	0.6365	0.7242	0.4921	1.2474	1.9598	1.0024	0.0488	0.3069
0.840	0.8763	0.6300	0.7189	0.4973	1.2514	1.9863	1.0008	0.0423	0.3112
0.850	0.8737	0.6235	0.7136	0.5025	1.2551	2.0129	0.9993	0.0363	0.3153
0.860	0.8711	0.6170	0.7083	0.5077	1.2585	2.0396	0.9979	0.0310	0.3195
0.870	0.8685	0.6106	0.7030	0.5128	1.2617	2.0665	0.9967	0.0261	0.3235
0.880	0.8659	0.6041	0.6977	0.5179	1.2646	2.0934	0.9956	0.0218	0.3275
0.890	0.8632	0.5977	0.6924	0.5230	1.2673	2.1204	0.9946	0.0179	0.3314
0.900	0.8606	0.5913	0.6870	0.5280	1.2698	2.1476	0.9937	0.0145	0.3352
0.910	0.8579	0.5849	0.6817	0.5331	1.2719	2.1748	0.9929	0.0115	0.3390
0.920	0.8552	0.5785	0.6764	0.5381	1.2739	2.2021	0.9922	0.0089	0.3427
0.930	0.8525	0.5721	0.6711	0.5431	1.2756	2.2296	0.9916	0.0067	0.3464
0.940	0.8498	0.5658	0.6658	0.5481	1.2770	2.2572	0.9911	0.0048	0.3499
0.950	0.8471	0.5595	0.6604	0.5530	1.2783	2.2848	0.9907	0.0033	0.3534
0.960	0.8444	0.5532	0.6551	0.5579	1.2793	2.3126	0.9903	0.0021	0.3569
0.970	0.8416	0.5469	0.6498	0.5628	1.2800	2.3405	0.9901	0.0011	0.3602
0.980	0.8389	0.5407	0.6445	0.5677	1.2806	2.3685	0.9899	0.0005	0.3635
0.990	0.8361	0.5345	0.6392	0.5725	1.2809	2.3966	0.9898	0.0001	0.3667
1.000	0.8333	0.5283	0.6339	0.5774	1.2810	2.4249	0.9897	0.0000	0.3698

GAS FLOW TABLES ($\gamma=1.400$): SUPERSONIC FLOW

M	$\frac{T}{T_0}$	$\frac{P}{P_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{m\sqrt{c_p T_0}}{A p_0}$	$\frac{m\sqrt{c_p T_0}}{A p}$	F	$\frac{4cfL_{max}}{D}$	$\frac{1}{2}\rho V^2$	M_s	$\frac{P_{0s}}{P_0}$	$\frac{P_s}{P}$	$\frac{P_{0s}}{P}$	$\frac{T_s}{T}$	v	M
1.010	0.8306	0.5221	0.6287	0.5821	1.2809	2.4532	0.9898	0.0001	0.3728	0.9901	1.0000	1.0235	1.9152	1.0066	0.04	1.010
1.020	0.8278	0.5160	0.6234	0.5869	1.2806	2.4817	0.9899	0.0005	0.3758	0.9805	1.0000	1.0471	1.9379	1.0132	0.13	1.020
1.030	0.8250	0.5099	0.6181	0.5917	1.2801	2.5103	0.9900	0.0010	0.3787	0.9712	1.0000	1.0711	1.9610	1.0198	0.23	1.030
1.040	0.8222	0.5039	0.6129	0.5964	1.2793	2.5390	0.9903	0.0018	0.3815	0.9620	0.9999	1.0952	1.9844	1.0263	0.35	1.040
1.050	0.8193	0.4979	0.6077	0.6011	1.2784	2.5678	0.9905	0.0027	0.3842	0.9531	0.9999	1.1196	2.0083	1.0328	0.49	1.050
1.060	0.8165	0.4919	0.6024	0.6058	1.2773	2.5967	0.9909	0.0038	0.3869	0.9444	0.9998	1.1442	2.0325	1.0393	0.64	1.060
1.070	0.8137	0.4860	0.5972	0.6104	1.2760	2.6258	0.9913	0.0051	0.3895	0.9360	0.9996	1.1691	2.0570	1.0458	0.80	1.070
1.080	0.8108	0.4800	0.5920	0.6151	1.2745	2.6549	0.9917	0.0066	0.3919	0.9277	0.9994	1.1941	2.0819	1.0522	0.97	1.080
1.090	0.8080	0.4742	0.5869	0.6197	1.2728	2.6842	0.9922	0.0082	0.3944	0.9196	0.9992	1.2195	2.1072	1.0586	1.15	1.090
1.100	0.8052	0.4684	0.5817	0.6243	1.2709	2.7136	0.9928	0.0099	0.3967	0.9118	0.9989	1.2450	2.1328	1.0649	1.34	1.100
1.110	0.8023	0.4626	0.5766	0.6288	1.2689	2.7432	0.9934	0.0118	0.3990	0.9041	0.9986	1.2708	2.1588	1.0713	1.53	1.110
1.120	0.7994	0.4568	0.5714	0.6333	1.2667	2.7728	0.9940	0.0138	0.4011	0.8966	0.9982	1.2968	2.1851	1.0776	1.74	1.120
1.130	0.7966	0.4511	0.5663	0.6379	1.2643	2.8026	0.9947	0.0159	0.4032	0.8892	0.9978	1.3231	2.2118	1.0840	1.94	1.130
1.140	0.7937	0.4455	0.5612	0.6423	1.2618	2.8325	0.9954	0.0182	0.4052	0.8820	0.9973	1.3495	2.2388	1.0903	2.16	1.140
1.150	0.7908	0.4398	0.5562	0.6468	1.2590	2.8626	0.9961	0.0205	0.4072	0.8750	0.9967	1.3763	2.2661	1.0966	2.38	1.150
1.160	0.7879	0.4343	0.5511	0.6512	1.2562	2.8927	0.9969	0.0230	0.4090	0.8682	0.9961	1.4032	2.2937	1.1029	2.61	1.160
1.170	0.7851	0.4287	0.5461	0.6556	1.2531	2.9230	0.9978	0.0255	0.4108	0.8615	0.9953	1.4304	2.3217	1.1092	2.84	1.170
1.180	0.7822	0.4232	0.5411	0.6600	1.2500	2.9534	0.9986	0.0281	0.4125	0.8549	0.9946	1.4578	2.3500	1.1154	3.07	1.180
1.190	0.7793	0.4178	0.5361	0.6644	1.2466	2.9840	0.9995	0.0309	0.4141	0.8485	0.9937	1.4855	2.3786	1.1217	3.31	1.190
1.200	0.7764	0.4124	0.5311	0.6687	1.2432	3.0147	1.0004	0.0336	0.4157	0.8422	0.9928	1.5133	2.4075	1.1280	3.56	1.200
1.210	0.7735	0.4070	0.5262	0.6730	1.2396	3.0455	1.0014	0.0365	0.4171	0.8360	0.9918	1.5415	2.4367	1.1343	3.81	1.210
1.220	0.7706	0.4017	0.5213	0.6773	1.2358	3.0764	1.0024	0.0394	0.4185	0.8300	0.9907	1.5698	2.4663	1.1405	4.06	1.220
1.230	0.7677	0.3964	0.5164	0.6816	1.2319	3.1075	1.0034	0.0424	0.4198	0.8241	0.9896	1.5984	2.4961	1.1468	4.31	1.230
1.240	0.7648	0.3912	0.5115	0.6858	1.2279	3.1387	1.0045	0.0455	0.4211	0.8183	0.9884	1.6272	2.5263	1.1531	4.57	1.240
1.250	0.7619	0.3861	0.5067	0.6901	1.2238	3.1700	1.0055	0.0486	0.4223	0.8126	0.9871	1.6563	2.5568	1.1594	4.83	1.250

$\gamma=1.400$

M	$\frac{T}{T_0}$	$\frac{P}{P_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{m\sqrt{c_p T_0}}{A p_0}$	$\frac{m\sqrt{c_p T_0}}{A p}$	F	$\frac{4c_f L_{\max}}{D}$	$\frac{1}{2}\rho V^2$	M_s	$\frac{P_0 s}{P_0}$	$\frac{P_s}{P}$	$\frac{P_{0s}}{P}$	$\frac{T_s}{T}$	ν	M
1.260	0.7550	0.3809	0.5019	0.6943	1.2195	3.2015	1.0066	0.0517	0.4233	0.8071	0.9857	1.6855	2.5875	1.1657	5.09	1.260
1.270	0.7561	0.3759	0.4971	0.6984	1.2152	3.2331	1.0077	0.0549	0.4244	0.8016	0.9842	1.7151	2.6186	1.1720	5.36	1.270
1.280	0.7532	0.3708	0.4923	0.7026	1.2107	3.2648	1.0089	0.0582	0.4253	0.7963	0.9827	1.7448	2.6500	1.1783	5.63	1.280
1.290	0.7503	0.3658	0.4876	0.7067	1.2061	3.2967	1.0100	0.0615	0.4262	0.7911	0.9811	1.7748	2.6816	1.1846	5.90	1.290
1.300	0.7474	0.3609	0.4829	0.7108	1.2014	3.3287	1.0112	0.0648	0.4270	0.7860	0.9794	1.8050	2.7136	1.1909	6.17	1.300
1.310	0.7445	0.3560	0.4782	0.7149	1.1965	3.3608	1.0124	0.0682	0.4277	0.7809	0.9776	1.8355	2.7459	1.1972	6.44	1.310
1.320	0.7416	0.3512	0.4736	0.7189	1.1916	3.3931	1.0136	0.0716	0.4283	0.7760	0.9758	1.8661	2.7784	1.2035	6.72	1.320
1.330	0.7387	0.3464	0.4690	0.7229	1.1866	3.4255	1.0149	0.0750	0.4289	0.7712	0.9738	1.8971	2.8112	1.2099	7.00	1.330
1.340	0.7358	0.3417	0.4644	0.7270	1.1815	3.4581	1.0161	0.0785	0.4294	0.7664	0.9718	1.9282	2.8444	1.2162	7.28	1.340
1.350	0.7329	0.3370	0.4598	0.7309	1.1763	3.4907	1.0174	0.0820	0.4299	0.7618	0.9697	1.9596	2.8778	1.2226	7.56	1.350
1.360	0.7300	0.3323	0.4553	0.7349	1.1710	3.5236	1.0187	0.0855	0.4303	0.7572	0.9676	1.9912	2.9115	1.2290	7.84	1.360
1.370	0.7271	0.3277	0.4508	0.7388	1.1656	3.5566	1.0200	0.0890	0.4306	0.7527	0.9653	2.0231	2.9455	1.2354	8.13	1.370
1.380	0.7242	0.3232	0.4463	0.7427	1.1601	3.5897	1.0213	0.0926	0.4308	0.7483	0.9630	2.0551	2.9798	1.2418	8.41	1.380
1.390	0.7213	0.3187	0.4418	0.7466	1.1546	3.6229	1.0226	0.0962	0.4310	0.7440	0.9607	2.0875	3.0144	1.2482	8.70	1.390
1.400	0.7184	0.3142	0.4374	0.7505	1.1490	3.6563	1.0240	0.0997	0.4311	0.7397	0.9582	2.1200	3.0492	1.2547	8.99	1.400
1.410	0.7155	0.3098	0.4330	0.7543	1.1433	3.6899	1.0253	0.1033	0.4312	0.7355	0.9557	2.1528	3.0844	1.2612	9.28	1.410
1.420	0.7126	0.3055	0.4287	0.7581	1.1375	3.7236	1.0267	0.1069	0.4312	0.7314	0.9531	2.1858	3.1198	1.2676	9.57	1.420
1.430	0.7097	0.3012	0.4244	0.7619	1.1317	3.7574	1.0281	0.1106	0.4311	0.7274	0.9504	2.2191	3.1555	1.2741	9.86	1.430
1.440	0.7069	0.2969	0.4201	0.7657	1.1258	3.7914	1.0295	0.1142	0.4310	0.7235	0.9476	2.2525	3.1915	1.2807	10.15	1.440
1.450	0.7040	0.2927	0.4158	0.7694	1.1198	3.8255	1.0308	0.1178	0.4308	0.7196	0.9448	2.2863	3.2278	1.2872	10.44	1.450
1.460	0.7011	0.2886	0.4116	0.7732	1.1138	3.8598	1.0323	0.1215	0.4306	0.7157	0.9420	2.3202	3.2643	1.2938	10.73	1.460
1.470	0.6982	0.2845	0.4074	0.7769	1.1077	3.8942	1.0337	0.1251	0.4303	0.7120	0.9390	2.3544	3.3011	1.3003	11.02	1.470
1.480	0.6954	0.2804	0.4032	0.7805	1.1016	3.9287	1.0351	0.1288	0.4299	0.7083	0.9360	2.3888	3.3382	1.3069	11.32	1.480
1.490	0.6925	0.2764	0.3991	0.7842	1.0954	3.9634	1.0365	0.1324	0.4295	0.7047	0.9329	2.4235	3.3756	1.3136	11.61	1.490
1.500	0.6897	0.2724	0.3950	0.7878	1.0891	3.9983	1.0379	0.1361	0.4290	0.7011	0.9298	2.4583	3.4133	1.3202	11.91	1.500

$\gamma=1.400$

M	$\frac{T}{T_0}$	$\frac{P}{P_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{m\sqrt{c_p T_0}}{A p_0}$	$\frac{m\sqrt{c_p T_0}}{A p}$	F	$\frac{4c_f L_{\max}}{D}$	$\frac{1}{2}\rho V^2$	M_s	$\frac{P_{0s}}{P_0}$	$\frac{P_s}{P}$	$\frac{P_{0s}}{P}$	$\frac{T_s}{T}$	v	M
1.510	0.6868	0.2685	0.3909	0.7914	1.0829	4.0333	1.0394	0.1397	0.4285	0.6976	0.9266	2.4935	3.4512	1.3269	12.20	1.510
1.520	0.6840	0.2646	0.3869	0.7950	1.0765	4.0684	1.0408	0.1433	0.4279	0.6941	0.9233	2.5288	3.4894	1.3336	12.49	1.520
1.530	0.6811	0.2608	0.3829	0.7986	1.0702	4.1037	1.0423	0.1470	0.4273	0.6907	0.9200	2.5644	3.5279	1.3403	12.79	1.530
1.540	0.6783	0.2570	0.3789	0.8021	1.0638	4.1392	1.0437	0.1506	0.4266	0.6874	0.9166	2.6002	3.5667	1.3470	13.09	1.540
1.550	0.6754	0.2533	0.3750	0.8057	1.0573	4.1748	1.0452	0.1543	0.4259	0.6841	0.9132	2.6363	3.6057	1.3538	13.38	1.550
1.560	0.6726	0.2496	0.3710	0.8092	1.0508	4.2105	1.0467	0.1579	0.4252	0.6809	0.9097	2.6725	3.6450	1.3606	13.68	1.560
1.570	0.6698	0.2459	0.3672	0.8126	1.0443	4.2464	1.0481	0.1615	0.4243	0.6777	0.9062	2.7091	3.6846	1.3674	13.97	1.570
1.580	0.6670	0.2423	0.3633	0.8161	1.0378	4.2825	1.0496	0.1651	0.4235	0.6746	0.9026	2.7458	3.7244	1.3742	14.27	1.580
1.590	0.6642	0.2388	0.3595	0.8195	1.0312	4.3187	1.0511	0.1688	0.4226	0.6715	0.8989	2.7828	3.7646	1.3811	14.56	1.590
1.600	0.6614	0.2353	0.3557	0.8230	1.0246	4.3551	1.0526	0.1724	0.4216	0.6684	0.8952	2.8200	3.8050	1.3880	14.86	1.600
1.610	0.6586	0.2318	0.3520	0.8263	1.0180	4.3916	1.0541	0.1760	0.4206	0.6655	0.8915	2.8575	3.8456	1.3949	15.16	1.610
1.620	0.6558	0.2284	0.3483	0.8297	1.0114	4.4282	1.0555	0.1795	0.4196	0.6625	0.8877	2.8951	3.8866	1.4018	15.45	1.620
1.630	0.6530	0.2250	0.3446	0.8331	1.0047	4.4651	1.0570	0.1831	0.4185	0.6596	0.8838	2.9331	3.9278	1.4088	15.75	1.630
1.640	0.6502	0.2217	0.3409	0.8364	0.9980	4.5020	1.0585	0.1867	0.4174	0.6568	0.8799	2.9712	3.9693	1.4158	16.04	1.640
1.650	0.6475	0.2184	0.3373	0.8397	0.9913	4.5392	1.0600	0.1902	0.4162	0.6540	0.8760	3.0096	4.0110	1.4228	16.34	1.650
1.660	0.6447	0.2151	0.3337	0.8430	0.9846	4.5765	1.0615	0.1938	0.4150	0.6512	0.8720	3.0482	4.0531	1.4299	16.63	1.660
1.670	0.6419	0.2119	0.3302	0.8462	0.9779	4.6139	1.0630	0.1973	0.4138	0.6485	0.8680	3.0871	4.0953	1.4369	16.93	1.670
1.680	0.6392	0.2088	0.3266	0.8495	0.9712	4.6515	1.0645	0.2008	0.4125	0.6458	0.8639	3.1261	4.1379	1.4440	17.22	1.680
1.690	0.6364	0.2057	0.3232	0.8527	0.9644	4.6892	1.0660	0.2043	0.4112	0.6431	0.8599	3.1655	4.1807	1.4512	17.52	1.690
1.700	0.6337	0.2026	0.3197	0.8559	0.9577	4.7272	1.0674	0.2078	0.4098	0.6405	0.8557	3.2050	4.2238	1.4583	17.81	1.700
1.710	0.6310	0.1996	0.3163	0.8591	0.9509	4.7652	1.0689	0.2113	0.4085	0.6380	0.8516	3.2448	4.2672	1.4655	18.10	1.710
1.720	0.6283	0.1966	0.3129	0.8622	0.9442	4.8035	1.0704	0.2147	0.4071	0.6355	0.8474	3.2848	4.3108	1.4727	18.40	1.720
1.730	0.6256	0.1936	0.3095	0.8654	0.9374	4.8418	1.0719	0.2182	0.4056	0.6330	0.8431	3.3251	4.3547	1.4800	18.69	1.730
1.740	0.6229	0.1907	0.3062	0.8685	0.9307	4.8804	1.0734	0.2216	0.4041	0.6305	0.8389	3.3655	4.3989	1.4873	18.98	1.740
1.750	0.6202	0.1878	0.3029	0.8716	0.9239	4.9191	1.0749	0.2250	0.4026	0.6281	0.8346	3.4063	4.4433	1.4946	19.27	1.750

$\gamma=1.400$

M	$\frac{T}{T_0}$	$\frac{P}{P_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{\dot{m} \sqrt{c_p T_0}}{A P_0}$	$\frac{\dot{m} \sqrt{c_p T_0}}{A P}$	F	$\frac{4 c_f L_{\max}}{D}$	$\frac{1}{2} \rho V^2$	M_s	$\frac{P_{0s}}{P_0}$	$\frac{P_s}{P}$	$\frac{P_{0s}}{P}$	$\frac{T_s}{T}$	V	M
1.760	0.6175	0.1850	0.2996	0.8747	0.9172	4.9580	1.0764	0.2284	0.4011	0.6257	0.8302	3.4472	4.4880	1.5019	19.56	1.760
1.770	0.6148	0.1822	0.2964	0.8777	0.9104	4.9970	1.0779	0.2318	0.3996	0.6234	0.8259	3.4884	4.5330	1.5093	19.86	1.770
1.780	0.6121	0.1794	0.2931	0.8808	0.9037	5.0362	1.0793	0.2352	0.3980	0.6210	0.8215	3.5298	4.5782	1.5167	20.15	1.780
1.790	0.6095	0.1767	0.2900	0.8838	0.8970	5.0755	1.0808	0.2385	0.3964	0.6188	0.8171	3.5715	4.6237	1.5241	20.44	1.790
1.800	0.6068	0.1740	0.2868	0.8868	0.8902	5.1150	1.0823	0.2419	0.3947	0.6165	0.8127	3.6133	4.6695	1.5316	20.73	1.800
1.810	0.6041	0.1714	0.2837	0.8898	0.8835	5.1547	1.0838	0.2452	0.3931	0.6143	0.8082	3.6555	4.7155	1.5391	21.01	1.810
1.820	0.6015	0.1688	0.2806	0.8927	0.8768	5.1945	1.0852	0.2485	0.3914	0.6121	0.8038	3.6978	4.7618	1.5466	21.30	1.820
1.830	0.5989	0.1662	0.2776	0.8957	0.8701	5.2345	1.0867	0.2518	0.3897	0.6099	0.7993	3.7404	4.8084	1.5541	21.59	1.830
1.840	0.5963	0.1637	0.2745	0.8986	0.8634	5.2747	1.0882	0.2551	0.3879	0.6078	0.7948	3.7832	4.8552	1.5617	21.88	1.840
1.850	0.5936	0.1612	0.2715	0.9015	0.8568	5.3150	1.0896	0.2583	0.3862	0.6057	0.7902	3.8263	4.9023	1.5693	22.16	1.850
1.860	0.5910	0.1587	0.2686	0.9044	0.8501	5.3555	1.0911	0.2616	0.3844	0.6036	0.7857	3.8695	4.9497	1.5770	22.45	1.860
1.870	0.5884	0.1563	0.2656	0.9072	0.8435	5.3962	1.0926	0.2648	0.3826	0.6016	0.7811	3.9131	4.9973	1.5847	22.73	1.870
1.880	0.5859	0.1539	0.2627	0.9101	0.8368	5.4370	1.0940	0.2680	0.3808	0.5996	0.7765	3.9568	5.0452	1.5924	23.02	1.880
1.890	0.5833	0.1516	0.2598	0.9129	0.8302	5.4780	1.0955	0.2712	0.3790	0.5976	0.7720	4.0008	5.0934	1.6001	23.30	1.890
1.900	0.5807	0.1492	0.2570	0.9157	0.8237	5.5191	1.0969	0.2743	0.3771	0.5956	0.7674	4.0450	5.1418	1.6079	23.59	1.900
1.910	0.5782	0.1470	0.2542	0.9185	0.8171	5.5604	1.0984	0.2775	0.3753	0.5937	0.7627	4.0895	5.1905	1.6157	23.87	1.910
1.920	0.5756	0.1447	0.2514	0.9213	0.8106	5.6019	1.0998	0.2806	0.3734	0.5918	0.7581	4.1341	5.2394	1.6236	24.15	1.920
1.930	0.5731	0.1425	0.2486	0.9240	0.8041	5.6435	1.1012	0.2837	0.3715	0.5899	0.7535	4.1791	5.2886	1.6314	24.43	1.930
1.940	0.5705	0.1403	0.2459	0.9268	0.7976	5.6853	1.1027	0.2868	0.3696	0.5880	0.7488	4.2242	5.3381	1.6394	24.71	1.940
1.950	0.5680	0.1381	0.2432	0.9295	0.7911	5.7273	1.1041	0.2899	0.3677	0.5862	0.7442	4.2696	5.3878	1.6473	24.99	1.950
1.960	0.5655	0.1360	0.2405	0.9322	0.7846	5.7695	1.1055	0.2929	0.3657	0.5844	0.7395	4.3152	5.4378	1.6553	25.27	1.960
1.970	0.5630	0.1339	0.2378	0.9349	0.7782	5.8118	1.1069	0.2960	0.3638	0.5826	0.7349	4.3611	5.4881	1.6633	25.55	1.970
1.980	0.5605	0.1318	0.2352	0.9375	0.7718	5.8542	1.1084	0.2990	0.3618	0.5808	0.7302	4.4071	5.5386	1.6713	25.83	1.980
1.990	0.5580	0.1298	0.2326	0.9402	0.7655	5.8969	1.1098	0.3020	0.3598	0.5791	0.7255	4.4535	5.5894	1.6794	26.10	1.990
2.000	0.5556	0.1278	0.2300	0.9428	0.7591	5.9397	1.1112	0.3050	0.3579	0.5774	0.7209	4.5000	5.6404	1.6875	26.38	2.000

$\gamma=1.400$

M	$\frac{T}{T_0}$	$\frac{P}{P_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{m\sqrt{c_p T_0}}{A P_0}$	$\frac{m\sqrt{c_p T_0}}{A P}$	F	$\frac{4c_f L_{\max}}{D}$	$\frac{1}{2}\rho V^2$	M_s	$\frac{P_{0s}}{P_0}$	$\frac{P_s}{P}$	$\frac{P_{0s}}{P}$	$\frac{T_s}{T}$	V	M
2.010	0.5531	0.1258	0.2275	0.9454	0.7528	5.9827	1.1126	0.3080	0.3559	0.5757	0.7162	4.5468	5.6918	1.6956	26.66	2.010
2.020	0.5506	0.1239	0.2250	0.9480	0.7465	6.0258	1.1140	0.3109	0.3539	0.5740	0.7115	4.5938	5.7433	1.7038	26.93	2.020
2.030	0.5482	0.1220	0.2225	0.9506	0.7403	6.0692	1.1154	0.3138	0.3518	0.5723	0.7069	4.6411	5.7952	1.7120	27.20	2.030
2.040	0.5458	0.1201	0.2200	0.9531	0.7340	6.1126	1.1167	0.3168	0.3498	0.5707	0.7022	4.6885	5.8473	1.7203	27.48	2.040
2.050	0.5433	0.1182	0.2176	0.9557	0.7279	6.1563	1.1181	0.3197	0.3478	0.5691	0.6975	4.7363	5.8996	1.7285	27.75	2.050
2.060	0.5409	0.1164	0.2152	0.9582	0.7217	6.2001	1.1195	0.3225	0.3458	0.5675	0.6928	4.7842	5.9523	1.7369	28.02	2.060
2.070	0.5385	0.1146	0.2128	0.9607	0.7156	6.2441	1.1209	0.3254	0.3437	0.5659	0.6882	4.8324	6.0051	1.7452	28.29	2.070
2.080	0.5361	0.1128	0.2104	0.9632	0.7095	6.2883	1.1222	0.3282	0.3417	0.5643	0.6835	4.8808	6.0583	1.7536	28.56	2.080
2.090	0.5337	0.1111	0.2081	0.9657	0.7034	6.3326	1.1236	0.3310	0.3396	0.5628	0.6789	4.9295	6.1117	1.7620	28.83	2.090
2.100	0.5313	0.1094	0.2058	0.9681	0.6974	6.3772	1.1250	0.3339	0.3376	0.5613	0.6742	4.9783	6.1654	1.7705	29.10	2.100
2.110	0.5290	0.1077	0.2035	0.9706	0.6914	6.4218	1.1263	0.3366	0.3355	0.5598	0.6696	5.0275	6.2193	1.7789	29.36	2.110
2.120	0.5266	0.1060	0.2013	0.9730	0.6854	6.4667	1.1276	0.3394	0.3334	0.5583	0.6649	5.0768	6.2735	1.7875	29.63	2.120
2.130	0.5243	0.1043	0.1990	0.9754	0.6795	6.5117	1.1290	0.3422	0.3314	0.5568	0.6603	5.1264	6.3280	1.7960	29.90	2.130
2.140	0.5219	0.1027	0.1968	0.9778	0.6736	6.5569	1.1303	0.3449	0.3293	0.5554	0.6557	5.1762	6.3827	1.8046	30.16	2.140
2.150	0.5196	0.1011	0.1946	0.9802	0.6677	6.6023	1.1317	0.3476	0.3272	0.5540	0.6511	5.2263	6.4377	1.8132	30.43	2.150
2.160	0.5173	0.0996	0.1925	0.9825	0.6619	6.6478	1.1330	0.3503	0.3252	0.5525	0.6464	5.2765	6.4929	1.8219	30.69	2.160
2.170	0.5150	0.0980	0.1903	0.9849	0.6561	6.6936	1.1343	0.3530	0.3231	0.5511	0.6419	5.3271	6.5484	1.8306	30.95	2.170
2.180	0.5127	0.0965	0.1882	0.9872	0.6503	6.7395	1.1356	0.3556	0.3210	0.5498	0.6373	5.3778	6.6042	1.8393	31.21	2.180
2.190	0.5104	0.0950	0.1861	0.9895	0.6446	6.7855	1.1369	0.3583	0.3189	0.5484	0.6327	5.4288	6.6602	1.8481	31.47	2.190
2.200	0.5081	0.0935	0.1841	0.9918	0.6389	6.8318	1.1382	0.3609	0.3169	0.5471	0.6281	5.4800	6.7165	1.8569	31.73	2.200
2.210	0.5059	0.0921	0.1820	0.9941	0.6333	6.8782	1.1395	0.3635	0.3148	0.5457	0.6236	5.5315	6.7730	1.8657	31.99	2.210
2.220	0.5036	0.0906	0.1800	0.9964	0.6277	6.9248	1.1408	0.3661	0.3127	0.5444	0.6191	5.5831	6.8298	1.8746	32.25	2.220
2.230	0.5014	0.0892	0.1780	0.9986	0.6221	6.9715	1.1421	0.3687	0.3106	0.5431	0.6145	5.6351	6.8869	1.8835	32.51	2.230
2.240	0.4991	0.0878	0.1760	1.0009	0.6165	7.0185	1.1434	0.3712	0.3085	0.5418	0.6100	5.6872	6.9442	1.8924	32.76	2.240
2.250	0.4969	0.0865	0.1740	1.0031	0.6110	7.0656	1.1446	0.3738	0.3065	0.5406	0.6055	5.7396	7.0018	1.9014	33.02	2.250

$\gamma=1.400$

M	$\frac{T}{T_0}$	$\frac{P}{P_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{m\sqrt{c_p T_0}}{A p_0}$	$\frac{m\sqrt{c_p T_0}}{A p}$	F	$\frac{4c_f L_{\max}}{D}$	$\frac{1}{2}\rho V^2$	M_s	$\frac{P_{0s}}{P_0}$	$\frac{P_s}{P}$	$\frac{P_{0s}}{P}$	$\frac{T_s}{T}$	ν	M
2.260	0.4947	0.0851	0.1721	1.0053	0.6056	7.1129	1.1459	0.3763	0.3044	0.5393	0.6011	5.7922	7.0597	1.9104	33.27	2.260
2.270	0.4925	0.0838	0.1702	1.0075	0.6002	7.1603	1.1472	0.3788	0.3023	0.5381	0.5966	5.8451	7.1178	1.9194	33.53	2.270
2.280	0.4903	0.0825	0.1683	1.0097	0.5948	7.2080	1.1484	0.3813	0.3003	0.5368	0.5921	5.8981	7.1762	1.9285	33.78	2.280
2.290	0.4881	0.0812	0.1664	1.0118	0.5894	7.2558	1.1497	0.3838	0.2982	0.5356	0.5877	5.9515	7.2348	1.9376	34.03	2.290
2.300	0.4859	0.0800	0.1646	1.0140	0.5841	7.3038	1.1509	0.3862	0.2961	0.5344	0.5833	6.0050	7.2937	1.9468	34.28	2.300
2.310	0.4837	0.0787	0.1628	1.0161	0.5788	7.3520	1.1521	0.3887	0.2941	0.5332	0.5789	6.0588	7.3528	1.9560	34.53	2.310
2.320	0.4816	0.0775	0.1609	1.0182	0.5736	7.4003	1.1534	0.3911	0.2920	0.5321	0.5745	6.1128	7.4122	1.9652	34.78	2.320
2.330	0.4794	0.0763	0.1592	1.0204	0.5684	7.4488	1.1546	0.3935	0.2900	0.5309	0.5702	6.1671	7.4719	1.9745	35.03	2.330
2.340	0.4773	0.0751	0.1574	1.0224	0.5632	7.4975	1.1558	0.3959	0.2879	0.5297	0.5658	6.2215	7.5319	1.9838	35.28	2.340
2.350	0.4752	0.0740	0.1556	1.0245	0.5581	7.5464	1.1570	0.3983	0.2859	0.5286	0.5615	6.2763	7.5920	1.9931	35.53	2.350
2.360	0.4731	0.0728	0.1539	1.0266	0.5530	7.5955	1.1582	0.4006	0.2839	0.5275	0.5572	6.3312	7.6525	2.0025	35.77	2.360
2.370	0.4709	0.0717	0.1522	1.0286	0.5480	7.6447	1.1595	0.4030	0.2818	0.5264	0.5529	6.3864	7.7132	2.0119	36.02	2.370
2.380	0.4688	0.0706	0.1505	1.0307	0.5430	7.6941	1.1606	0.4053	0.2798	0.5253	0.5486	6.4418	7.7742	2.0213	36.26	2.380
2.390	0.4668	0.0695	0.1488	1.0327	0.5380	7.7437	1.1618	0.4076	0.2778	0.5242	0.5444	6.4975	7.8354	2.0308	36.50	2.390
2.400	0.4647	0.0684	0.1472	1.0347	0.5331	7.7935	1.1630	0.4099	0.2758	0.5231	0.5401	6.5533	7.8969	2.0403	36.75	2.400
2.410	0.4626	0.0673	0.1456	1.0367	0.5282	7.8434	1.1642	0.4122	0.2738	0.5221	0.5359	6.6095	7.9587	2.0499	36.99	2.410
2.420	0.4606	0.0663	0.1439	1.0387	0.5233	7.8935	1.1654	0.4144	0.2718	0.5210	0.5317	6.6658	8.0207	2.0595	37.23	2.420
2.430	0.4585	0.0653	0.1424	1.0407	0.5185	7.9438	1.1665	0.4167	0.2698	0.5200	0.5276	6.7224	8.0830	2.0691	37.47	2.430
2.440	0.4565	0.0643	0.1408	1.0426	0.5137	7.9943	1.1677	0.4189	0.2678	0.5189	0.5234	6.7792	8.1455	2.0788	37.71	2.440
2.450	0.4544	0.0633	0.1392	1.0446	0.5090	8.0450	1.1689	0.4211	0.2658	0.5179	0.5193	6.8363	8.2083	2.0885	37.95	2.450
2.460	0.4524	0.0623	0.1377	1.0465	0.5043	8.0958	1.1700	0.4233	0.2639	0.5169	0.5152	6.8935	8.2713	2.0982	38.18	2.460
2.470	0.4504	0.0613	0.1362	1.0484	0.4996	8.1468	1.1712	0.4255	0.2619	0.5159	0.5111	6.9511	8.3346	2.1080	38.42	2.470
2.480	0.4484	0.0604	0.1346	1.0503	0.4950	8.1980	1.1723	0.4277	0.2599	0.5149	0.5071	7.0088	8.3982	2.1178	38.66	2.480
2.490	0.4464	0.0594	0.1332	1.0522	0.4904	8.2494	1.1734	0.4298	0.2580	0.5140	0.5030	7.0668	8.4620	2.1276	38.89	2.490
2.500	0.4444	0.0585	0.1317	1.0541	0.4858	8.3010	1.1746	0.4320	0.2561	0.5130	0.4990	7.1250	8.5261	2.1375	39.12	2.500

$\gamma=1.400$

M	$\frac{T}{T_0}$	$\frac{P}{P_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{\dot{m} \sqrt{c_p T_0}}{A p_0}$	$\frac{\dot{m} \sqrt{c_p T_0}}{A p}$	F	$\frac{4c_f L_{\max}}{D}$	$\frac{1}{2} \rho V^2$	M_s	$\frac{P_{0s}}{P_0}$	$\frac{P_s}{P}$	$\frac{P_{0s}}{P}$	$\frac{T_s}{T}$	V	M
2.510	0.4425	0.0576	0.1302	1.0560	0.4813	8.3527	1.1757	0.4341	0.2541	0.5120	0.4950	7.1835	8.5905	2.1474	39.36	2.510
2.520	0.4405	0.0567	0.1288	1.0578	0.4768	8.4046	1.1768	0.4362	0.2522	0.5111	0.4911	7.2421	8.6551	2.1574	39.59	2.520
2.530	0.4386	0.0559	0.1274	1.0597	0.4724	8.4567	1.1779	0.4383	0.2503	0.5102	0.4871	7.3011	8.7200	2.1674	39.82	2.530
2.540	0.4366	0.0550	0.1260	1.0615	0.4680	8.5090	1.1790	0.4404	0.2484	0.5092	0.4832	7.3602	8.7851	2.1774	40.05	2.540
2.550	0.4347	0.0542	0.1246	1.0633	0.4636	8.5615	1.1801	0.4425	0.2465	0.5083	0.4793	7.4196	8.8505	2.1875	40.28	2.550
2.560	0.4328	0.0533	0.1232	1.0651	0.4593	8.6141	1.1812	0.4445	0.2446	0.5074	0.4754	7.4792	8.9161	2.1976	40.51	2.560
2.570	0.4309	0.0525	0.1218	1.0669	0.4550	8.6670	1.1823	0.4466	0.2427	0.5065	0.4715	7.5391	8.9820	2.2077	40.74	2.570
2.580	0.4289	0.0517	0.1205	1.0687	0.4507	8.7200	1.1834	0.4486	0.2409	0.5056	0.4677	7.5991	9.0482	2.2179	40.96	2.580
2.590	0.4271	0.0509	0.1192	1.0705	0.4465	8.7732	1.1844	0.4506	0.2390	0.5047	0.4639	7.6595	9.1146	2.2281	41.19	2.590
2.600	0.4252	0.0501	0.1179	1.0722	0.4423	8.8265	1.1855	0.4526	0.2371	0.5039	0.4601	7.7200	9.1813	2.2383	41.41	2.600
2.610	0.4233	0.0493	0.1166	1.0740	0.4382	8.8801	1.1866	0.4546	0.2353	0.5030	0.4564	7.7808	9.2483	2.2486	41.64	2.610
2.620	0.4214	0.0486	0.1153	1.0757	0.4341	8.9338	1.1876	0.4565	0.2335	0.5022	0.4526	7.8418	9.3155	2.2590	41.86	2.620
2.630	0.4196	0.0478	0.1140	1.0774	0.4300	8.9877	1.1887	0.4585	0.2317	0.5013	0.4489	7.9031	9.3829	2.2693	42.09	2.630
2.640	0.4177	0.0471	0.1128	1.0791	0.4260	9.0418	1.1897	0.4604	0.2298	0.5005	0.4452	7.9645	9.4506	2.2797	42.31	2.640
2.650	0.4159	0.0464	0.1115	1.0808	0.4220	9.0961	1.1908	0.4624	0.2280	0.4996	0.4416	8.0263	9.5186	2.2902	42.53	2.650
2.660	0.4141	0.0457	0.1103	1.0825	0.4180	9.1506	1.1918	0.4643	0.2262	0.4988	0.4379	8.0882	9.5869	2.3006	42.75	2.660
2.670	0.4122	0.0450	0.1091	1.0842	0.4141	9.2052	1.1928	0.4662	0.2245	0.4980	0.4343	8.1504	9.6554	2.3111	42.97	2.670
2.680	0.4104	0.0443	0.1079	1.0859	0.4102	9.2601	1.1939	0.4681	0.2227	0.4972	0.4307	8.2128	9.7241	2.3217	43.19	2.680
2.690	0.4086	0.0436	0.1067	1.0875	0.4063	9.3151	1.1949	0.4700	0.2209	0.4964	0.4271	8.2755	9.7931	2.3323	43.40	2.690
2.700	0.4068	0.0430	0.1056	1.0892	0.4025	9.3703	1.1959	0.4718	0.2192	0.4956	0.4236	8.3383	9.8624	2.3429	43.62	2.700
2.710	0.4051	0.0423	0.1044	1.0908	0.3987	9.4257	1.1969	0.4737	0.2174	0.4949	0.4201	8.4015	9.9319	2.3536	43.84	2.710
2.720	0.4033	0.0417	0.1033	1.0924	0.3949	9.4812	1.1979	0.4755	0.2157	0.4941	0.4166	8.4648	10.0017	2.3642	44.05	2.720
2.730	0.4015	0.0410	0.1022	1.0941	0.3912	9.5370	1.1989	0.4773	0.2140	0.4933	0.4131	8.5284	10.0718	2.3750	44.27	2.730
2.740	0.3998	0.0404	0.1010	1.0957	0.3875	9.5929	1.1999	0.4791	0.2123	0.4926	0.4097	8.5922	10.1421	2.3858	44.48	2.740
2.750	0.3980	0.0398	0.0999	1.0973	0.3838	9.6490	1.2009	0.4809	0.2106	0.4918	0.4062	8.6563	10.2127	2.3966	44.69	2.750

$\gamma=1.400$

M	$\frac{T}{T_0}$	$\frac{P}{P_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{m\sqrt{c_p T_0}}{A p_0}$	$\frac{m\sqrt{c_p T_0}}{A p}$	F	$\frac{4c_f L_{max}}{D}$	$\frac{1}{2}\rho V^2$	M_s	$\frac{P_{0s}}{P_0}$	$\frac{P_s}{P}$	$\frac{P_{0s}}{P}$	$\frac{T_s}{T}$	v	M
2.760	0.3963	0.0392	0.0989	1.0988	0.3802	9.7053	1.2019	0.4827	0.2089	0.4911	0.4028	8.7205	10.2835	2.4074	44.91	2.760
2.770	0.3945	0.0386	0.0978	1.1004	0.3766	9.7618	1.2029	0.4845	0.2072	0.4903	0.3994	8.7851	10.3546	2.4183	45.12	2.770
2.780	0.3928	0.0380	0.0967	1.1020	0.3730	9.8185	1.2038	0.4863	0.2055	0.4896	0.3961	8.8498	10.4259	2.4292	45.33	2.780
2.790	0.3911	0.0374	0.0957	1.1035	0.3695	9.8753	1.2048	0.4880	0.2039	0.4889	0.3928	8.9148	10.4975	2.4402	45.54	2.790
2.800	0.3894	0.0368	0.0946	1.1051	0.3660	9.9324	1.2058	0.4898	0.2022	0.4882	0.3895	8.9800	10.5694	2.4512	45.75	2.800
2.810	0.3877	0.0363	0.0936	1.1066	0.3625	9.9896	1.2067	0.4915	0.2006	0.4875	0.3862	9.0455	10.6415	2.4622	45.95	2.810
2.820	0.3860	0.0357	0.0926	1.1081	0.3591	10.0470	1.2077	0.4932	0.1990	0.4868	0.3829	9.1111	10.7139	2.4733	46.16	2.820
2.830	0.3844	0.0352	0.0916	1.1096	0.3557	10.1046	1.2086	0.4949	0.1973	0.4861	0.3797	9.1771	10.7865	2.4844	46.37	2.830
2.840	0.3827	0.0347	0.0906	1.1111	0.3523	10.1624	1.2095	0.4966	0.1957	0.4854	0.3765	9.2432	10.8594	2.4955	46.57	2.840
2.850	0.3810	0.0341	0.0896	1.1126	0.3490	10.2204	1.2105	0.4983	0.1941	0.4847	0.3733	9.3096	10.9326	2.5067	46.78	2.850
2.860	0.3794	0.0336	0.0886	1.1141	0.3457	10.2785	1.2114	0.5000	0.1926	0.4840	0.3701	9.3762	11.0060	2.5179	46.98	2.860
2.870	0.3777	0.0331	0.0877	1.1156	0.3424	10.3368	1.2123	0.5016	0.1910	0.4833	0.3670	9.4431	11.0797	2.5292	47.19	2.870
2.880	0.3761	0.0326	0.0867	1.1171	0.3392	10.3954	1.2132	0.5033	0.1894	0.4827	0.3639	9.5101	11.1536	2.5405	47.39	2.880
2.890	0.3745	0.0321	0.0858	1.1185	0.3359	10.4541	1.2142	0.5049	0.1879	0.4820	0.3608	9.5775	11.2278	2.5518	47.59	2.890
2.900	0.3729	0.0317	0.0849	1.1199	0.3328	10.5130	1.2151	0.5065	0.1863	0.4814	0.3577	9.6450	11.3022	2.5632	47.79	2.900
2.910	0.3712	0.0312	0.0840	1.1214	0.3296	10.5720	1.2160	0.5081	0.1848	0.4807	0.3547	9.7128	11.3770	2.5746	47.99	2.910
2.920	0.3696	0.0307	0.0831	1.1228	0.3265	10.6313	1.2169	0.5097	0.1833	0.4801	0.3517	9.7808	11.4519	2.5861	48.19	2.920
2.930	0.3681	0.0302	0.0822	1.1242	0.3234	10.6908	1.2178	0.5113	0.1818	0.4795	0.3487	9.8491	11.5271	2.5976	48.39	2.930
2.940	0.3665	0.0298	0.0813	1.1256	0.3203	10.7504	1.2187	0.5129	0.1803	0.4788	0.3457	9.9175	11.6026	2.6091	48.59	2.940
2.950	0.3649	0.0293	0.0804	1.1270	0.3173	10.8102	1.2195	0.5145	0.1788	0.4782	0.3428	9.9863	11.6784	2.6206	48.78	2.950
2.960	0.3633	0.0289	0.0796	1.1284	0.3143	10.8702	1.2204	0.5160	0.1773	0.4776	0.3398	10.0552	11.7544	2.6322	48.98	2.960
2.970	0.3618	0.0285	0.0787	1.1298	0.3113	10.9304	1.2213	0.5176	0.1758	0.4770	0.3369	10.1244	11.8306	2.6439	49.18	2.970
2.980	0.3602	0.0281	0.0779	1.1312	0.3083	10.9908	1.2222	0.5191	0.1744	0.4764	0.3340	10.1938	11.9072	2.6555	49.37	2.980
2.990	0.3587	0.0276	0.0770	1.1325	0.3054	11.0514	1.2230	0.5206	0.1729	0.4758	0.3312	10.2635	11.9839	2.6673	49.56	2.990
3.000	0.3571	0.0272	0.0762	1.1339	0.3025	11.1122	1.2239	0.5222	0.1715	0.4752	0.3283	10.3333	12.0610	2.6790	49.76	3.000

GAS FLOW TABLES ($\gamma=1.333$): SUBSONIC FLOW

M	$\frac{T}{T_0}$	$\frac{p}{p_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap_0}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap}$	$\frac{F}{\dot{m}\sqrt{c_p T_0}}$	$\frac{4c_f L_{max}}{D}$	$\frac{1}{2}\rho V^2$ p_0
0.010	1.0000	0.9999	1.0000	0.0058	0.0231	0.0231	43.2958	7493.200	0.0001
0.020	0.9999	0.9997	0.9998	0.0115	0.0462	0.0462	21.6560	1868.007	0.0003
0.030	0.9999	0.9994	0.9996	0.0173	0.0693	0.0693	14.4464	826.7890	0.0006
0.040	0.9997	0.9989	0.9992	0.0231	0.0923	0.0924	10.8442	462.6179	0.0011
0.050	0.9996	0.9983	0.9988	0.0288	0.1153	0.1155	8.6851	294.2161	0.0017
0.060	0.9994	0.9976	0.9982	0.0346	0.1383	0.1386	7.2475	202.8455	0.0024
0.070	0.9992	0.9967	0.9976	0.0404	0.1612	0.1618	6.2222	147.8292	0.0033
0.080	0.9989	0.9957	0.9968	0.0461	0.1841	0.1849	5.4546	112.1800	0.0042
0.090	0.9987	0.9946	0.9960	0.0519	0.2069	0.2080	4.8587	87.7848	0.0054
0.100	0.9983	0.9934	0.9950	0.0577	0.2297	0.2312	4.3831	70.3719	0.0066
0.110	0.9980	0.9920	0.9940	0.0634	0.2523	0.2544	3.9949	57.5186	0.0080
0.120	0.9976	0.9905	0.9928	0.0692	0.2749	0.2775	3.6724	47.7680	0.0095
0.130	0.9972	0.9888	0.9916	0.0749	0.2974	0.3007	3.4003	40.2012	0.0111
0.140	0.9967	0.9870	0.9903	0.0807	0.3197	0.3239	3.1678	34.2155	0.0129
0.150	0.9963	0.9851	0.9888	0.0864	0.3420	0.3471	2.9670	29.4027	0.0148
0.160	0.9958	0.9831	0.9873	0.0921	0.3641	0.3704	2.7920	25.4777	0.0168
0.170	0.9952	0.9810	0.9857	0.0979	0.3861	0.3936	2.6383	22.2372	0.0189
0.180	0.9946	0.9787	0.9840	0.1036	0.4080	0.4169	2.5022	19.5326	0.0211
0.190	0.9940	0.9763	0.9822	0.1093	0.4298	0.4402	2.3809	17.2536	0.0235
0.200	0.9934	0.9738	0.9803	0.1150	0.4514	0.4635	2.2724	15.3166	0.0260
0.210	0.9927	0.9711	0.9783	0.1207	0.4728	0.4869	2.1747	13.6578	0.0285
0.220	0.9920	0.9684	0.9762	0.1264	0.4941	0.5102	2.0863	12.2273	0.0312
0.230	0.9913	0.9655	0.9740	0.1321	0.5152	0.5336	2.0061	10.9859	0.0340
0.240	0.9905	0.9625	0.9717	0.1378	0.5362	0.5570	1.9330	9.9026	0.0370
0.250	0.9897	0.9594	0.9694	0.1435	0.5569	0.5805	1.8662	8.9522	0.0400
0.260	0.9889	0.9562	0.9669	0.1492	0.5775	0.6040	1.8049	8.1146	0.0431
0.270	0.9880	0.9529	0.9644	0.1549	0.5979	0.6275	1.7486	7.3731	0.0463
0.280	0.9871	0.9494	0.9618	0.1605	0.6181	0.6510	1.6966	6.7140	0.0496
0.290	0.9862	0.9459	0.9591	0.1662	0.6380	0.6746	1.6486	6.1261	0.0530
0.300	0.9852	0.9422	0.9563	0.1718	0.6578	0.6982	1.6042	5.5998	0.0565
0.310	0.9843	0.9384	0.9534	0.1775	0.6774	0.7218	1.5629	5.1272	0.0601
0.320	0.9832	0.9346	0.9505	0.1831	0.6967	0.7455	1.5245	4.7016	0.0638
0.330	0.9822	0.9306	0.9475	0.1887	0.7158	0.7692	1.4888	4.3173	0.0675
0.340	0.9811	0.9265	0.9444	0.1943	0.7347	0.7929	1.4555	3.9693	0.0714
0.350	0.9800	0.9224	0.9412	0.1999	0.7533	0.8167	1.4244	3.6535	0.0753
0.360	0.9789	0.9181	0.9379	0.2055	0.7717	0.8405	1.3953	3.3663	0.0793
0.370	0.9777	0.9137	0.9346	0.2111	0.7898	0.8644	1.3680	3.1046	0.0834
0.380	0.9765	0.9093	0.9311	0.2167	0.8077	0.8883	1.3425	2.8655	0.0875
0.390	0.9753	0.9047	0.9276	0.2223	0.8253	0.9122	1.3185	2.6469	0.0917
0.400	0.9741	0.9001	0.9241	0.2278	0.8427	0.9362	1.2959	2.4466	0.0960
0.410	0.9728	0.8954	0.9204	0.2334	0.8598	0.9603	1.2747	2.2627	0.1003
0.420	0.9715	0.8906	0.9167	0.2389	0.8766	0.9843	1.2548	2.0937	0.1047
0.430	0.9701	0.8857	0.9130	0.2444	0.8932	1.0085	1.2360	1.9382	0.1091
0.440	0.9688	0.8807	0.9091	0.2499	0.9095	1.0326	1.2183	1.7949	0.1136
0.450	0.9674	0.8757	0.9052	0.2554	0.9255	1.0569	1.2016	1.6627	0.1182
0.460	0.9660	0.8706	0.9012	0.2609	0.9412	1.0811	1.1858	1.5405	0.1228
0.470	0.9645	0.8654	0.8972	0.2664	0.9567	1.1055	1.1710	1.4276	0.1274
0.480	0.9631	0.8601	0.8931	0.2718	0.9718	1.1299	1.1569	1.3231	0.1321
0.490	0.9616	0.8548	0.8890	0.2773	0.9867	1.1543	1.1436	1.2263	0.1368
0.500	0.9600	0.8494	0.8847	0.2827	1.0012	1.1788	1.1310	1.1365	0.1415

$$\gamma=1.333$$

M	$\frac{T}{T_0}$	$\frac{p}{p_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{\dot{m}\sqrt{c_p T_0}}{A p_0}$	$\frac{\dot{m}\sqrt{c_p T_0}}{A p}$	$\frac{F}{\dot{m}\sqrt{c_p T_0}}$	$\frac{4c_f L_{\max}}{D}$	$\frac{1}{2}\rho V^2$ p_0
0.510	0.9585	0.8439	0.8805	0.2881	1.0155	1.2033	1.1192	1.0532	0.1463
0.520	0.9569	0.8384	0.8761	0.2935	1.0295	1.2279	1.1079	0.9759	0.1511
0.530	0.9553	0.8328	0.8717	0.2989	1.0431	1.2526	1.0973	0.9041	0.1559
0.540	0.9537	0.8271	0.8673	0.3043	1.0565	1.2773	1.0872	0.8373	0.1608
0.550	0.9520	0.8214	0.8628	0.3097	1.0696	1.3021	1.0777	0.7752	0.1656
0.560	0.9504	0.8157	0.8583	0.3150	1.0823	1.3269	1.0687	0.7174	0.1705
0.570	0.9487	0.8099	0.8537	0.3204	1.0948	1.3518	1.0601	0.6636	0.1754
0.580	0.9470	0.8040	0.8490	0.3257	1.1069	1.3768	1.0520	0.6136	0.1803
0.590	0.9452	0.7981	0.8443	0.3310	1.1188	1.4018	1.0444	0.5669	0.1852
0.600	0.9434	0.7921	0.8396	0.3363	1.1303	1.4269	1.0371	0.5235	0.1901
0.610	0.9417	0.7861	0.8348	0.3416	1.1415	1.4521	1.0303	0.4830	0.1950
0.620	0.9398	0.7801	0.8300	0.3469	1.1524	1.4773	1.0238	0.4452	0.1999
0.630	0.9380	0.7740	0.8252	0.3521	1.1630	1.5026	1.0176	0.4101	0.2048
0.640	0.9362	0.7679	0.8203	0.3573	1.1733	1.5280	1.0118	0.3773	0.2096
0.650	0.9343	0.7618	0.8153	0.3626	1.1833	1.5534	1.0063	0.3467	0.2145
0.660	0.9324	0.7556	0.8104	0.3678	1.1930	1.5789	1.0011	0.3183	0.2194
0.670	0.9305	0.7494	0.8054	0.3729	1.2023	1.6045	0.9962	0.2918	0.2242
0.680	0.9285	0.7431	0.8003	0.3781	1.2114	1.6301	0.9916	0.2671	0.2290
0.690	0.9266	0.7368	0.7953	0.3833	1.2201	1.6559	0.9872	0.2441	0.2338
0.700	0.9246	0.7306	0.7902	0.3884	1.2285	1.6817	0.9831	0.2227	0.2386
0.710	0.9226	0.7242	0.7850	0.3935	1.2367	1.7075	0.9792	0.2028	0.2433
0.720	0.9205	0.7179	0.7799	0.3986	1.2445	1.7335	0.9755	0.1843	0.2480
0.730	0.9185	0.7116	0.7747	0.4037	1.2520	1.7595	0.9721	0.1671	0.2527
0.740	0.9164	0.7052	0.7695	0.4088	1.2592	1.7856	0.9688	0.1512	0.2574
0.750	0.9144	0.6988	0.7643	0.4139	1.2661	1.8118	0.9658	0.1364	0.2620
0.760	0.9123	0.6924	0.7590	0.4189	1.2727	1.8381	0.9629	0.1227	0.2666
0.770	0.9102	0.6860	0.7537	0.4239	1.2790	1.8644	0.9603	0.1100	0.2711
0.780	0.9080	0.6796	0.7484	0.4289	1.2850	1.8908	0.9578	0.0983	0.2756
0.790	0.9059	0.6732	0.7431	0.4339	1.2907	1.9174	0.9554	0.0875	0.2800
0.800	0.9037	0.6668	0.7378	0.4389	1.2961	1.9440	0.9533	0.0776	0.2844
0.810	0.9015	0.6603	0.7325	0.4438	1.3013	1.9706	0.9513	0.0685	0.2888
0.820	0.8993	0.6539	0.7271	0.4487	1.3061	1.9974	0.9494	0.0601	0.2930
0.830	0.8971	0.6475	0.7217	0.4536	1.3107	2.0243	0.9477	0.0524	0.2973
0.840	0.8949	0.6411	0.7164	0.4585	1.3149	2.0512	0.9461	0.0454	0.3015
0.850	0.8926	0.6346	0.7110	0.4634	1.3189	2.0782	0.9446	0.0391	0.3056
0.860	0.8904	0.6282	0.7056	0.4683	1.3226	2.1053	0.9433	0.0333	0.3097
0.870	0.8881	0.6218	0.7002	0.4731	1.3260	2.1326	0.9420	0.0281	0.3137
0.880	0.8858	0.6154	0.6948	0.4779	1.3292	2.1599	0.9409	0.0235	0.3176
0.890	0.8835	0.6090	0.6893	0.4827	1.3321	2.1873	0.9399	0.0193	0.3215
0.900	0.8812	0.6026	0.6839	0.4875	1.3347	2.2147	0.9390	0.0156	0.3253
0.910	0.8788	0.5963	0.6785	0.4923	1.3370	2.2423	0.9383	0.0124	0.3291
0.920	0.8765	0.5899	0.6731	0.4970	1.3391	2.2700	0.9376	0.0096	0.3328
0.930	0.8741	0.5836	0.6676	0.5018	1.3410	2.2978	0.9370	0.0072	0.3364
0.940	0.8717	0.5773	0.6622	0.5065	1.3425	2.3256	0.9365	0.0052	0.3400
0.950	0.8694	0.5710	0.6568	0.5111	1.3439	2.3536	0.9360	0.0035	0.3435
0.960	0.8670	0.5647	0.6514	0.5158	1.3449	2.3817	0.9357	0.0022	0.3469
0.970	0.8646	0.5585	0.6459	0.5205	1.3458	2.4098	0.9354	0.0012	0.3502
0.980	0.8621	0.5522	0.6405	0.5251	1.3464	2.4381	0.9353	0.0005	0.3535
0.990	0.8597	0.5460	0.6351	0.5297	1.3467	2.4664	0.9351	0.0001	0.3567
1.000	0.8573	0.5398	0.6297	0.5343	1.3468	2.4949	0.9351	0.0000	0.3598

GAS FLOW TABLES ($\gamma=1.333$): SUPERSONIC FLOW

M	$\frac{T}{T_0}$	$\frac{p}{p_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap_0}$	$\frac{\dot{m}\sqrt{c_p T_0}}{Ap}$	$\frac{F}{\dot{m}\sqrt{c_p T_0}}$	$\frac{4c_f L_{max}}{D}$	$\frac{1}{2}\frac{\rho V^2}{p_0}$
1.010	0.8548	0.5337	0.6243	0.5389	1.3467	2.5234	0.9351	0.0001	0.3628
1.020	0.8524	0.5276	0.6189	0.5434	1.3464	2.5521	0.9352	0.0005	0.3658
1.030	0.8499	0.5215	0.6136	0.5479	1.3458	2.5809	0.9354	0.0011	0.3687
1.040	0.8474	0.5154	0.6082	0.5525	1.3450	2.6097	0.9356	0.0019	0.3715
1.050	0.8449	0.5093	0.6028	0.5569	1.3440	2.6387	0.9359	0.0029	0.3743
1.060	0.8424	0.5033	0.5975	0.5614	1.3428	2.6678	0.9363	0.0042	0.3769
1.070	0.8399	0.4974	0.5922	0.5659	1.3414	2.6970	0.9367	0.0056	0.3795
1.080	0.8374	0.4914	0.5869	0.5703	1.3397	2.7263	0.9371	0.0071	0.3820
1.090	0.8349	0.4855	0.5816	0.5747	1.3379	2.7557	0.9376	0.0089	0.3845
1.100	0.8323	0.4796	0.5763	0.5791	1.3359	2.7852	0.9381	0.0108	0.3868
1.110	0.8298	0.4738	0.5710	0.5835	1.3337	2.8148	0.9387	0.0128	0.3891
1.120	0.8272	0.4680	0.5658	0.5878	1.3313	2.8446	0.9394	0.0150	0.3913
1.130	0.8247	0.4622	0.5605	0.5922	1.3287	2.8744	0.9401	0.0173	0.3934
1.140	0.8221	0.4565	0.5553	0.5965	1.3259	2.9043	0.9408	0.0197	0.3954
1.150	0.8195	0.4508	0.5501	0.6008	1.3229	2.9344	0.9415	0.0223	0.3974
1.160	0.8170	0.4452	0.5449	0.6050	1.3198	2.9646	0.9424	0.0250	0.3993
1.170	0.8144	0.4396	0.5398	0.6093	1.3165	2.9949	0.9432	0.0277	0.4011
1.180	0.8118	0.4340	0.5347	0.6135	1.3131	3.0253	0.9441	0.0306	0.4028
1.190	0.8092	0.4285	0.5295	0.6177	1.3094	3.0558	0.9450	0.0335	0.4044
1.200	0.8066	0.4230	0.5245	0.6219	1.3057	3.0864	0.9459	0.0366	0.4060
1.210	0.8040	0.4176	0.5194	0.6261	1.3017	3.1172	0.9469	0.0397	0.4075
1.220	0.8014	0.4122	0.5143	0.6302	1.2976	3.1481	0.9479	0.0429	0.4089
1.230	0.7988	0.4068	0.5093	0.6344	1.2934	3.1791	0.9489	0.0462	0.4102
1.240	0.7962	0.4015	0.5043	0.6385	1.2890	3.2102	0.9500	0.0495	0.4115
1.250	0.7936	0.3963	0.4994	0.6426	1.2845	3.2414	0.9511	0.0529	0.4127
1.260	0.7909	0.3911	0.4944	0.6466	1.2798	3.2727	0.9522	0.0564	0.4138
1.270	0.7883	0.3859	0.4895	0.6507	1.2751	3.3042	0.9533	0.0599	0.4148
1.280	0.7857	0.3808	0.4846	0.6547	1.2701	3.3358	0.9545	0.0634	0.4158
1.290	0.7830	0.3757	0.4798	0.6587	1.2651	3.3675	0.9557	0.0670	0.4167
1.300	0.7804	0.3706	0.4749	0.6627	1.2599	3.3993	0.9569	0.0707	0.4175
1.310	0.7778	0.3657	0.4701	0.6667	1.2547	3.4313	0.9581	0.0744	0.4182
1.320	0.7751	0.3607	0.4654	0.6706	1.2493	3.4633	0.9594	0.0781	0.4189
1.330	0.7725	0.3558	0.4606	0.6746	1.2438	3.4955	0.9606	0.0819	0.4195
1.340	0.7698	0.3510	0.4559	0.6785	1.2382	3.5279	0.9619	0.0857	0.4200
1.350	0.7672	0.3462	0.4512	0.6824	1.2325	3.5603	0.9632	0.0895	0.4205
1.360	0.7646	0.3414	0.4465	0.6862	1.2266	3.5929	0.9645	0.0934	0.4209
1.370	0.7619	0.3367	0.4419	0.6901	1.2207	3.6256	0.9659	0.0973	0.4212
1.380	0.7593	0.3320	0.4373	0.6939	1.2147	3.6584	0.9672	0.1012	0.4215
1.390	0.7566	0.3274	0.4328	0.6977	1.2086	3.6914	0.9686	0.1051	0.4216
1.400	0.7540	0.3229	0.4282	0.7015	1.2025	3.7245	0.9700	0.1091	0.4218
1.410	0.7513	0.3183	0.4237	0.7053	1.1962	3.7577	0.9714	0.1130	0.4218
1.420	0.7487	0.3139	0.4192	0.7090	1.1899	3.7910	0.9728	0.1170	0.4218
1.430	0.7460	0.3094	0.4148	0.7127	1.1835	3.8245	0.9742	0.1210	0.4217
1.440	0.7434	0.3051	0.4104	0.7164	1.1770	3.8581	0.9756	0.1250	0.4216
1.450	0.7407	0.3007	0.4060	0.7201	1.1704	3.8918	0.9771	0.1290	0.4214
1.460	0.7381	0.2965	0.4017	0.7238	1.1638	3.9257	0.9785	0.1331	0.4212
1.470	0.7354	0.2922	0.3974	0.7275	1.1571	3.9597	0.9800	0.1371	0.4209
1.480	0.7328	0.2880	0.3931	0.7311	1.1504	3.9938	0.9815	0.1411	0.4205
1.490	0.7301	0.2839	0.3888	0.7347	1.1435	4.0281	0.9829	0.1452	0.4201
1.500	0.7275	0.2798	0.3846	0.7383	1.1367	4.0625	0.9844	0.1492	0.4196

$$\gamma=1.333$$

M	$\frac{T}{T_0}$	$\frac{p}{p_0}$	$\frac{\rho}{\rho_0}$	$\frac{V}{\sqrt{c_p T_0}}$	$\frac{\dot{m}\sqrt{c_p T_0}}{A p_0}$	$\frac{\dot{m}\sqrt{c_p T_0}}{A p}$	$\frac{F}{\dot{m}\sqrt{c_p T_0}}$	$\frac{4c_f L_{\max}}{D}$	$\frac{1}{2}\frac{\rho V^2}{p_0}$
1.510	0.7248	0.2758	0.3804	0.7419	1.1298	4.0970	0.9859	0.1532	0.4191
1.520	0.7222	0.2718	0.3763	0.7454	1.1228	4.1317	0.9874	0.1573	0.4185
1.530	0.7195	0.2678	0.3722	0.7489	1.1158	4.1665	0.9889	0.1613	0.4178
1.540	0.7169	0.2639	0.3681	0.7524	1.1087	4.2014	0.9905	0.1654	0.4171
1.550	0.7143	0.2600	0.3641	0.7559	1.1016	4.2365	0.9920	0.1694	0.4164
1.560	0.7116	0.2562	0.3600	0.7594	1.0945	4.2717	0.9935	0.1734	0.4156
1.570	0.7090	0.2524	0.3561	0.7629	1.0873	4.3070	0.9950	0.1775	0.4147
1.580	0.7064	0.2487	0.3521	0.7663	1.0801	4.3425	0.9966	0.1815	0.4138
1.590	0.7038	0.2450	0.3482	0.7697	1.0729	4.3782	0.9981	0.1855	0.4129
1.600	0.7011	0.2414	0.3443	0.7731	1.0656	4.4139	0.9997	0.1895	0.4119
1.610	0.6985	0.2378	0.3405	0.7765	1.0583	4.4498	1.0012	0.1935	0.4109
1.620	0.6959	0.2343	0.3367	0.7799	1.0510	4.4859	1.0028	0.1975	0.4098
1.630	0.6933	0.2308	0.3329	0.7832	1.0436	4.5220	1.0043	0.2015	0.4087
1.640	0.6907	0.2273	0.3291	0.7865	1.0363	4.5584	1.0059	0.2055	0.4075
1.650	0.6881	0.2239	0.3254	0.7898	1.0289	4.5948	1.0075	0.2094	0.4063
1.660	0.6855	0.2206	0.3217	0.7931	1.0215	4.6314	1.0090	0.2134	0.4051
1.670	0.6829	0.2172	0.3181	0.7964	1.0141	4.6682	1.0106	0.2173	0.4038
1.680	0.6803	0.2139	0.3145	0.7996	1.0066	4.7051	1.0122	0.2213	0.4025
1.690	0.6777	0.2107	0.3109	0.8028	0.9992	4.7421	1.0137	0.2252	0.4011
1.700	0.6751	0.2075	0.3074	0.8061	0.9918	4.7793	1.0153	0.2291	0.3997
1.710	0.6726	0.2044	0.3039	0.8093	0.9843	4.8166	1.0169	0.2330	0.3983
1.720	0.6700	0.2012	0.3004	0.8124	0.9769	4.8541	1.0184	0.2369	0.3968
1.730	0.6674	0.1982	0.2969	0.8156	0.9694	4.8917	1.0200	0.2407	0.3953
1.740	0.6649	0.1951	0.2935	0.8187	0.9620	4.9294	1.0216	0.2446	0.3938
1.750	0.6623	0.1922	0.2901	0.8218	0.9545	4.9673	1.0232	0.2484	0.3922
1.760	0.6597	0.1892	0.2868	0.8249	0.9471	5.0054	1.0247	0.2522	0.3906
1.770	0.6572	0.1863	0.2835	0.8280	0.9396	5.0435	1.0263	0.2560	0.3890
1.780	0.6546	0.1834	0.2802	0.8311	0.9322	5.0819	1.0279	0.2598	0.3874
1.790	0.6521	0.1806	0.2770	0.8341	0.9248	5.1204	1.0294	0.2636	0.3857
1.800	0.6496	0.1778	0.2737	0.8372	0.9173	5.1590	1.0310	0.2673	0.3840
1.810	0.6471	0.1751	0.2706	0.8402	0.9099	5.1978	1.0326	0.2711	0.3822
1.820	0.6445	0.1723	0.2674	0.8432	0.9025	5.2367	1.0341	0.2748	0.3805
1.830	0.6420	0.1697	0.2643	0.8461	0.8951	5.2758	1.0357	0.2785	0.3787
1.840	0.6395	0.1670	0.2612	0.8491	0.8878	5.3150	1.0373	0.2822	0.3769
1.850	0.6370	0.1644	0.2581	0.8521	0.8804	5.3544	1.0388	0.2858	0.3751
1.860	0.6345	0.1619	0.2551	0.8550	0.8731	5.3939	1.0404	0.2895	0.3732
1.870	0.6320	0.1593	0.2521	0.8579	0.8658	5.4336	1.0419	0.2931	0.3714
1.880	0.6295	0.1568	0.2491	0.8608	0.8585	5.4734	1.0435	0.2967	0.3695
1.890	0.6271	0.1544	0.2462	0.8636	0.8512	5.5134	1.0450	0.3003	0.3676
1.900	0.6246	0.1520	0.2433	0.8665	0.8439	5.5535	1.0466	0.3039	0.3656
1.910	0.6221	0.1496	0.2404	0.8693	0.8367	5.5938	1.0481	0.3074	0.3637
1.920	0.6197	0.1472	0.2376	0.8722	0.8295	5.6342	1.0497	0.3110	0.3617
1.930	0.6172	0.1449	0.2348	0.8750	0.8223	5.6748	1.0512	0.3145	0.3598
1.940	0.6148	0.1426	0.2320	0.8778	0.8152	5.7155	1.0527	0.3180	0.3578
1.950	0.6123	0.1404	0.2292	0.8805	0.8081	5.7564	1.0543	0.3215	0.3558
1.960	0.6099	0.1382	0.2265	0.8833	0.8010	5.7974	1.0558	0.3249	0.3537
1.970	0.6075	0.1360	0.2238	0.8860	0.7939	5.8386	1.0573	0.3284	0.3517
1.980	0.6051	0.1338	0.2212	0.8888	0.7869	5.8800	1.0588	0.3318	0.3497
1.990	0.6026	0.1317	0.2185	0.8915	0.7799	5.9215	1.0603	0.3352	0.3476
2.000	0.6002	0.1296	0.2159	0.8942	0.7729	5.9631	1.0619	0.3386	0.3455

Oblique Shock Tables ($\gamma = 1.4$)

M_1	θ	β	$\frac{P_2}{P_1}$	$\frac{\rho_2}{\rho_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{P_{02}}{P_{01}}$	M_1	θ	β	$\frac{P_2}{P_1}$	$\frac{\rho_2}{\rho_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{P_{02}}{P_{01}}$
1.05	0.558	79.937	1.0803	1.0567	1.0223	0.9845	0.99995	1.40	8.000	75.893	1.9842	1.6163	1.2276	0.8184	0.96806
1.10	1.515	76.297	1.1658	1.1157	1.0449	0.9711	0.99963		6.000	80.485	2.0575	1.6562	1.2423	0.7762	0.96286
1.15	2.000	67.003	1.1408	1.0986	1.0384	1.0434	0.99977	1.45	2.000	46.004	1.1028	1.0723	1.0284	1.3808	0.99990
	2.671	73.822	1.2565	1.1767	1.0678	0.9598	0.99879		4.000	48.679	1.2169	1.1503	1.0579	1.3091	0.99923
	2.000	81.173	1.3399	1.2316	1.0880	0.9007	0.99745		6.000	51.755	1.3463	1.2357	1.0895	1.2325	0.99733
1.20	2.000	61.050	1.1197	1.0841	1.0329	1.1113	0.99985		8.000	55.517	1.5000	1.3333	1.1250	1.1460	0.99325
	3.944	71.977	1.3525	1.2397	1.0910	0.9502	0.99720		10.000	61.046	1.7114	1.4613	1.1712	1.0317	0.98440
	2.000	83.861	1.4941	1.3297	1.1237	0.8551	0.99344		10.785	67.097	1.9147	1.5779	1.2135	0.9235	0.97269
1.25	2.000	56.844	1.1110	1.0780	1.0306	1.1696	0.99988		8.000	72.994	2.0764	1.6664	1.2461	0.8366	0.96147
	4.000	61.986	1.2541	1.1752	1.0672	1.0721	0.99882		8.000	78.197	2.1836	1.7232	1.2672	0.7777	0.95324
	5.286	70.540	1.4539	1.3045	1.1146	0.9423	0.99468		6.000	81.733	2.2355	1.7501	1.2774	0.7485	0.94905
	4.000	79.385	1.5944	1.3913	1.1459	0.8525	0.98975		4.000	84.702	2.2653	1.7654	1.2832	0.7316	0.94659
	2.000	85.211	1.6435	1.4210	1.1566	0.8209	0.98763		2.000	87.406	2.2812	1.7736	1.2862	0.7225	0.94526
1.30	2.000	53.474	1.1065	1.0749	1.0294	1.2244	0.99989	1.50	2.000	44.065	1.1030	1.0725	1.0284	1.4316	0.99990
	4.000	57.423	1.2334	1.1613	1.0621	1.1398	0.99906		4.000	46.543	1.2165	1.1500	1.0578	1.3615	0.99923
	6.000	63.459	1.4113	1.2775	1.1048	1.0274	0.99585		6.000	49.326	1.3433	1.2337	1.0888	1.2879	0.99739
	6.662	69.395	1.5608	1.3709	1.1386	0.9359	0.99108		8.000	52.571	1.4887	1.3263	1.1224	1.2079	0.99362
	6.000	75.372	1.6793	1.4423	1.1643	0.8636	0.98598		10.000	56.679	1.6662	1.4345	1.1615	1.1144	0.98660
	4.000	81.649	1.7634	1.4917	1.1822	0.8118	0.98169		12.000	64.359	1.9668	1.6068	1.2241	0.9607	0.96925
	2.000	86.058	1.7957	1.5103	1.1889	0.7918	0.97990		12.113	66.589	2.0439	1.6489	1.2396	0.9213	0.96385
1.35	2.000	50.634	1.1042	1.0733	1.0287	1.2774	0.99990		10.000	68.790	2.1147	1.6869	1.2537	0.8849	0.95860
	4.000	53.965	1.2238	1.1549	1.0596	1.1994	0.99916		10.000	75.995	2.3046	1.7855	1.2908	0.7854	0.94329
	6.000	58.232	1.3702	1.2512	1.0952	1.1089	0.99682		8.000	79.712	2.3746	1.8207	1.3042	0.7476	0.93725
	8.000	66.914	1.6327	1.4145	1.1543	0.9543	0.98812	1.55	2.000	82.662	2.4155	1.8410	1.3121	0.7250	0.93363
	8.048	68.470	1.6732	1.4387	1.1630	0.9307	0.98627		4.000	85.256	2.4404	1.8533	1.3168	0.7112	0.93141
	8.000	70.023	1.7114	1.4613	1.1712	0.9085	0.98440		6.000	87.668	2.4540	1.8599	1.3194	0.7035	0.93018
	6.000	78.660	1.8774	1.5569	1.2058	0.8111	0.97506		4.000	42.315	1.1036	1.0729	1.0286	1.4821	0.99990
	4.000	83.028	1.9283	1.5854	1.2163	0.7807	0.97182		4.000	44.642	1.2173	1.1505	1.0580	1.4130	0.99923
	2.000	86.644	1.9523	1.5988	1.2211	0.7662	0.97023		6.000	47.214	1.3430	1.2336	1.0887	1.3414	0.99739
1.40	2.000	48.173	1.1030	1.0725	1.0284	1.3295	0.99990		8.000	50.131	1.4845	1.3236	1.1215	1.2651	0.99375
	4.000	51.117	1.2189	1.1516	1.0584	1.2553	0.99921		10.000	53.598	1.6491	1.4243	1.1578	1.1804	0.98738
	6.000	54.633	1.3539	1.2406	1.0913	1.1737	0.99717		12.000	58.240	1.8597	1.5469	1.2022	1.0758	0.97615
	8.000	59.367	1.5263	1.3496	1.1309	1.0744	0.99235		13.403	66.171	2.1787	1.7206	1.2663	0.9198	0.95362
	9.427	67.716	1.7912	1.5077	1.1880	0.9266	0.98016		12.000	73.688	2.4151	1.8408	1.3120	0.8014	0.93367
									10.000	77.804	2.5112	1.8877	1.3302	0.7515	0.92496
									8.000	80.825	2.5650	1.9136	1.3404	0.7229	0.91995
									6.000	83.385	2.5991	1.9298	1.3468	0.7045	0.91673
									4.000	85.699	2.6205	1.9399	1.3508	0.6928	0.91470
									2.000	87.879	2.6324	1.9455	1.3531	0.6862	0.91356

Oblique Shock Tables ($\gamma = 1.4$)

M_1	θ	β	$\frac{P_2}{P_1}$	$\frac{\rho_2}{\rho_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{P_{02}}{P_{01}}$	M_1	θ	β	$\frac{P_2}{P_1}$	$\frac{\rho_2}{\rho_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{P_{02}}{P_{01}}$	
1.60	2.000	40.724	1.1046	1.0736	1.0289	1.5323	0.99990	1.70	6.000	84.848	3.1778	2.1865	1.4534	0.6547	0.85856	
	4.000	42.931	1.2189	1.1516	1.0584	1.4638	0.99921		4.000	86.619	3.1933	2.1929	1.4562	0.6467	0.85695	
	6.000	45.344	1.3446	1.2346	1.0891	1.3934	0.99736		2.000	88.325	3.2021	2.1965	1.4578	0.6421	0.85602	
	8.000	48.030	1.4843	1.3236	1.1215	1.3195	0.99376									
	10.000	51.116	1.6430	1.4207	1.1565	1.2397	0.98766									
	12.000	54.889	1.8320	1.5311	1.1965	1.1483	0.97781	1.75	2.000	36.689		1.1087	1.0765	1.0300	1.6816	0.99989
	14.000	60.537	2.0974	1.6777	1.2502	1.0232	0.95990		4.000	38.651		1.2271	1.1571	1.0605	1.6133	0.99913
	14.652	65.828	2.3192	1.7929	1.2936	0.9188	0.94204		6.000	40.756		1.3561	1.2421	1.0918	1.5441	0.99713
	14.000	70.895	2.5000	1.8824	1.3281	0.8320	0.92598		8.000	43.034		1.4973	1.3317	1.1244	1.4733	0.99334
	12.000	75.900	2.6428	1.9504	1.3550	0.7611	0.91256		10.000	45.531		1.6529	1.4266	1.1586	1.3995	0.98721
10.000	79.102	2.7132	1.9831	1.3682	0.7250	0.90574		12.000	48.319		1.8263	1.5279	1.1953	1.3210	0.97814	
8.000	81.691	2.7576	2.0035	1.3764	0.7018	0.90139		14.000	51.547		2.0245	1.6384	1.2357	1.2348	0.96524	
6.000	83.967	2.7870	2.0168	1.3819	0.6862	0.89848		16.000	55.589		2.2652	1.7654	1.2831	1.1329	0.94660	
4.000	86.061	2.8059	2.0254	1.3854	0.6761	0.89660		18.000	62.944		2.6670	1.9617	1.3595	0.9645	0.91023	
2.000	88.054	2.8166	2.0302	1.3873	0.6703	0.89554		18.121	65.134		2.7745	2.0112	1.3795	0.9189	0.89972	
								18.000	67.269		2.8728	2.0554	1.3977	0.8766	0.88991	
								16.000	73.757		3.1267	2.1651	1.4441	0.7635	0.86389	
1.65	2.000	39.267	1.1058	1.0744	1.0292	1.5823	0.99990		14.000	76.988	3.2251	2.2060	1.4620	0.7175	0.85362	
4.000	41.377	1.2212	1.1531	1.0590	1.0590	1.5140	0.99919		12.000	79.465	3.2868	2.2312	1.4731	0.6878	0.84714	
6.000	43.665	1.3475	1.2365	1.0898	1.0898	1.4444	0.99730		10.000	81.570	3.3295	2.2484	1.4808	0.6669	0.84266	
8.000	46.181	1.4869	1.3252	1.1221	1.1221	1.3720	0.99367		8.000	83.451	3.3598	2.2606	1.4862	0.6518	0.83947	
10.000	49.007	1.6429	1.4206	1.1565	1.1565	1.2952	0.98766		6.000	85.190	3.3811	2.2691	1.4901	0.6409	0.83722	
12.000	52.312	1.8224	1.5257	1.1945	1.1945	1.2104	0.97837		4.000	86.838	3.3954	2.2748	1.4926	0.6337	0.83571	
14.000	56.541	2.0441	1.6490	1.2396	1.2396	1.1090	0.96384		2.000	88.432	3.4036	2.2780	1.4941	0.6295	0.83485	
15.855	65.547	2.4653	1.8655	1.3215	1.3215	0.9184	0.92915									
14.000	73.864	2.7642	2.0065	1.3776	1.3776	0.80073	0.90073									
12.000	77.411	2.8587	2.0491	1.3951	1.3951	0.7317	0.89132	1.80	2.000	35.538	1.1104	1.0776	1.0304	1.7312	0.99988	
10.000	80.102	2.9157	2.0744	1.4056	1.4056	0.7029	0.88557		4.000	37.444	1.2306	1.1594	1.0613	1.6624	0.99909	
8.000	82.389	2.9539	2.0911	1.4126	1.4126	0.6833	0.88169		6.000	39.481	1.3615	1.2455	1.0931	1.5932	0.99701	
6.000	84.446	2.9798	2.1024	1.4174	1.4174	0.6697	0.87904		8.000	41.673	1.5044	1.3360	1.1260	1.5225	0.99310	
4.000	86.364	2.9968	2.1097	1.4205	1.4205	0.6607	0.87730		10.000	44.057	1.6611	1.4315	1.1604	1.4494	0.98683	
2.000	88.200	3.0065	2.1139	1.4222	1.4222	0.6556	0.87631		12.000	46.686	1.8345	1.5326	1.1970	1.3725	0.97766	
									14.000	49.661	2.0295	1.6411	1.2367	1.2896	0.96489	
									16.000	53.198	2.2568	1.7611	1.2815	1.1958	0.94729	
1.70	2.000	37.927	1.1072	1.0754	1.0295	1.6320	0.99989		18.000	57.995	2.5516	1.9072	1.3379	1.0766	0.92120	
4.000	39.957	1.2239	1.1550	1.0597	1.0597	1.5638	0.99916		19.183	64.987	2.9376	2.0839	1.4096	0.9195	0.88335	
6.000	42.145	1.3514	1.2390	1.0907	1.0907	1.4946	0.99722		18.000	71.424	3.2297	2.2079	1.4628	0.7956	0.85313	
8.000	44.528	1.4914	1.3280	1.1231	1.1231	1.4232	0.99353		16.000	75.324	3.3707	2.2650	1.4882	0.7327	0.83832	
10.000	47.167	1.6466	1.4228	1.1573	1.1573	1.3482	0.98750		14.000	78.020	3.4505	2.2965	1.5025	0.6958	0.82990	
12.000	50.168	1.8216	1.5252	1.1943	1.1943	1.2674	0.97841		12.000	80.214	3.5041	2.3174	1.5121	0.6703	0.82423	
14.000	53.771	2.0273	1.6399	1.2362	1.2362	1.1757	0.96504		10.000	83.128	3.5424	2.3322	1.5189	0.6518	0.82018	
16.000	58.794	2.2999	1.7831	1.2898	1.2898	1.0569	0.94369		8.000	83.865	3.5702	2.3428	1.5239	0.6381	0.81725	
17.012	65.319	2.6171	1.9383	1.3502	1.3502	0.9185	0.91502		6.000	85.485	3.5899	2.3503	1.5274	0.6283	0.81516	
16.000	71.426	2.8629	2.0510	1.3959	1.3959	0.8077	0.89090		4.000	87.028	3.6032	2.3554	1.5298	0.6216	0.81376	
14.000	75.670	2.9984	2.1104	1.4208	1.4208	0.7439	0.87713		2.000	88.525	3.6108	2.3583	1.5311	0.6178	0.81295	
12.000	78.555	3.0722	2.1421	1.4342	1.4342	0.7080	0.86953									
10.000	80.906	3.1208	2.1626	1.4431	1.4431	0.6838	0.86450									
8.000	82.965	3.1544	2.1767	1.4492	1.4492	0.6667	0.86100									

Oblique Shock Tables ($\gamma = 1.4$)

M_1	θ	β	$\frac{P_2}{P_1}$	$\frac{\rho_2}{\rho_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{P_{02}}{P_{01}}$	M_1	θ	β	$\frac{P_2}{P_1}$	$\frac{\rho_2}{\rho_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{P_{02}}{P_{01}}$
1.85	2.000	34.466	1.1121	1.0788	1.0309	1.7805	0.99988	1.95	2.000	32.528	1.1160	1.0815	1.0319	1.8790	0.99987
	4.000	36.323	1.2343	1.1619	1.0623	1.7114	0.99905		4.000	34.304	1.2424	1.1674	1.0643	1.8085	0.99896
	6.000	38.302	1.3672	1.2492	1.0945	1.6418	0.99689		6.000	36.191	1.3801	1.2575	1.0975	1.7380	0.99660
	8.000	40.424	1.5123	1.3409	1.1278	1.5711	0.99284		8.000	38.204	1.5302	1.3521	1.1318	1.6666	0.99221
	10.000	42.717	1.6709	1.4373	1.1625	1.4983	0.98638		10.000	40.360	1.6938	1.4509	1.1674	1.5938	0.98528
	12.000	45.223	1.8453	1.5388	1.1992	1.4224	0.97701		12.000	42.688	1.8726	1.5542	1.2049	1.5185	0.97535
	14.000	48.014	2.0395	1.6465	1.2387	1.3415	0.96417		14.000	45.230	2.0693	1.6625	1.2446	1.4396	0.96200
	16.000	51.232	2.2607	1.7631	1.2822	1.2524	0.94697		16.000	48.059	2.2879	1.7770	1.2875	1.3553	0.94470
	18.000	55.227	2.5275	1.8956	1.3333	1.2333	0.92345		18.000	51.320	2.5368	1.9001	1.3351	1.2622	1.2622
	20.000	62.099	2.9519	2.0902	1.4123	1.1423	0.88189		20.000	55.381	2.8378	2.0397	1.3913	1.1520	0.89342
1.90	2.000	33.466	1.1140	1.0801	1.0314	1.8298	0.99987	2.00	2.000	31.647	1.1180	1.0829	1.0324	1.9280	0.99986
	4.000	35.279	1.2382	1.1646	1.0633	1.7600	0.99901		4.000	33.390	1.2468	1.1702	1.0654	1.8568	0.99891
	6.000	37.209	1.3735	1.2533	1.0959	1.6901	0.99675		6.000	35.241	1.3871	1.2620	1.0991	1.7856	0.99644
	8.000	39.272	1.5209	1.3463	1.1297	1.6191	0.99254		8.000	37.210	1.5400	1.3581	1.1339	1.7138	0.99186
	10.000	41.490	1.6818	1.4438	1.1649	1.5464	0.98586		10.000	39.314	1.7066	1.4584	1.1702	1.6405	0.98464
	12.000	43.898	1.8582	1.5460	1.2019	1.4709	0.97624		12.000	41.575	1.8884	1.5631	1.2081	1.5651	0.97437
	14.000	46.550	2.0530	1.6538	1.2414	1.3913	0.96319		14.000	44.029	2.0876	1.6724	1.2483	1.4866	0.96064
	16.000	49.544	2.2718	1.7688	1.2844	1.3052	0.94605		16.000	46.731	2.3076	1.7870	1.2913	1.4034	0.94304
	18.000	53.095	2.5263	1.8951	1.3331	1.2077	0.92356		18.000	49.785	2.5546	1.9086	1.3384	1.3131	0.92092
	20.000	57.900	2.8557	2.0477	1.3946	1.0835	0.89162		20.000	53.423	3.2228	2.2051	1.3922	1.2102	0.89291
2.00	2.000	34.466	1.1140	1.0801	1.0314	1.8298	0.99987	2.00	2.000	31.647	1.1180	1.0829	1.0324	1.9280	0.99986
	4.000	36.323	1.2343	1.1619	1.0623	1.7114	0.99901		4.000	33.390	1.2468	1.1702	1.0654	1.8568	0.99891
	6.000	38.302	1.3672	1.2492	1.0945	1.6418	0.99689		6.000	35.241	1.3871	1.2620	1.0991	1.7856	0.99644
	8.000	40.424	1.5123	1.3409	1.1278	1.5711	0.99284		8.000	37.210	1.5400	1.3581	1.1339	1.7138	0.99186
	10.000	42.717	1.6709	1.4373	1.1625	1.4983	0.98638		10.000	39.314	1.7066	1.4584	1.1702	1.6405	0.98464
	12.000	45.223	1.8453	1.5388	1.1992	1.4224	0.97701		12.000	41.575	1.8884	1.5631	1.2081	1.5651	0.97437
	14.000	48.014	2.0395	1.6465	1.2387	1.3415	0.96417		14.000	44.029	2.0876	1.6724	1.2483	1.4866	0.96064
	16.000	51.232	2.2607	1.7631	1.2822	1.2524	0.94697		16.000	46.731	2.3076	1.7870	1.2913	1.4034	0.94304
	18.000	55.227	2.5275	1.8956	1.3333	1.2333	0.92345		18.000	49.785	2.5546	1.9086	1.3384	1.3131	0.92092
	20.000	62.099	2.9519	2.0902	1.4123	1.1423	0.88189		20.000	53.423	3.2228	2.2051	1.3922	1.2102	0.89291

Oblique Shock Tables ($\gamma = 1.4$)

M_1	θ	β	$\frac{P_2}{P_1}$	$\frac{\rho_2}{\rho_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{P_{02}}{P_{01}}$	M_1	θ	β	$\frac{P_2}{P_1}$	$\frac{\rho_2}{\rho_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{P_{02}}{P_{01}}$	
2.05	2.000	30.816	1.1200	1.0843	1.0330	1.9771	0.99985	2.10	4.000	87.778	4.9706	2.8097	1.7691	0.5648	0.67494	
	4.000	32.532	1.2512	1.1732	1.0665	1.9050	0.99885	2.000	2.000	88.894	4.9764	2.8113	1.7701	0.5622	0.67438	
	6.000	34.350	1.3943	1.2666	1.1008	1.8330	0.99627									
	8.000	36.281	1.5502	1.3644	1.1362	1.7605	0.99148	2.15	2.000	29.293	1.1243	1.0872	1.0341	2.0749	0.99984	
	10.000	38.341	1.7201	1.4664	1.1730	1.6868	0.98396	4.000	4.000	30.960	1.2606	1.1794	1.0688	2.0008	0.99874	
	12.000	40.547	1.9053	1.5726	1.2116	1.6111	0.97330	6.000	6.000	32.725	1.4094	1.2763	1.1043	1.9271	0.99590	
	14.000	42.928	2.1076	1.6831	1.2522	1.5326	0.95914	8.000	8.000	34.596	1.5719	1.3777	1.1410	1.8529	0.99065	
	16.000	45.528	2.3300	1.7983	1.2956	1.4500	0.94112	10.000	10.000	36.584	1.7490	1.4833	1.1791	1.7778	0.98246	
	18.000	48.428	2.5774	1.9195	1.3427	1.3614	0.91878	12.000	12.000	38.702	1.9417	1.5929	1.2190	1.7011	0.97093	
	20.000	51.785	2.8600	2.0497	1.3953	1.2630	0.89120	14.000	14.000	40.971	2.1518	1.7065	1.2610	1.6221	0.95574	
2.10	2.000	56.032	3.2057	2.1980	1.4585	1.1444	0.85565	16.000	16.000	43.422	2.3813	1.8241	1.3055	1.5397	0.93666	
	23.814	64.638	3.8367	2.4419	1.5712	0.9257	0.78913	18.000	18.000	46.104	2.6337	1.9461	1.3533	1.4527	0.91343	
	22.000	72.193	4.2777	2.5946	1.6487	0.7626	0.74336	20.000	20.000	49.106	2.9150	2.0740	1.4055	1.3588	0.89564	
	20.000	75.324	4.4215	2.6416	1.6738	0.7056	0.72876	22.000	22.000	52.618	3.2384	2.2115	1.4644	1.2534	0.85222	
	18.000	77.614	4.5107	2.6700	1.6894	0.6688	0.71981	24.000	24.000	57.217	3.6452	2.3712	1.5372	1.1223	0.80932	
	16.000	79.498	4.5734	2.6898	1.7003	0.6422	0.71356	25.376	25.376	64.616	4.2352	2.5804	1.6413	0.9289	0.74772	
	14.000	81.138	4.6199	2.7043	1.7084	0.6219	0.70894	24.000	24.000	71.164	4.6641	2.7180	1.7160	0.7794	0.70458	
	12.000	82.617	4.6553	2.7152	1.7145	0.6062	0.70545	22.000	22.000	74.564	4.8442	2.7725	1.7472	0.7122	0.68703	
	10.000	83.983	4.6824	2.7236	1.7192	0.5939	0.70278	20.000	20.000	76.920	4.9500	2.8037	1.7656	0.6709	0.67689	
	8.000	85.269	4.7029	2.7299	1.7228	0.5846	0.70077	18.000	18.000	78.817	5.0234	2.8249	1.7782	0.6413	0.66994	
2.10	6.000	86.497	4.7179	2.7344	1.7254	0.5776	0.69930	16.000	16.000	80.444	5.0776	2.8405	1.7876	0.6188	0.66484	
	4.000	87.685	4.7283	2.7376	1.7272	0.5728	0.69829	14.000	14.000	81.896	5.1191	2.8523	1.7947	0.6012	0.66097	
	2.000	88.849	4.7343	2.7394	1.7282	0.5700	0.69770	12.000	12.000	83.224	5.1512	2.8613	1.8003	0.5874	0.65798	
								10.000	10.000	84.464	5.1761	2.8683	1.8046	0.5765	0.65568	
	30.033			1.1222	1.0858	1.0335	0.99984	8.000	8.000	85.639	5.1951	2.8736	1.8078	0.5680	0.65392	
	31.723			1.2558	1.1763	1.0676	0.99880	6.000	6.000	86.767	5.2091	2.8775	1.8103	0.5617	0.65263	
	33.513			1.4017	1.2714	1.1025	0.99609	4.000	4.000	87.862	5.2187	2.8802	1.8119	0.5574	0.65174	
	35.412			1.5608	1.3709	1.1386	0.99108	2.000	2.000	88.936	5.2244	2.8818	1.8129	0.5548	0.65122	
	37.433			1.7342	1.4746	1.1760	0.98324									
	39.592			1.9230	1.5825	1.2152	0.97216									
2.10	41.912		2.1290	1.6944	1.2565	0.95750	2.20	2.000	28.592	1.1266	1.0888	1.0347	2.1237	0.99983		
	44.430		2.3547	1.8107	1.3004	0.93899	4.000	4.000	30.238	1.2654	1.1826	1.0700	2.0485	0.99867		
	47.210		2.6041	1.9322	1.3478	0.91626	6.000	6.000	31.981	1.4173	1.2813	1.1061	1.9738	0.99569		
	50.365		2.8848	2.0607	1.3999	0.88870	8.000	8.000	33.827	1.5832	1.3845	1.1435	1.8987	0.99020		
	54.169		3.2152	2.2019	1.4602	0.85466	10.000	10.000	35.785	1.7641	1.4921	1.1823	1.8228	0.98165		
	59.767		3.6739	2.3820	1.5424	0.80628	12.000	12.000	37.869	1.9611	1.6036	1.2229	1.7454	0.96964		
	64.621		4.0332	2.5116	1.6058	0.76858	14.000	14.000	40.095	2.1756	1.7190	1.2656	1.6657	0.95387		
	69.104		4.3238	2.6098	1.6568	0.73867	16.000	16.000	42.489	2.4095	1.8380	1.3109	1.5831	0.93417		
	73.521		4.5644	2.6870	1.6987	0.71445	18.000	18.000	45.092	2.6658	1.9611	1.3593	1.4963	0.91035		
	76.189		4.6852	2.7244	1.7197	0.70251	20.000	20.000	47.975	2.9494	2.0891	1.4118	1.4035	0.89215		
78.257		4.7652	2.7488	1.7336	0.69468	22.000	22.000	51.277	3.2704	2.2245	1.4701	1.3013	0.84887			
2.10	80.001		4.8232	2.7662	1.7436	0.68299	24.000	24.000	55.356	3.6552	2.3750	1.5390	1.1805	0.80826		
	81.539		4.8669	2.7792	1.7512	0.67111	26.000	26.000	62.695	4.2918	2.5992	1.6512	0.9795	0.74193		
	82.938		4.9006	2.7892	1.7570	0.66484	26.103	26.103	64.620	4.4426	2.6484	1.6775	0.9305	0.72663		
	84.237		4.9264	2.7968	1.7615	0.65964	26.000	26.000	66.480	4.5807	2.6921	1.7015	0.8849	0.71283		
	85.463		4.9461	2.8025	1.7649	0.65449	24.000	24.000	72.560	4.9728	2.8103	1.7695	0.7490	0.67473		
	86.638		4.9606	2.8068	1.7674	0.64926	22.000	22.000	75.420	5.1222	2.8531	1.7953	0.6936	0.66068		

Oblique Shock Tables ($\gamma = 1.4$)

M_1	θ	β	$\frac{P_2}{P_1}$	$\frac{\rho_2}{\rho_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{P_{02}}{P_{01}}$	M_1	θ	β	$\frac{P_2}{P_1}$	$\frac{\rho_2}{\rho_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{P_{02}}{P_{01}}$
2.20	20.00	77.549	5.2175	2.8799	1.8117	0.6568	0.65185	2.30	16.000	40.816	2.4701	1.8678	1.3224	1.6676	0.92872
	18.000	79.308	5.2856	2.8987	1.8234	0.6296	0.64562		18.000	43.299	2.7360	1.9936	1.3724	1.5804	0.90351
	16.000	80.939	5.3369	2.9127	1.8323	0.6086	0.64096		20.000	46.007	3.0276	2.1230	1.4261	1.4885	0.87413
	14.000	82.216	5.3764	2.9235	1.8391	0.5921	0.63739		22.000	49.026	3.2514	2.2573	1.4847	1.3894	0.84035
	12.000	83.483	5.4073	2.9318	1.8444	0.5789	0.63462		24.000	52.536	3.7216	2.3998	1.5508	1.2788	0.80125
	10.000	84.670	5.4313	2.9382	1.8485	0.5686	0.63247		26.000	57.077	4.1819	2.5625	1.6319	1.1425	0.75319
	8.000	85.798	5.4497	2.9431	1.8517	0.5605	0.63083		27.454	64.653	4.8739	2.7813	1.7524	0.9338	0.68417
	6.000	86.883	5.4633	2.9468	1.8540	0.5545	0.62962		26.000	71.264	5.3682	2.9212	1.8377	0.7743	0.63813
	4.000	87.938	5.4727	2.9493	1.8556	0.5503	0.62879		24.000	74.512	2.9736	2.9736	1.8714	0.7060	0.62065
	2.000	88.973	5.4782	2.9507	1.8565	0.5479	0.62830		22.000	76.770	3.0039	3.0039	1.8915	0.6635	0.61049
2.25	2.000	27.926	1.1288	1.0903	1.0353	2.1725	0.99982		18.000	80.133	5.7631	3.0246	1.9054	0.6328	0.60352
	4.000	29.555	1.2703	1.1859	1.0712	2.0962	0.99861		16.000	81.509	5.8238	3.0399	1.9158	0.6092	0.59838
	6.000	31.277	1.4254	1.2864	1.1080	2.0203	0.99548		14.000	82.764	5.8705	3.0515	1.9238	0.5906	0.59445
	8.000	33.102	1.5949	1.3916	1.1461	1.9443	0.98973		12.000	83.928	5.9071	3.0606	1.9301	0.5757	0.59139
	10.000	35.034	1.7798	1.5011	1.1856	1.8674	0.98079		10.000	85.026	5.9586	3.0732	1.9389	0.5638	0.58999
	12.000	37.088	1.9812	1.6147	1.2270	1.7891	0.96827		8.000	86.074	5.9761	3.0775	1.9419	0.5469	0.58568
	14.000	39.277	2.2004	1.7319	1.2705	1.7088	0.95189		6.000	87.085	5.9890	3.0807	1.9441	0.5413	0.58461
	16.000	41.623	2.4392	1.8527	1.3166	1.6257	0.93152		4.000	88.070	5.9980	3.0828	1.9456	0.5374	0.58387
	18.000	44.161	2.7000	1.9770	1.3657	1.5388	0.90703		2.000	89.039	6.0033	3.0841	1.9465	0.5352	0.58344
	20.000	46.948	2.9871	2.1055	1.4187	1.4466	0.87829								
2.35	2.000	26.692	1.1334	1.0935	1.0365	2.2698	0.99980		2.000	26.692	1.1334	1.0935	1.0365	2.2698	0.99980
	4.000	28.289	1.2804	1.1926	1.0736	2.1911	0.99846		4.000	28.289	1.2804	1.1926	1.0736	2.1911	0.99846
	6.000	29.979	1.4420	1.2970	1.1118	2.1129	0.99502		6.000	29.979	1.4420	1.2970	1.1118	2.1129	0.99502
	8.000	31.765	1.6189	1.4062	1.1513	2.0346	0.98872		8.000	31.765	1.6189	1.4062	1.1513	2.0346	0.98872
	10.000	33.657	1.8124	1.5199	1.1924	1.9557	0.97895		10.000	33.657	1.8124	1.5199	1.1924	1.9557	0.97895
	12.000	35.562	2.0232	1.6376	1.2354	1.8755	0.96534		12.000	35.562	2.0232	1.6376	1.2354	1.8755	0.96534
	14.000	37.790	2.2526	1.7589	1.2807	1.7934	0.94765		14.000	37.790	2.2526	1.7589	1.2807	1.7934	0.94765
	16.000	40.060	2.5021	1.8833	1.3285	1.7089	0.92580		16.000	40.060	2.5021	1.8833	1.3285	1.7089	0.92580
	18.000	42.497	2.7736	2.0108	1.3794	1.6212	0.89981		18.000	42.497	2.7736	2.0108	1.3794	1.6212	0.89981
	20.000	45.140	3.0705	2.1413	1.4339	1.5291	0.86971		20.000	45.140	3.0705	2.1413	1.4339	1.5291	0.86971
2.50	2.000	26.692	1.1334	1.0935	1.0365	2.2698	0.99980		2.000	26.692	1.1334	1.0935	1.0365	2.2698	0.99980
	4.000	28.289	1.2804	1.1926	1.0736	2.1911	0.99846		4.000	28.289	1.2804	1.1926	1.0736	2.1911	0.99846
	6.000	29.979	1.4420	1.2970	1.1118	2.1129	0.99502		6.000	29.979	1.4420	1.2970	1.1118	2.1129	0.99502
	8.000	31.765	1.6189	1.4062	1.1513	2.0346	0.98872		8.000	31.765	1.6189	1.4062	1.1513	2.0346	0.98872
	10.000	33.657	1.8124	1.5199	1.1924	1.9557	0.97895		10.000	33.657	1.8124	1.5199	1.1924	1.9557	0.97895
	12.000	35.562	2.0232	1.6376	1.2354	1.8755	0.96534		12.000	35.562	2.0232	1.6376	1.2354	1.8755	0.96534
	14.000	37.790	2.2526	1.7589	1.2807	1.7934	0.94765		14.000	37.790	2.2526	1.7589	1.2807	1.7934	0.94765
	16.000	40.060	2.5021	1.8833	1.3285	1.7089	0.92580		16.000	40.060	2.5021	1.8833	1.3285	1.7089	0.92580
	18.000	42.497	2.7736	2.0108	1.3794	1.6212	0.89981		18.000	42.497	2.7736	2.0108	1.3794	1.6212	0.89981
	20.000	45.140	3.0705	2.1413	1.4339	1.5291	0.86971		20.000	45.140	3.0705	2.1413	1.4339	1.5291	0.86971

Oblique Shock Tables ($\gamma = 1.4$)

M_1	θ	β	$\frac{p_2}{p_1}$	$\frac{\rho_2}{\rho_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{p_{02}}{p_{01}}$	M_1	θ	β	$\frac{p_2}{p_1}$	$\frac{\rho_2}{\rho_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{p_{02}}{p_{01}}$	
2.35	6.000	87.174	6.2606	3.1453	1.9904	0.5353	0.56272	2.45	26.000	53.045	4.3053	2.6037	1.6535	1.2861	0.74055	
	4.000	88.129	6.2694	3.1474	1.9919	0.5315	0.56203		28.000	57.780	4.8455	2.7729	1.7475	1.1385	0.68691	
	2.000	89.068	6.2745	3.1486	1.9928	0.5293	0.56162		29.253	64.744	5.5614	2.9727	1.8708	0.9386	0.62095	
2.40	2.000	26.120	1.1358	1.0951	1.0371	2.3184	0.99979		26.000	74.185	6.3161	3.1029	1.9598	0.7837	0.57709	
	4.000	27.702	1.2856	1.1960	1.0749	2.2383	0.99839		24.000	76.446	6.4516	3.1891	2.0230	0.6623	0.54787	
	6.000	29.377	1.4505	1.3023	1.1138	2.1589	0.99478		22.000	78.236	6.5451	3.2101	2.0389	0.6294	0.54076	
	8.000	31.149	1.6314	1.4137	1.1540	2.0794	0.98818		20.000	79.752	6.6146	3.2254	2.0508	0.6042	0.53555	
	10.000	33.023	1.8292	1.5295	1.1959	1.9994	0.97997		18.000	81.089	6.6682	3.2372	2.0599	0.5842	0.53157	
	12.000	35.007	2.0450	1.6495	1.2398	1.9181	0.96377		16.000	82.299	6.7105	3.2464	2.0671	0.5681	0.52845	
	14.000	37.112	2.2798	1.7729	1.2860	1.8350	0.94538		14.000	83.416	6.7442	3.2536	2.0728	0.5550	0.52599	
	16.000	39.351	2.5351	1.8993	1.3348	1.7497	0.92274		12.000	84.462	6.7710	3.2594	2.0774	0.5444	0.52403	
	18.000	41.748	2.8128	2.0285	1.3866	1.6613	0.89592		10.000	85.455	6.7923	3.2640	2.0810	0.5359	0.52249	
	20.000	44.336	3.1155	2.1604	1.4421	1.5689	0.86505		8.000	86.408	6.8088	3.2675	2.0838	0.5292	0.52129	
	22.000	47.174	3.4480	2.2955	1.5021	1.4709	0.83015		6.000	87.331	6.8211	3.2701	2.0859	0.5242	0.52041	
	24.000	50.371	3.8196	2.4357	1.5682	1.3644	0.79093		4.000	88.232	6.8296	3.2719	2.0873	0.5207	0.51979	
	26.000	54.184	4.2521	2.5861	1.6442	1.2426	0.74598		2.000	89.119	6.8346	3.2730	2.0882	0.5207	0.51943	
	28.000	59.656	4.8382	2.7707	1.7462	1.0779	0.68761									
	28.681	64.710	5.3269	2.9100	1.8305	0.9370	0.64187		2.50	2.000	25.050	1.1405	1.0984	1.0384	2.4155	0.99977
28.000	69.291	5.7130	3.0119	1.8968	0.8201	0.60781		4.000	4.000	26.609	1.2961	1.2029	1.0775	2.3326	0.99822	
26.000	73.400	6.0048	3.0845	1.9468	0.7260	0.58331		6.000	6.000	28.259	1.4679	1.3133	1.1177	2.2505	0.99427	
24.000	75.889	6.1539	3.1203	1.9722	0.6751	0.57121		8.000	8.000	30.005	1.6568	1.4289	1.1595	2.1685	0.98703	
22.000	77.803	6.2534	3.1436	1.9892	0.6397	0.56329		10.000	10.000	31.851	1.8639	1.5493	1.2031	2.0859	0.97589	
20.000	79.402	6.3260	3.1605	2.0016	0.6129	0.55758		12.000	12.000	33.802	2.0900	1.6737	1.2488	2.0022	0.96046	
18.000	80.800	6.3816	3.1732	2.0111	0.5919	0.55326		14.000	14.000	35.866	2.3364	1.8015	1.2969	1.9169	0.94057	
16.000	82.059	6.4251	3.1831	2.0185	0.5751	0.54990		16.000	16.000	38.057	2.6042	1.9322	1.3478	1.8295	0.91625	
14.000	83.217	6.4596	3.1909	2.0244	0.5615	0.54726		18.000	18.000	40.389	2.8949	2.0652	1.4018	1.7394	0.88767	
12.000	84.299	6.4870	3.1971	2.0290	0.5505	0.54517		20.000	20.000	42.890	3.2109	2.2002	1.4594	1.6458	0.85510	
10.000	85.324	6.5087	3.2019	2.0327	0.5416	0.54352		22.000	22.000	45.602	3.5558	2.3373	1.5213	1.5475	0.81877	
8.000	86.306	6.5254	3.2057	2.0356	0.5348	0.54225		24.000	24.000	48.600	3.9361	2.4775	1.5887	1.4426	0.77871	
6.000	87.255	6.5379	3.2085	2.0377	0.5296	0.54131		26.000	26.000	52.036	4.3657	2.6235	1.6641	1.3268	0.73441	
4.000	88.182	6.5466	3.2104	2.0392	0.5260	0.54065		28.000	28.000	56.335	4.8844	2.7844	1.7542	1.1888	0.68317	
2.000	89.094	6.5517	3.2115	2.0400	0.5238	0.54027		29.797	64.782	64.782	5.8014	3.0342	1.9120	0.9402	0.60027	
2.45	2.000	25.572	1.1381	1.0968	1.0377	2.3670	0.99978		28.000	71.949	6.4249	3.1831	2.0185	0.7573	0.54992	
	4.000	27.143	1.2908	1.1994	1.0762	2.2855	0.99831		26.000	74.856	6.6273	3.2282	2.0529	0.6928	0.53460	
	6.000	28.805	1.4591	1.3078	1.1157	2.2048	0.99453		24.000	76.939	6.7526	3.2555	2.0742	0.6509	0.52537	
	8.000	30.563	1.6440	1.4212	1.1567	2.1241	0.98761		22.000	78.625	6.8414	3.2744	2.0893	0.6201	0.51894	
	10.000	32.422	1.8463	1.5393	1.1994	2.0428	0.97695		20.000	80.070	6.9022	3.2885	2.1007	0.5962	0.51417	
	12.000	34.388	2.0672	1.6615	1.2442	1.9603	0.96215		18.000	81.353	6.9602	3.2994	2.1095	0.5770	0.51048	
	14.000	36.472	2.3078	1.7871	1.2914	1.8762	0.94302		16.000	82.518	7.0014	3.3080	2.1165	0.5616	0.50759	
	16.000	38.685	2.5692	1.9156	1.3412	1.7898	0.91955		14.000	83.598	7.0343	3.3148	2.1221	0.5489	0.50528	
	18.000	41.047	2.8532	2.0466	1.3941	1.7006	0.89187		12.000	84.612	7.0607	3.3202	2.1266	0.5387	0.50345	
	20.000	43.568	3.1623	2.1800	1.4506	1.6077	0.86018		10.000	85.576	7.0816	3.3245	2.1301	0.5304	0.50200	
	22.000	46.358	3.5007	2.3160	1.5115	1.5097	0.82459		8.000	86.502	7.0979	3.3278	2.1329	0.5240	0.50088	
	24.000	49.445	3.8759	2.4560	1.5781	1.4042	0.78502		6.000	87.400	7.1100	3.3303	2.1350	0.5191	0.50005	
									4.000	88.277	7.1184	3.3320	2.1364	0.5157	0.49947	
									2.000	89.142	7.1234	3.3330	2.1372	0.5137	0.49913	

Oblique Shock Tables ($\gamma = 1.4$)

M_1	θ	β	$\frac{P_2}{P_1}$	$\frac{\rho_2}{\rho_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{P_{02}}{P_{01}}$	M_1	θ	β	$\frac{P_2}{P_1}$	$\frac{\rho_2}{\rho_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{P_{02}}{P_{01}}$
2.55	2.000	24.550	1.1429	1.1001	1.0390	2.4639	0.99976	2.60	30.814	64.866	6.2972	3.1538	1.9967	0.9433	0.55984
	4.000	26.099	1.3015	1.2065	1.0788	2.3796	0.99814		30.000	69.778	6.7777	3.2609	2.0785	0.8111	0.52354
	6.000	27.739	1.4768	1.3189	1.1198	2.2961	0.99399		28.000	73.590	7.0906	3.3263	2.1317	0.7189	0.50138
	8.000	29.474	1.6699	1.4367	1.1623	2.2128	0.98642		26.000	75.955	7.2555	3.3596	2.1596	0.6673	0.49015
	10.000	31.307	1.8817	1.5593	1.2067	2.1288	0.97479		24.000	77.778	7.3665	3.3815	2.1785	0.6311	0.48276
	12.000	33.244	2.1133	1.6861	1.2534	2.0438	0.95871		22.000	79.299	7.4481	3.3974	2.1923	0.6035	0.47742
	14.000	35.293	2.3656	1.8162	1.3025	1.9573	0.93803		20.000	80.626	7.5108	3.4095	2.2029	0.5817	0.47336
	16.000	37.463	2.6399	1.9490	1.3545	1.8687	0.91283		18.000	81.815	7.5602	3.4189	2.2113	0.5641	0.47020
	18.000	39.770	2.9378	2.0840	1.4097	1.7776	0.88333		16.000	82.906	7.5997	3.4264	2.2180	0.5497	0.46768
	20.000	42.236	3.2611	2.2207	1.4685	1.6832	0.84985		14.000	83.922	7.6316	3.4324	2.2234	0.5378	0.46566
	22.000	44.899	3.6130	2.3591	1.5315	1.5845	0.81272		12.000	84.879	7.6572	3.4372	2.2277	0.5282	0.46405
	24.000	47.822	3.9995	2.4998	1.5999	1.4797	0.77209		10.000	85.792	7.6775	3.4411	2.2312	0.5204	0.46277
	26.000	51.130	4.4319	2.6449	1.6756	1.3655	0.72772		8.000	86.671	7.6934	3.4440	2.2338	0.5143	0.46178
	28.000	55.131	4.9401	2.8007	1.7638	1.2334	0.67784		6.000	87.524	7.7053	3.4462	2.2359	0.5096	0.46104
	30.000	61.449	5.6866	3.0051	1.8923	1.0385	0.61007		4.000	88.359	7.7135	3.4478	2.2372	0.5064	0.46053
	30.317	64.823	6.0466	3.0946	1.9539	0.9418	0.57989		2.000	89.183	7.7184	3.4487	2.2381	0.5045	0.46022
	30.000	67.966	6.3519	3.1664	2.0060	0.8568	0.55557								
	28.000	72.844	6.7595	3.2569	2.0754	0.7364	0.52487								
	26.000	75.440	6.9402	3.2952	2.1061	0.6793	0.51190								
	24.000	77.380	7.0575	3.3195	2.1260	0.6405	0.50368	2.65	2.000	23.613	1.1479	1.1034	1.0403	2.5607	0.99973
	22.000	78.978	7.1423	3.3368	2.1404	0.6115	0.49783		4.000	25.144	1.3124	1.2136	1.0814	2.4734	0.99796
	20.000	80.360	7.2068	3.3499	2.1514	0.5887	0.49343		6.000	26.766	1.4950	1.3302	1.1239	2.3869	0.99341
	18.000	81.594	7.2575	3.3600	2.1600	0.5703	0.49002		8.000	28.482	1.6966	1.4525	1.1680	2.3007	0.98514
	16.000	82.720	7.2978	3.3680	2.1668	0.5554	0.48732		10.000	30.295	1.9182	1.5798	1.2142	2.2139	0.97247
	14.000	83.766	7.3301	3.3744	2.1723	0.5432	0.48517		12.000	32.210	2.1610	1.7113	1.2628	2.1262	0.95502
	12.000	84.750	7.3561	3.3795	2.1767	0.5333	0.48345		14.000	34.232	2.4260	1.8462	1.3141	2.0370	0.93270
	10.000	85.688	7.3767	3.3835	2.1802	0.5253	0.48209		16.000	36.368	2.7141	1.9835	1.3683	1.9459	0.90566
	8.000	86.590	7.3927	3.3866	2.1829	0.5190	0.48104		18.000	38.632	3.0267	2.1226	1.4259	1.8524	0.87423
	6.000	87.464	7.4047	3.3890	2.1849	0.5142	0.48025		20.000	41.043	3.3657	2.2630	1.4873	1.7560	0.83884
	4.000	88.320	7.4131	3.3906	2.1864	0.5109	0.47971		22.000	43.627	3.7335	2.4042	1.5529	1.6559	0.80000
	2.000	89.163	7.4180	3.3916	2.1872	0.5090	0.47939		24.000	46.433	4.1347	2.5465	1.6237	1.5507	0.75806
									26.000	49.549	4.5776	2.6911	1.7010	1.4380	0.71313
									28.000	53.164	5.0815	2.8416	1.7883	1.3126	0.66448
									30.000	57.877	5.7097	3.0110	1.8963	1.1576	0.60809
									31.288	64.910	6.5531	3.2118	2.0403	0.9447	0.54016
									30.000	70.983	7.1564	3.3397	2.1428	0.7814	0.49687
									28.000	74.230	7.4211	3.3922	2.1877	0.7039	0.47918
									26.000	76.415	7.5742	3.4216	2.2137	0.6565	0.46930
									24.000	78.138	7.6801	3.4415	2.2316	0.6224	0.46262
									22.000	79.592	7.7589	3.4562	2.2449	0.5962	0.45771
									20.000	80.870	7.8200	3.4674	2.2553	0.5752	0.45396
									18.000	82.020	7.8684	3.4763	2.2634	0.5582	0.45101
									16.000	83.079	7.9073	3.4833	2.2700	0.5442	0.44866
									14.000	84.066	7.9387	3.4890	2.2753	0.5327	0.44677
									12.000	84.998	7.9640	3.4935	2.2796	0.5234	0.44526
									10.000	85.888	7.9841	3.4972	2.2830	0.5158	0.44406
									8.000	86.746	7.9999	3.4972	2.2857	0.5098	0.44312
									6.000	87.579	8.0116	3.5021	2.2877	0.5053	0.44242
2.50	2.000	24.071	1.1454	1.1017	1.0396	2.5123	0.99975								
	4.000	25.611	1.3070	1.2100	1.0801	2.4265	0.99805								
	6.000	27.241	1.4858	1.3245	1.1218	2.3416	0.99371								
	8.000	28.966	1.6831	1.4445	1.1651	2.2568	0.98579								
	10.000	30.789	1.8998	1.5695	1.2105	2.1715	0.97365								
	12.000	32.714	2.1369	1.6986	1.2580	2.0852	0.95690								
	14.000	34.749	2.3955	1.8311	1.3082	1.9973	0.93541								
	16.000	36.901	2.6767	1.9662	1.3613	1.9075	0.90930								
	18.000	39.185	2.9817	2.1032	1.4177	1.8152	0.87884								
	20.000	41.621	3.3126	2.2417	1.4778	1.7199	0.84443								
	22.000	44.242	3.6723	2.3814	1.5421	1.6205	0.80645								
	24.000	47.102	4.0658	2.5229	1.6116	1.5157	0.76520								
	26.000	50.305	4.5028	2.6675	1.6880	1.4025	0.72060								
	28.000	54.088	5.0067	2.8201	1.7754	1.2744	0.67151								
	30.000	59.352	5.6706	3.0010	1.8896	1.1062	0.61145								

Oblique Shock Tables ($\gamma = 1.4$)

M_1	θ	β	$\frac{P_2}{P_1}$	$\frac{\rho_2}{\rho_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{P_{02}}{P_{01}}$	M_1	θ	β	$\frac{P_2}{P_1}$	$\frac{\rho_2}{\rho_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{P_{02}}{P_{01}}$	
2.65	4.000	88.356	8.0198	3.5035	2.2891	0.5021	0.44194	2.75	24.000	45.225	4.2794	2.5951	1.6490	1.6181	0.74319	
	2.000	89.200	8.0247	3.5044	2.2899	0.5003	0.44165		26.000	48.206	4.7375	2.7404	1.7288	1.5056	0.69739	
2.70	2.000	23.173	1.1503	1.1051	1.0409	2.6090	0.99972		30.000	51.579	5.2490	2.8886	1.8171	1.2416	0.59611	
	4.000	24.656	1.3179	1.2172	1.0827	2.5201	0.99786		32.000	52.549	5.8507	3.0466	2.0791	1.0209	0.52329	
	6.000	26.311	1.5042	1.3360	1.1260	2.4321	0.99311		32.173	65.002	7.0807	3.3243	2.1300	0.9476	0.50207	
	8.000	28.019	1.7102	1.4605	1.1709	2.3444	0.98446		30.000	72.678	7.8741	3.4773	2.2644	0.8812	0.45066	
	10.000	29.824	1.9369	1.5902	1.2180	2.2561	0.97125		28.000	75.285	8.0870	3.5154	2.3004	0.7899	0.43799	
	12.000	31.728	2.1855	1.7241	1.2676	2.1669	0.95309		26.000	77.202	8.2233	3.5393	2.3235	0.6378	0.43010	
	14.000	33.739	2.4569	1.8614	1.3199	2.0763	0.92991		24.000	78.766	8.3214	3.5561	2.3400	0.6071	0.42454	
	16.000	35.862	2.7523	2.0010	1.3754	1.9838	0.90191		22.000	80.110	8.3960	3.5688	2.3526	0.5829	0.42037	
	18.000	38.109	3.0727	2.1423	1.4343	1.8890	0.86948		20.000	81.303	8.4545	3.5786	2.3625	0.5634	0.41714	
	20.000	40.496	3.4200	2.2845	1.4970	1.7915	0.83311		18.000	82.386	8.5014	3.5864	2.3704	0.5474	0.41457	
	22.000	43.049	3.7964	2.4273	1.5641	1.6905	0.79337		16.000	83.387	8.5392	3.5927	2.3768	0.5343	0.41251	
	24.000	45.809	4.2059	2.5706	1.6362	1.5848	0.75072		14.000	84.324	8.5699	3.5978	2.3820	0.5234	0.41085	
	26.000	48.852	4.6560	2.7155	1.7146	1.4723	0.70538		12.000	85.212	8.5948	3.6019	2.3862	0.5145	0.40951	
	28.000	52.334	5.1626	2.8645	1.8022	1.3488	0.65692		10.000	86.062	8.6146	3.6077	2.3895	0.5072	0.40845	
	30.000	56.687	5.7730	3.0271	1.9071	1.2018	0.60268		8.000	86.882	8.6301	3.6077	2.3922	0.5015	0.40762	
	31.741	64.956	6.8143	3.2687	2.0847	0.9462	0.52090		6.000	87.680	8.6418	3.6096	2.3941	0.4972	0.40700	
30.000	71.913	7.5186	3.4110	2.2042	0.7587	0.47286		4.000	88.462	8.6499	3.6109	2.3955	0.4942	0.40656		
28.000	74.750	7.7529	3.4551	2.2439	0.6907	0.45808		2.000	89.234	8.6547	3.6117	2.3963	0.4924	0.40631		
26.000	76.828	7.8967	3.4814	2.2682	0.6468	0.44930										
24.000	78.466	7.9983	3.4997	2.2854	0.6145	0.44321										
22.000	79.862	8.0748	3.5133	2.2984	0.5893	0.43870		2.80	22.344	1.1553	1.1085	1.0422	2.7056	0.99969		
20.000	81.095	8.1345	3.5238	3.5238	2.3085	0.5691	0.43522		4.000	23.854	1.3292	1.2246	1.0654	2.6133	0.99766	
18.000	82.210	8.1821	3.5321	3.5321	2.3165	0.5527	0.43247		6.000	25.455	1.5230	1.3476	1.1302	2.5222	0.99246	
16.000	83.238	8.2204	3.5388	3.5388	2.3230	0.5391	0.43027		8.000	27.150	1.7379	1.4768	1.1768	2.4313	0.98304	
14.000	84.199	8.2515	3.5441	3.5441	2.3282	0.5279	0.42850		10.000	28.940	1.9751	1.6113	1.2257	2.3399	0.96869	
12.000	85.109	8.2765	3.5484	3.5484	2.3324	0.5188	0.42708		12.000	30.830	2.2357	1.7502	1.2774	2.2476	0.94903	
10.000	85.978	8.2965	3.5518	3.5518	2.3358	0.5114	0.42595		14.000	32.822	2.5205	1.8923	1.3320	2.1540	0.92409	
8.000	86.816	8.3121	3.5545	3.5545	2.3385	0.5056	0.42506		16.000	34.923	2.8309	2.0367	1.3900	2.0585	0.89411	
6.000	87.631	8.3238	3.5565	3.5565	2.3404	0.5012	0.42441		18.000	37.141	3.1677	2.1822	1.4516	1.9610	0.85962	
4.000	88.430	8.3319	3.5579	3.5579	2.3418	0.4981	0.42395		20.000	39.490	3.5324	2.3283	1.5172	1.8610	0.82123	
2.000	89.218	8.3367	3.5587	3.5587	2.3426	0.4962	0.42368		22.000	41.990	3.9271	2.4743	1.5872	1.7578	0.77965	
2.75	2.000	22.750	1.1528	1.1068	1.0415	2.6573	0.99971		24.000	44.676	4.3550	2.6200	1.6622	1.6506	0.73549	
	4.000	24.267	1.3236	1.2209	1.0841	2.5667	0.99776		26.000	47.604	4.8219	2.7658	1.7434	1.5379	0.68919	
	6.000	25.873	1.5135	1.3417	1.1280	2.4772	0.99279		28.000	50.887	5.3398	2.9135	1.8328	1.4163	0.64070	
	8.000	27.575	1.7239	1.4686	1.1738	2.3879	0.98377		30.000	54.786	5.9387	3.0683	1.9355	1.2783	0.58877	
	10.000	29.372	1.9558	1.6007	1.2219	2.2982	0.96999		32.000	60.433	6.7529	3.2555	2.0743	1.0909	0.52535	
	12.000	31.269	2.2104	1.7371	1.2724	2.2074	0.95109		32.587	65.050	7.3524	3.3788	2.1761	0.9490	0.48369	
	14.000	33.269	2.4885	1.8768	1.3259	2.1153	0.92704		32.000	69.211	7.8278	3.4689	2.2566	0.8307	0.45348	
	16.000	35.381	2.7912	2.0188	1.3826	2.0213	0.89806		30.000	73.328	8.2272	3.5399	2.3241	0.7243	0.42988	
	18.000	37.612	3.1197	2.1622	1.4429	1.9253	0.86461		28.000	75.728	8.4241	3.5735	2.3574	0.6684	0.41882	
	20.000	39.980	3.4757	2.3063	1.5070	1.8265	0.82724		26.000	77.543	8.5544	3.5952	2.3794	0.6296	0.41169	
	22.000	42.504	3.8610	2.4506	1.5755	1.7245	0.78659		24.000	79.042	8.6495	3.6108	2.3954	0.6002	0.40659	
									22.000	80.339	8.7224	3.6227	2.4077	2.4077	0.5769	0.40273
									20.000	81.496	8.7800	3.6319	2.4174	2.4174	0.5580	0.39971

Oblique Shock Tables ($\gamma = 1.4$)

M_1	θ	β	$\frac{P_2}{P_1}$	$\frac{\rho_2}{\rho_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{P_{02}}{P_{01}}$	M_1	θ	β	$\frac{P_2}{P_1}$	$\frac{\rho_2}{\rho_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{P_{02}}{P_{01}}$
2.50	18.000	82.550	8.8262	3.6393	2.4252	0.5425	0.39731	2.90	6.000	24.666	1.5421	1.3594	1.1344	2.6117	0.99178
	16.000	83.525	8.8637	3.6453	2.4316	0.5297	0.39538		8.000	26.350	1.7663	1.4933	1.1828	2.5175	0.98153
	14.000	84.440	8.8942	3.6501	2.4367	0.5191	0.39382		10.000	28.129	2.0143	1.6328	1.2336	2.4229	0.96597
	12.000	85.308	8.9188	3.6540	2.4409	0.5103	0.39256		12.000	30.007	2.2873	1.7767	1.2874	2.3273	0.94475
	10.000	86.140	8.9385	3.6571	2.4442	0.5033	0.39156		14.000	31.985	2.5863	1.9238	1.3444	2.2304	0.91794
	8.000	86.943	8.9540	3.6595	2.4468	0.4977	0.39078		16.000	34.069	2.9123	2.0729	1.4050	2.1318	0.88591
	6.000	87.725	8.9656	3.6613	2.4487	0.4935	0.39019		18.000	36.264	3.2663	2.2229	1.4694	2.0313	0.84930
	4.000	88.492	8.9737	3.6626	2.4501	0.4905	0.38978		20.000	38.584	3.6496	2.3729	1.5380	1.9285	0.80886
	2.000	89.248	8.9784	3.6633	2.4509	0.4887	0.38954		22.000	41.044	4.0638	2.5222	1.6112	1.8229	0.76540
									24.000	43.672	4.5119	2.6704	1.6896	1.7138	1.71969
2.85	2.000	21.954	1.1579	1.1103	1.0429	2.7537	0.99968		26.000	46.515	4.9984	2.8177	1.7739	1.5999	0.67230
	4.000	23.457	1.3349	1.2283	1.0868	2.6598	0.99755		28.000	49.655	5.5328	2.9652	1.8659	1.4788	0.62347
	6.000	25.052	1.5325	1.3535	1.1323	2.5670	0.99213		30.000	53.274	6.1364	3.1161	1.9692	1.3453	0.57262
	8.000	26.742	1.7520	1.4850	1.1798	2.4744	0.98230		32.000	57.931	6.8791	3.2824	2.0957	1.1827	0.51624
	10.000	28.526	1.9946	1.6220	1.2297	2.3815	0.96735		33.363	65.145	7.9116	3.4841	2.2708	0.9516	0.44840
	12.000	30.410	2.2613	1.7634	1.2824	2.2876	0.94692		32.000	71.287	8.6350	3.6085	2.3930	0.7771	0.40736
	14.000	32.394	2.5532	1.9080	1.3382	2.1923	0.92105		30.000	74.392	8.9347	3.6565	2.4435	0.6985	0.39175
	16.000	34.486	2.8712	2.0547	1.3974	2.0953	0.89006		28.000	76.490	9.1095	3.6836	2.4730	0.6500	0.38301
	18.000	36.692	3.2165	2.2025	1.4604	1.9964	0.85451		26.000	78.142	9.2307	3.7020	2.4934	0.6149	0.37709
	20.000	39.025	3.5904	2.3505	1.5275	1.8950	0.81511		24.000	79.533	9.3212	3.7156	2.5087	0.5878	0.37275
3.00	2.000	41.505	3.9948	2.4982	1.5991	1.7906	0.77258		22.000	80.750	9.3915	3.7260	2.5205	0.5660	0.36942
	4.000	44.160	4.4325	2.6451	1.6757	1.6825	0.72766		20.000	81.843	9.4475	3.7343	2.5300	0.5482	0.36680
	6.000	47.042	4.9089	2.7916	1.7585	1.5692	0.68081		18.000	82.845	9.4928	3.7409	2.5376	0.5335	0.36469
	8.000	50.247	5.4345	2.9391	1.8490	1.4481	0.63219		16.000	83.775	9.5296	3.7462	2.5438	0.5212	0.36299
	10.000	53.992	6.0344	3.0917	1.9518	1.3127	0.58089		14.000	84.651	9.5597	3.7506	2.5489	0.5111	0.36161
	12.000	59.037	6.8013	3.2659	2.0825	1.1407	0.52183		12.000	85.484	9.5842	3.7541	2.5530	0.5027	0.36049
	14.000	65.097	7.6294	3.4320	2.2230	0.9503	0.46580		10.000	86.283	9.6038	3.7570	2.5563	0.4959	0.35960
	16.000	70.389	8.2421	3.5425	2.3266	0.8001	0.42903		8.000	87.055	9.6191	3.7592	2.5588	0.4906	0.35890
	18.000	73.893	8.5802	3.5995	2.3837	0.7107	0.41030		6.000	87.808	9.6306	3.7608	2.5608	0.4865	0.35838
	20.000	76.127	8.7648	3.6295	2.4149	0.6588	0.40050		4.000	88.546	9.6387	3.7620	2.5621	0.4836	0.35802
3.50	2.000	77.855	8.8902	3.6495	2.4360	0.6220	0.39402		2.000	89.275	9.6434	3.7626	2.5629	0.4819	0.35780
	4.000	79.297	8.9827	3.6640	2.4516	0.5938	0.38933								
	6.000	80.552	9.0543	3.6751	2.4637	0.5713	0.38574	2.95	2.000	21.216	1.1630	1.1138	1.0442	2.8500	0.99965
	8.000	81.676	9.1110	3.6838	2.4733	0.5530	0.38294		4.000	22.708	1.3464	1.2357	1.0895	2.7526	0.99732
	10.000	82.702	9.1567	3.6908	2.4810	0.5379	0.38069		6.000	24.294	1.5518	1.3654	1.1366	2.6563	0.99142
	12.000	83.655	9.1938	3.6964	2.4872	0.5253	0.37888		8.000	25.974	1.7807	1.5017	1.1858	2.5604	0.98074
	14.000	84.549	9.2241	3.7010	2.4923	0.5150	0.37741		10.000	27.749	2.0343	1.6437	1.2377	2.4640	0.96454
	16.000	85.399	9.2486	3.7047	2.4964	0.5064	0.37623		12.000	29.621	2.3137	1.7901	1.2925	2.3668	0.94252
	18.000	86.213	9.2683	3.7077	2.4998	0.4995	0.37528		14.000	31.593	2.6199	1.9396	1.3507	2.2682	0.91475
	20.000	87.001	9.2836	3.7100	2.5023	0.4940	0.37454		16.000	33.670	2.9540	2.0911	1.4126	2.1679	0.88168
4.00	2.000	87.768	9.2952	3.7117	2.5043	0.4899	0.37399		18.000	35.856	3.3169	2.2434	1.4785	2.0658	0.84398
	4.000	88.520	9.3033	3.7129	2.5057	0.4870	0.37360		20.000	38.164	3.7098	2.3954	1.5487	1.9615	0.80249
	6.000	89.262	9.3080	3.7136	2.5065	0.4853	0.37338		22.000	40.607	4.1344	2.5464	1.6236	1.8546	0.75809
									24.000	43.211	4.5930	2.6959	1.7037	1.7444	0.71160
	2.000	21.578	1.1604	1.1120	1.0435	2.8019	0.99966		26.000	46.018	5.0902	2.8441	1.7898	1.6297	0.66366
	4.000	23.076	1.3406	1.2320	1.0882	2.7062	0.99744		28.000	49.102	5.6343	2.9916	1.8833	1.5085	0.61460
									30.000	52.618	6.2438	3.1414	1.9876	1.3762	0.56404

Oblique Shock Tables ($\gamma = 1.4$)

M_1	θ	β	$\frac{P_2}{P_1}$	$\frac{\rho_2}{\rho_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{P_{02}}{P_{01}}$	M_1	θ	β	$\frac{P_2}{P_1}$	$\frac{\rho_2}{\rho_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{P_{02}}{P_{01}}$
2.95	32.000	56.967	6.9741	3.3023	2.1119	1.2199	0.50950	3.00	14.000	84.837	10.2483	3.8459	2.6647	0.5038	0.33180
	33.726	65.193	8.1990	3.5350	2.3194	0.9528	0.43150		12.000	85.638	10.2726	3.8491	2.6688	0.4958	0.33081
	32.000	72.020	9.0188	3.6696	2.4577	0.7585	0.38752		10.000	86.408	10.2921	3.8517	2.6721	0.4892	0.33001
	30.000	74.838	9.2917	3.7112	2.5037	0.6877	0.37416		8.000	87.154	10.3074	3.8537	2.6747	0.4841	0.32939
	28.000	76.821	9.4585	3.7359	2.5318	0.6420	0.36628		6.000	87.881	10.3190	3.8553	2.6766	0.4801	0.32892
	26.000	78.407	9.5762	3.7530	2.5516	0.6084	0.36086		4.000	88.594	10.3270	3.8563	2.6779	0.4774	0.32860
	24.000	79.752	9.6649	3.7657	2.5666	0.5821	0.35684		2.000	89.299	10.3318	3.8569	2.6787	0.4757	0.32841
	22.000	80.935	9.7342	3.7755	2.5782	0.5610	0.35374								
	20.000	82.000	9.7896	3.7834	2.5875	0.5437	0.35128								
	18.000	82.978	9.8345	3.7896	2.5951	0.5293	0.34931	3.05	2.000	20.530	1.1681	1.1173	1.0455	2.9462	0.99962
	16.000	83.889	9.8712	3.7947	2.6013	0.5173	0.34771		4.000	22.014	1.3581	1.2433	1.0923	2.8450	0.99708
	14.000	84.747	9.9012	3.7989	2.6063	0.5074	0.34641		6.000	23.591	1.5716	1.3774	1.1409	2.7451	0.99066
	12.000	85.563	9.9255	3.8023	2.6104	0.4992	0.34536		8.000	25.263	1.8100	1.5186	1.1919	2.6457	0.97909
	10.000	86.348	9.9450	3.8050	2.6137	0.4925	0.34452		10.000	27.031	2.0749	1.6656	1.2458	2.5458	0.96158
	8.000	87.106	9.9604	3.8071	2.6163	0.4872	0.34386		12.000	28.895	2.3674	1.8171	1.3029	2.4450	0.93788
	6.000	87.845	9.9719	3.8087	2.6182	0.4832	0.34336		14.000	30.859	2.6886	1.9717	1.3636	2.3429	0.90814
	4.000	88.571	9.9799	3.8098	2.6196	0.4804	0.34302		16.000	32.923	3.0394	2.1281	1.4282	2.2392	0.87292
	2.000	89.288	9.9847	3.8104	2.6204	0.4788	0.34282		18.000	35.095	3.4208	2.2848	1.4972	2.1338	0.83303
									20.000	37.382	3.8338	2.4408	1.5707	2.0263	0.78944
									22.000	39.797	4.2796	2.5952	1.6490	1.9166	0.74317
3.00	2.000	20.867	1.1656	1.1155	1.0449	2.8981	0.99963		24.000	42.361	4.7607	2.7474	1.7328	1.8039	0.69513
	4.000	22.355	1.3522	1.2395	1.0909	2.7988	0.99721		26.000	45.110	5.2806	2.8973	1.8226	1.6874	0.64608
	6.000	23.936	1.5616	1.3714	1.1387	2.7008	0.99105		28.000	48.102	5.8462	3.0455	1.9196	1.5654	0.59649
	8.000	25.611	1.7953	1.5101	1.1888	2.6031	0.97993		30.000	51.455	6.4722	3.1938	2.0265	1.4345	0.54630
	10.000	27.383	2.0545	1.6546	1.2417	2.5050	0.96308		32.000	55.456	7.1967	3.3478	2.1497	1.2858	0.49412
	12.000	29.251	2.3404	1.8036	1.2977	2.4060	0.94022		34.000	61.505	8.2161	3.5380	2.3222	1.0765	0.43052
	14.000	31.218	2.6540	1.9556	1.3571	2.3056	0.91148		34.407	65.288	8.7895	3.6335	2.4190	0.9552	0.39922
	16.000	33.288	2.9964	2.1095	1.4204	2.2037	0.87734		34.000	68.742	9.2596	3.7064	2.4983	0.8514	0.37570
	18.000	35.467	3.3685	2.2641	1.4878	2.1000	0.83855		32.000	73.184	9.7779	3.7817	2.5856	0.7291	0.35180
	20.000	37.764	3.7713	2.4181	1.5596	1.9941	0.79602		30.000	75.604	10.0154	3.8146	2.6255	0.6689	0.34151
	22.000	40.192	4.2064	2.5708	1.6362	1.8858	0.75068		28.000	77.406	10.1703	3.8355	2.6516	0.6276	0.33501
	24.000	42.775	4.6761	2.7216	1.7181	1.7744	0.70340		26.000	78.880	10.2825	3.8505	2.6705	0.5965	0.33040
	26.000	45.552	5.1844	2.8706	1.8060	1.6589	0.65491		24.000	80.145	10.3683	3.8617	2.6849	0.5719	0.32694
	28.000	48.586	5.7388	3.0184	1.9012	1.5374	0.60560		22.000	81.267	10.4361	3.8705	2.6963	0.5518	0.32423
	30.000	52.014	6.3559	3.1673	2.0067	1.4059	0.55526		20.000	82.284	10.4906	3.8776	2.7055	0.5353	0.32208
	32.000	56.182	7.0810	3.3244	2.1300	1.2541	0.50205		18.000	83.221	10.5350	3.8833	2.7129	0.5215	0.32034
	34.000	63.673	8.2682	3.5470	2.3310	1.0029	0.42755		16.000	84.095	10.5714	3.8879	2.7190	0.5100	0.31892
	34.073	65.241	8.4917	3.5848	2.3688	0.9540	0.41510		14.000	84.921	10.6012	3.8917	2.7240	0.5005	0.31777
	34.000	66.749	8.6971	3.6186	2.4035	0.9083	0.40406		12.000	85.709	10.6255	3.8948	2.7281	0.4926	0.31683
	32.000	72.642	9.3988	3.7271	2.5217	0.7428	0.36908		10.000	86.466	10.6450	3.8973	2.7314	0.4861	0.31608
	30.000	75.239	9.6517	3.7638	2.5643	0.6779	0.35743		8.000	87.199	10.6603	3.8992	2.7340	0.4810	0.31549
	28.000	77.126	9.8121	3.7865	2.5913	0.6345	0.35029		6.000	87.914	10.6719	3.9007	2.7359	0.4772	0.31505
	26.000	78.652	9.9268	3.8024	2.6106	0.6022	0.34530		4.000	88.617	10.6799	3.9017	2.7373	0.4744	0.31474
	24.000	79.956	10.0139	3.8144	2.6253	0.5768	0.34157		2.000	89.310	10.6847	3.9023	2.7381	0.4728	0.31456
	22.000	81.106	10.0824	3.8237	2.6368	0.5563	0.33868								
	20.000	82.147	10.1373	3.8311	2.6460	0.5394	0.33638								
	18.000	83.103	10.1819	3.8371	2.6536	0.5253	0.33453	3.10	2.000	20.205	1.1707	1.1190	1.0462	2.9942	0.99960
	16.000	83.996	10.2184	3.8420	2.6597	0.5136	0.33302		4.000	21.684	1.3640	1.2471	1.0937	2.8911	0.99696

Oblique Shock Tables ($\gamma = 1.4$)

M_1	θ	β	$\frac{P_2}{P_1}$	$\frac{\rho_2}{\rho_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{P_{02}}{P_{01}}$	M_1	θ	β	$\frac{P_2}{P_1}$	$\frac{\rho_2}{\rho_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{P_{02}}{P_{01}}$
3.70	20.000	83.537	15.6008	4.3797	3.5621	0.4969	0.18289	3.75	2.000	89.416	16.2379	4.4261	3.6687	0.4428	0.17169
	18.000	84.274	15.6460	4.3831	3.5696	0.4856	0.18206								
	16.000	84.998	15.6836	4.3859	3.5759	0.4760	0.18138	3.80	2.000	16.600	1.2083	1.1445	1.0558	3.6624	0.99931
	14.000	85.687	15.7147	4.3882	3.5811	0.4680	0.18082								
	12.000	86.348	15.7402	4.3901	3.5854	0.4613	0.18035								
	10.000	86.988	15.7609	4.3916	3.5889	0.4558	0.17998								
	8.000	87.610	15.7772	4.3928	3.5916	0.4515	0.17969								
	6.000	88.219	15.7896	4.3937	3.5937	0.4481	0.17947								
	4.000	88.817	15.7982	4.3944	3.5951	0.4458	0.17932								
	2.000	89.411	15.8033	4.3947	3.5960	0.4444	0.17922								
3.75	2.000	16.810	1.2055	1.1426	1.0551	3.6149	0.99933								
	4.000	18.260	1.4440	1.2982	1.1123	3.4840	0.99497								
	6.000	19.814	1.7184	1.4654	1.1727	3.3550	0.98405								
	8.000	21.470	2.0312	1.6420	1.2370	3.2264	0.96476								
	10.000	23.227	2.3849	1.8258	1.3062	3.0974	0.93634								
	12.000	25.081	2.7813	2.0142	1.3808	2.9674	0.89905								
	14.000	27.030	3.2217	2.2046	1.4614	2.8363	0.85397								
	16.000	29.072	3.7069	2.3943	1.5482	2.7042	0.80280								
	18.000	31.207	4.2379	2.5813	1.6417	2.5712	0.74744								
	20.000	33.438	4.8148	2.7637	1.7422	2.4376	0.68987								
	22.000	35.767	5.4382	2.9401	1.8497	2.3034	0.63185								
	24.000	38.204	6.1086	3.1095	1.9645	2.1688	0.57486								
	26.000	40.762	6.8272	3.2714	2.0869	2.0333	0.51996								
	28.000	43.464	7.5969	3.4259	2.2175	1.8964	0.46786								
	30.000	46.350	8.4228	3.5733	2.3572	1.7570	0.41888								
	32.000	49.486	9.3159	3.7148	2.5078	1.6129	0.37300								
	34.000	53.014	10.3013	3.8529	2.6736	1.4594	0.32964								
	36.000	57.310	11.4538	3.9947	2.8672	1.2839	0.28696								
	37.906	65.884	13.5007	4.2052	3.2105	0.9683	0.22770								
	36.000	72.794	14.8041	4.3176	3.4287	0.7481	0.19834								
	34.000	75.361	15.1917	4.3484	3.4936	0.6755	0.19061								
	32.000	77.130	15.4318	4.3669	3.5338	0.6280	0.18602								
	30.000	79.856	15.7307	4.3798	3.5623	0.5926	0.18286								
	26.000	80.927	15.8316	4.3968	3.6007	0.5423	0.17872								
	24.000	81.887	15.9128	4.4028	3.6143	0.5237	0.17728								
	22.000	82.762	15.9792	4.4076	3.6254	0.5080	0.17612								
	20.000	83.572	16.0339	4.4115	3.6345	0.4948	0.17517								
	18.000	84.330	16.0794	4.4148	3.6422	0.4836	0.17439								
	16.000	85.045	16.1172	4.4175	3.6485	0.4741	0.17374								
	14.000	85.727	16.1485	4.4198	3.6537	0.4662	0.17321								
12.000	86.362	16.1743	4.4216	3.6580	0.4595	0.17277									
10.000	87.016	16.1951	4.4231	3.6615	0.4541	0.17242		3.85	2.000	16.395	1.2110	1.1463	1.0564	3.7099	0.99928
8.000	87.632	16.2116	4.4242	3.6643	0.4498	0.17214									
6.000	88.235	16.2240	4.4251	3.6663	0.4465	0.17193									
4.000	88.829	16.2327	4.4257	3.6678	0.4441	0.17178									

Oblique Shock Tables ($\gamma = 1.4$)

M_1	θ	β	$\frac{P_2}{P_1}$	$\frac{\rho_2}{\rho_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{P_{02}}{P_{01}}$	M_1	θ	β	$\frac{P_2}{P_1}$	$\frac{\rho_2}{\rho_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{P_{02}}{P_{01}}$	
3.55	10.000	22.812	2.4328	1.8495	1.3153	3.1734	0.93209	3.90	24.000	37.584	6.4345	3.1853	2.0201	2.2371	0.54918	
	12.000	24.668	2.8456	2.0432	1.3927	3.0386	0.89264		26.000	40.126	7.2035	3.3492	2.1508	2.0968	0.49366	
	14.000	26.619	3.3050	2.2386	1.4764	2.9028	0.84523		28.000	42.802	8.0258	3.5046	2.2901	1.9558	0.44158	
	16.000	28.664	3.8121	2.4330	1.5668	2.7661	0.79172		30.000	45.646	8.9059	3.6519	2.4387	1.8131	0.39322	
	18.000	30.759	4.3670	2.6239	1.6643	2.6287	0.73428		32.000	48.716	9.8536	3.7923	2.5983	1.6668	0.34848	
	20.000	33.028	4.9706	2.8097	1.7691	2.4909	0.67493		34.000	52.126	10.8901	3.9278	2.7726	1.5130	0.30686	
	22.000	35.353	5.6230	2.9887	1.8814	2.3529	0.61558		36.000	56.149	12.0273	4.0633	2.9710	1.3425	0.26706	
	24.000	37.783	6.3245	3.1601	2.0013	2.2146	0.55770		38.000	62.087	13.6897	4.2224	3.2421	1.1106	0.22309	
	26.000	40.330	7.0764	3.3234	2.1293	2.0760	0.50236		38.445	65.991	14.6407	4.3043	3.4014	0.9704	0.20173	
	28.000	43.014	7.8808	3.4785	2.2656	1.9364	0.45026		38.000	69.501	15.4023	4.3647	3.5289	0.8527	0.18658	
	30.000	45.871	8.7425	3.6259	2.4111	1.7948	0.40167		36.000	73.678	16.1768	4.4218	3.6584	0.7240	0.17273	
	32.000	48.961	9.6715	3.7666	2.5677	1.6493	0.35654		34.000	75.956	16.5334	4.4468	3.7181	0.6600	0.16682	
	34.000	52.407	10.6904	3.9030	2.7390	1.4957	0.31434		32.000	77.640	16.7653	4.4626	3.7569	0.6160	0.16313	
	36.000	56.508	11.8605	4.0404	2.9355	1.3239	0.27366		30.000	79.006	16.9330	4.4738	3.7849	0.5828	0.16052	
	38.000	62.939	13.5472	4.2095	3.2183	1.0767	0.22655		28.000	80.172	17.0613	4.4823	3.8064	0.5563	0.15857	
	38.272	65.956	14.2556	4.2721	3.3369	0.9697	0.21003		26.000	81.199	17.1629	4.4890	3.8234	0.5347	0.15705	
	38.000	68.733	14.8512	4.3214	3.4366	0.8764	0.19738		24.000	82.121	17.2449	4.4943	3.8371	0.5168	0.15583	
	36.000	73.407	15.7160	4.3883	3.5814	0.7314	0.18079		22.000	82.966	17.3122	4.4986	3.8483	0.5016	0.15485	
	34.000	75.770	16.0813	4.4150	3.6425	0.6649	0.17436		20.000	83.749	17.3680	4.5022	3.8576	0.4888	0.15404	
	32.000	77.495	16.3155	4.4316	3.6816	0.6198	0.17039		18.000	84.483	17.4143	4.5052	3.8654	0.4780	0.15337	
30.000	78.888	16.4839	4.4433	3.7098	0.5859	0.16762		16.000	85.177	17.4529	4.5076	3.8718	0.4688	0.15281		
28.000	80.072	16.6122	4.4522	3.7313	0.5591	0.16555		14.000	85.840	17.4850	4.5097	3.8772	0.4610	0.15235		
26.000	81.112	16.7135	4.4591	3.7482	0.5372	0.16394		12.000	86.472	17.5113	4.5114	3.8816	0.4545	0.15198		
24.000	82.047	16.7952	4.4646	3.7619	0.5190	0.16266		10.000	87.093	17.5327	4.5127	3.8852	0.4492	0.15167		
22.000	82.901	16.8622	4.4691	3.7731	0.5037	0.16162		8.000	87.693	17.5496	4.5138	3.8880	0.4450	0.15143		
20.000	83.692	16.9175	4.4728	3.7823	0.4907	0.16076		6.000	88.280	17.5623	4.5146	3.8901	0.4418	0.15125		
18.000	84.434	16.9636	4.4758	3.7900	0.4798	0.16006		4.000	88.858	17.5713	4.5151	3.8916	0.4395	0.15113		
16.000	85.136	17.0019	4.4784	3.7964	0.4705	0.15947		2.000	89.430	17.5766	4.5155	3.8925	0.4382	0.15105		
14.000	85.804	17.0337	4.4805	3.8017	0.4627	0.15899										
12.000	86.447	17.0598	4.4822	3.8061	0.4561	0.15859										
10.000	87.068	17.0810	4.4836	3.8097	0.4508	0.15827		3.95	2.000	16.001	1.2166	1.1500	1.0578	3.8047	0.99923	
8.000	87.674	17.0978	4.4847	3.8125	0.4465	0.15802			4.000	17.447	1.4697	1.3144	1.1182	3.6641	0.99421	
6.000	88.266	17.1104	4.4855	3.8146	0.4433	0.15783			6.000	19.001	1.7630	1.4915	1.1821	3.5255	0.98171	
4.000	88.849	17.1193	4.4861	3.8161	0.4410	0.15770			8.000	20.660	2.0992	1.6786	1.2506	3.3874	0.95977	
2.000	89.426	17.1245	4.4865	3.8169	0.4397	0.15762			10.000	22.422	2.4815	1.8734	1.3246	3.2486	0.92768	
									12.000	24.280	2.9112	2.0724	1.4048	3.1090	0.88602	
									14.000	26.234	3.3902	2.2727	1.4917	2.9684	0.83626	
									16.000	28.281	3.9194	2.4716	1.5858	2.8270	0.78046	
3.50	2.000	16.196	1.2138	1.1482	1.0571	3.7573	0.99926		16.000	30.417	4.4992	2.6664	1.6874	2.6851	0.72095	
	4.000	17.642	1.4633	1.3104	1.1167	3.6191	0.99441		18.000	32.646	5.1904	2.8554	1.7967	2.5430	0.65992	
	6.000	19.196	1.7517	1.4849	1.1797	3.4830	0.98232		20.000	34.969	5.8125	3.0370	1.9139	2.4010	0.59933	
	8.000	20.854	2.0821	1.6694	1.2472	3.3473	0.96105		22.000	37.393	6.5462	3.2103	2.0391	2.2591	0.54068	
	10.000	22.614	2.4570	1.8614	1.3200	3.2111	0.92990		24.000	39.929	7.3323	3.3748	2.1727	2.1172	0.48503	
	12.000	24.472	2.8783	2.0578	1.3987	3.0739	0.88935		26.000	42.598	8.1726	3.5304	2.3149	1.9748	0.43302	
	14.000	26.424	3.3474	2.2557	1.4840	2.9357	0.84077		28.000	45.431	8.9717	3.6778	2.4666	1.8310	0.38488	
	16.000	28.469	3.8655	2.4523	1.5763	2.7967	0.78611		30.000	48.483	9.70386	3.8178	2.6294	1.6838	0.34053	
	18.000	30.605	4.4329	2.6452	1.6758	2.6570	0.72761		32.000	51.859	10.3986	3.9524	2.8067	1.5299	0.29949	
	20.000	32.834	5.0501	2.8326	1.7828	2.5171	0.66743		34.000	55.812	11.0931	4.0863	3.0073	1.3604	0.26054	
22.000	35.157	5.7171	3.0129	1.8975	2.3771	0.60746										

Oblique Shock Tables ($\gamma = 1.4$)

M_1	θ	β	$\frac{p_2}{p_1}$	$\frac{\rho_2}{\rho_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{p_{02}}{p_{01}}$	M_1	θ	β	$\frac{p_2}{p_1}$	$\frac{\rho_2}{\rho_1}$	$\frac{T_2}{T_1}$	M_2	$\frac{p_{02}}{p_{01}}$
3.95	38.000	61.406	13.8667	4.2383	3.2718	1.1389	0.21889	4.00	28.000	80.359	17.9765	4.5402	3.9594	0.5513	0.14555
	38.612	66.026	15.0309	4.3358	3.4667	0.9711	0.19376		26.000	81.359	18.0787	4.5464	3.9765	0.5302	0.14419
	38.000	70.101	15.9275	4.4038	3.6167	0.8345	0.17703		24.000	82.261	18.1615	4.5514	3.9903	0.5126	0.14310
	36.000	73.928	16.6412	4.4541	3.7361	0.7172	0.16509		22.000	83.087	18.2296	4.5555	4.0017	0.4978	0.14221
	34.000	76.131	16.9904	4.4776	3.7945	0.6554	0.15965		20.000	83.854	18.2861	4.5588	4.0111	0.4852	0.14148
	32.000	77.777	17.2203	4.4927	3.8330	0.6125	0.15620		18.000	84.574	18.3331	4.5616	4.0190	0.4746	0.14087
	30.000	79.120	17.3877	4.5035	3.8609	0.5798	0.15375		16.000	85.256	18.3723	4.5639	4.0255	0.4655	0.14037
	28.000	80.268	17.5161	4.5117	3.8824	0.5537	0.15191		14.000	85.907	18.4049	4.5659	4.0310	0.4579	0.13996
	26.000	81.281	17.6179	4.5181	3.8994	0.5324	0.15047		12.000	86.533	18.4317	4.5674	4.0355	0.4515	0.13962
	24.000	82.192	17.7003	4.5232	3.9132	0.5147	0.14932		10.000	87.139	18.4535	4.5687	4.0391	0.4463	0.13934
	22.000	83.028	17.7680	4.5274	3.9245	0.4997	0.14838		8.000	87.730	18.4707	4.5697	4.0420	0.4421	0.13912
	20.000	83.803	17.8241	4.5309	3.9339	0.4870	0.14761		6.000	88.307	18.4837	4.5705	4.0442	0.4390	0.13896
	18.000	84.529	17.8708	4.5338	3.9417	0.4762	0.14698		4.000	88.876	18.4928	4.5710	4.0457	0.4367	0.13885
	16.000	85.218	17.9097	4.5362	3.9482	0.4671	0.14645		2.000	89.439	18.4982	4.5713	4.0466	0.4354	0.13878
	14.000	85.874	17.9420	4.5381	3.9536	0.4594	0.14601								
	12.000	86.505	17.9686	4.5398	3.9581	0.4530	0.14566								
	10.000	87.116	17.9902	4.5411	3.9617	0.4477	0.14537								
	8.000	87.711	18.0072	4.5421	3.9645	0.4435	0.14514								
	6.000	88.294	18.0201	4.5429	3.9667	0.4404	0.14497								
	4.000	88.868	18.0291	4.5434	3.9682	0.4381	0.14485								
	2.000	89.435	18.0345	4.5438	3.9691	0.4368	0.14478								
4.00	2.000	15.613	1.2194	1.1519	1.0586	3.8521	0.99920								
	4.000	17.258	1.4763	1.3185	1.1196	3.7089	0.99401								
	6.000	18.812	1.7743	1.4980	1.1844	3.5679	0.98110								
	8.000	20.471	2.1166	1.6879	1.2540	3.4273	0.95845								
	10.000	22.234	2.5061	1.8853	1.3293	3.2860	0.92542								
	12.000	24.095	2.9445	2.0870	1.4109	3.1439	0.88264								
	14.000	26.050	3.4334	2.2898	1.4994	3.0009	0.83170								
	16.000	28.098	3.9741	2.4909	1.5954	2.8570	0.77474								
	18.000	30.236	4.5667	2.6877	1.6991	2.7128	0.71422								
	20.000	32.464	5.2116	2.8782	1.8107	2.5686	0.65240								
	22.000	34.786	5.9090	3.0611	1.9304	2.4246	0.59123								
	24.000	37.208	6.6592	3.2352	2.0583	2.2809	0.53224								
	26.000	39.740	7.4625	3.4002	2.1947	2.1374	0.47648								
	28.000	42.402	8.3215	3.5561	2.3401	1.9935	0.42453								
	30.000	45.224	9.2397	3.7034	2.4949	1.8485	0.37666								
	32.000	48.258	10.2259	3.8430	2.6609	1.7006	0.33272								
	34.000	51.605	11.2995	3.9768	2.8413	1.5463	0.29223								
	36.000	55.495	12.5100	4.1091	3.0444	1.3776	0.25409								
	38.000	60.827	14.0647	4.2556	3.3049	1.1637	0.21432								
	38.774	66.059	15.4261	4.3665	3.5329	0.9717	0.18613								
	38.000	70.601	16.4407	4.4403	3.7026	0.8196	0.16833								
	36.000	74.161	17.1095	4.4855	3.8144	0.7109	0.15785								
	34.000	76.297	17.4525	4.5076	3.8718	0.6511	0.15282								
	32.000	77.508	17.6808	4.5220	3.9099	0.6090	0.14959								
	30.000	79.227	17.8479	4.5324	3.9379	0.5769	0.14729								